

**Qwest**

421 Southwest Oak Street Room 810  
Portland, Oregon 97204  
503-242-5089  
Facsimile 503-242-7243

**Ron L. Trullinger**

Manager  
Oregon Regulatory



October 2, 2007

Ms. Vikie Bailey-Goggins  
Oregon Public Utility Commission  
PO Box 2148  
Salem Oregon 97308-2148

Dear Ms. Vikie Bailey-Goggins:

Qwest Corporation (Qwest) respectfully requests Commission concurrence with regard to the issuance of additional numbering resources in Qwest's Eugene rate center.

Qwest is requesting from NeuStar / PA, the Oregon number pooling administrator, to open 10,000 sequential numbers out of the SPFDOR01DS1 switch. The request is for a full NXX code of 10,000 numbers. PeaceHealth Oregon Region of Eugene, Oregon is building a new medical center named Sacred Heart Medical Center at RiverBend in Springfield, Oregon. These new numbers are needed for the new medical location. I have attached the letter from PeaceHealth stating their request.

On 10/01/07, Qwest submitted a Part 1A and MTE (Months to Exhaust) Worksheet to NeuStar/PA via their online system requesting numbering resources to satisfy the customers needs. The request was immediately denied, based on FCC utilization criteria. According to FCC requirements, to qualify for additional numbering resources carriers must submit paperwork demonstrating the rate center for which the numbers are requested is at six months or less to exhaust and is at 75% or more utilization. In cases where the service provider is not able to meet a specific customer request with available inventory, the FCC has determined that the state commissions will have jurisdiction. The Eugene rate center is at 61.6 MTE and 73.2% utilization. Due to the MTE and utilization Qwest does not qualify for additional numbers at this time.

In its Second Report and Order on Numbering Resource Optimization, the Federal Communications Commission (FCC) allowed for a waiver of the rules when there is a demonstrated need for a large block of numbers, such as we are requesting. *FCC Docket No. 99-200, Order No. 00-429, ¶186, released December 29, 2000.* The FCC then delegated authority to the State Commissions to grant requests for additional numbering resources in its Third Report And Order on Numbering Resource Optimization:

... and we delegate authority to state commissions to hear claims that a safety valve should be applied when the NANPA or Pooling Administrator denied a specific request for numbering resources (footnote omitted)... We also clarify that states may grant request by carriers that receive a specific customer request for numbering resources that exceeds their available inventory.

**This request is asking for Commission consideration based upon ¶¶ 61 and 64 of Order No. 01-362 relating to a specific customer request. This need is demonstrated by the customer's request, along with current proof of utilization in the Eugene rate center.**

Qwest respectfully requests that the Oregon Public Utility Commission direct NeuStar / PA to provide 10,000 sequential numbers provisioned out of the Springfield, Oregon switch. This will require authorization to open a new NXX code in the Eugene rate center.


The directive for the numbers should be mailed to the Pooling Administrator:

Ms. Diane Mueller  
1800 Sutter St. Ste. 780  
Concord, CA 94520  
Phone: 925-363-7656  
diane.mueller@neustar.biz

Some of the information provided is confidential by Qwest Corporation and is stamped as such.

Thank you for your consideration in this matter. I would appreciate an expeditious decision relating to this request. The customer is requesting the numbers the first week in December of 2007.

Sincerely,



Attachments