

840 First Street, N.E., 3rd Floor, Washington, D.C. 20002, (202) 609-9862, www.co-law.net, cross@co-law.net

January 29, 2016

Ms. Kimberly D. Bose Secretary Federal Energy Regulatory Commission 888 First Street, N.E. Washington, D.C. 20426

Re:

Georgia-Pacific Consumer Products (Camas) LLC

FERC Docket No. QF16-___- 000 Notice of Self-Certification

Dear Madam Secretary;

Pursuant to 18 C.F.R. § 131.80, as promulgated by the Federal Energy Regulatory Commission (the "Commission"), Georgia-Pacific Consumer Products (Camas) LLC ("Camas") is filing a Notice of Self-Certification as a qualifying cogeneration facility.

Camas purchased the cogeneration facilities from PacifiCorp on January 1, 2016. The facilities were constructed in 1996 to provide efficient, cogenerated electricity to the host, the Camas Mill. The original owner, PacifiCorp, did not seek qualifying facility status for the facilities.

Questions regarding this Notice of Self-Certification may be submitted to the undersigned.

Respectfully submitted,

GEORGIA-PACIFIC CONSUMER PRODUCTS (CAMAS) LLC

By: /s/ S. Lorraine Cross

Cc: Ms. Sarah Wallace
Vice President & General Counsel
Pacific Power Inc.
825 N.E. Multnomah Street
Suite 2000
Portland, Oregon 97232

Records Center Washington Utilities & Transportation Commission P.O. Box 47256 Olympia, Washington 98504-7250

FEDERAL ENERGY REGULATORY COMMISSION WASHINGTON, DC

OMB Control # 1902-0075 Expiration 05/31/2016

Form 556 Certification of Qualifying Facility (QF) Status for a Small Power Production or Cogeneration Facility

General

Questions about completing this form should be sent to Form556@ferc.gov. Information about the Commission's QF program, answers to frequently asked questions about QF requirements or completing this form, and contact information for QF program staff are available at the Commission's QF website, www.ferc.gov/QF. The Commission's QF website also provides links to the Commission's QF regulations (18 C.F.R. § 131.80 and Part 292), as well as other statutes and orders pertaining to the Commission's QF program.

Who Must File

Any applicant seeking QF status or recertification of QF status for a generating facility with a net power production capacity (as determined in lines 7a through 7g below) greater than 1000 kW must file a self-certification or an application for Commission certification of QF status, which includes a properly completed Form 556. Any applicant seeking QF status for a generating facility with a net power production capacity 1000 kW or less is exempt from the certification requirement, and is therefore not required to complete or file a Form 556. See 18 C.F.R. § 292.203.

How to Complete the Form 556

This form is intended to be completed by responding to the items in the order they are presented, according to the instructions given. If you need to back-track, you may need to clear certain responses before you will be allowed to change other responses made previously in the form. If you experience problems, click on the nearest help button () for assistance, or contact Commission staff at Form556@ferc.gov.

Certain lines in this form will be automatically calculated based on responses to previous lines, with the relevant formulas shown. You must respond to all of the previous lines within a section before the results of an automatically calculated field will be displayed. If you disagree with the results of any automatic calculation on this form, contact Commission staff at Form556@ferc.gov to discuss the discrepancy before filing.

You must complete all lines in this form unless instructed otherwise. Do not alter this form or save this form in a different format. Incomplete or altered forms, or forms saved in formats other than PDF, will be rejected.

How to File a Completed Form 556

Applicants are required to file their Form 556 electronically through the Commission's eFiling website (see instructions on page 2). By filing electronically, you will reduce your filing burden, save paper resources, save postage or courier charges, help keep Commission expenses to a minimum, and receive a much faster confirmation (via an email containing the docket number assigned to your facility) that the Commission has received your filing.

If you are simultaneously filing both a waiver request and a Form 556 as part of an application for Commission certification, see the "Waiver Requests" section on page 3 for more information on how to file.

Paperwork Reduction Act Notice

This form is approved by the Office of Management and Budget. Compliance with the information requirements established by the FERC Form No. 556 is required to obtain or maintain status as a QF. See 18 C.F.R. § 131.80 and Part 292. An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The estimated burden for completing the FERC Form No. 556, including gathering and reporting information, is as follows: 3 hours for self-certification of a small power production facility, 8 hours for self-certifications of a cogeneration facility, 6 hours for an application for Commission certification of a small power production facility, and 50 hours for an application for Commission certification of a cogeneration facility. Send comments regarding this burden estimate or any aspect of this collection of information, including suggestions for reducing this burden, to the following: Information Clearance Officer, Office of the Executive Director (ED-32), Federal Energy Regulatory Commission, 888 First Street N.E., Washington, DC 20426 (DataClearance@ferc.gov); and Desk Officer for FERC, Office of Information and Regulatory Affairs, Office of Management and Budget, Washington, DC 20503 (oira_submission@omb.eop.gov). Include the Control No. 1902-0075 in any correspondence.

FERC Form 556 Page 2 - Instructions

Electronic Filing (eFiling)

To electronically file your Form 556, visit the Commission's QF website at www.ferc.gov/QF and click the eFiling link.

If you are eFiling your first document, you will need to register with your name, email address, mailing address, and phone number. If you are registering on behalf of an employer, then you will also need to provide the employer name, alternate contact name, alternate contact phone number and and alternate contact email.

Once you are registered, log in to eFiling with your registered email address and the password that you created at registration. Follow the instructions. When prompted, select one of the following QF-related filing types, as appropriate, from the Electric or General filing category.

Filing category	Filing Type as listed in eFiling	Description
	(Fee) Application for Commission Cert. as Cogeneration QF	Use to submit an application for Commission certification or Commission recertification of a cogeneration facility as a QF.
	(Fee) Application for Commission Cert. as Small Power QF	Use to submit an application for Commission certification or Commission recertification of a small power production facility as a QF.
	Self-Certification Notice (QF, EG, FC)	Use to submit a notice of self- certification of your facility (cogeneration or small power production) as a QF.
Electric	Self-Recertification of Qualifying Facility (QF)	Use to submit a notice of self- recertification of your facility (cogeneration or small power production) as a QF.
	Supplemental Information or Request	Use to correct or supplement a Form 556 that was submitted with errors or omissions, or for which Commission staff has requested additional information. Do not use this filing type to report new changes to a facility or its ownership; rather, use a self-recertification or Commission recertification to report such changes.
General	(Fee) Petition for Declaratory Order (not under FPA Part 1)	Use to submit a petition for declaratory order granting a waiver of Commission QF regulations pursuant to 18 C.F.R. §§ 292.204(a) (3) and/or 292.205(c). A Form 556 is not required for a petition for declaratory order unless Commission recertification is being requested as part of the petition.

You will be prompted to submit your filing fee, if applicable, during the electronic submission process. Filing fees can be paid via electronic bank account debit or credit card.

During the eFiling process, you will be prompted to select your file(s) for upload from your computer.

Filing Fee

No filing fee is required if you are submitting a self-certification or self-recertification of your facility as a QF pursuant to 18 C.F.R. § 292.207(a).

A filing fee is required if you are filing either of the following:

- (1) an application for Commission certification or recertification of your facility as a QF pursuant to 18 C.F.R. § 292.207(b), or
- (2) a petition for declaratory order granting waiver pursuant to 18 C.F.R. §§ 292.204(a)(3) and/or 292.205(c).

The current fees for applications for Commission certifications and petitions for declaratory order can be found by visiting the Commission's QF website at www.ferc.gov/QF and clicking the Fee Schedule link.

You will be prompted to submit your filing fee, if applicable, during the electronic filing process described on page 2.

Required Notice to Utilities and State Regulatory Authorities

Pursuant to 18 C.F.R. § 292.207(a)(ii), you must provide a copy of your self-certification or request for Commission certification to the utilities with which the facility will interconnect and/or transact, as well as to the State regulatory authorities of the states in which your facility and those utilities reside. Links to information about the regulatory authorities in various states can be found by visiting the Commission's QF website at www.ferc.gov/QF and clicking the Notice Requirements link.

What to Expect From the Commission After You File

An applicant filing a Form 556 electronically will receive an email message acknowledging receipt of the filing and showing the docket number assigned to the filing. Such email is typically sent within one business day, but may be delayed pending confirmation by the Secretary of the Commission of the contents of the filing.

An applicant submitting a self-certification of QF status should expect to receive no documents from the Commission, other than the electronic acknowledgement of receipt described above. Consistent with its name, a self-certification is a certification by the applicant itself that the facility meets the relevant requirements for QF status, and does not involve a determination by the Commission as to the status of the facility. An acknowledgement of receipt of a self-certification, in particular, does not represent a determination by the Commission with regard to the QF status of the facility. An applicant self-certifying may, however, receive a rejection, revocation or deficiency letter if its application is found, during periodic compliance reviews, not to comply with the relevant requirements.

An applicant submitting a request for Commission certification will receive an order either granting or denying certification of QF status, or a letter requesting additional information or rejecting the application. Pursuant to 18 C.F.R. § 292.207(b)(3), the Commission must act on an application for Commission certification within 90 days of the later of the filing date of the application or the filing date of a supplement, amendment or other change to the application.

Waiver Requests

18 C.F.R. § 292.204(a)(3) allows an applicant to request a waiver to modify the method of calculation pursuant to 18 C.F.R. § 292.204(a)(2) to determine if two facilities are considered to be located at the same site, for good cause. 18 C.F.R. § 292.205(c) allows an applicant to request waiver of the requirements of 18 C.F.R. §§ 292.205(a) and (b) for operating and efficiency upon a showing that the facility will produce significant energy savings. A request for waiver of these requirements must be submitted as a petition for declaratory order, with the appropriate filing fee for a petition for declaratory order. Applicants requesting Commission recertification as part of a request for waiver of one of these requirements should electronically submit their completed Form 556 along with their petition for declaratory order, rather than filing their Form 556 as a separate request for Commission recertification. Only the filing fee for the petition for declaratory order must be paid to cover both the waiver request and the request for recertification if such requests are made simultaneously.

18 C.F.R. § 292.203(d)(2) allows an applicant to request a waiver of the Form 556 filing requirements, for good cause. Applicants filing a petition for declaratory order requesting a waiver under 18 C.F.R. § 292.203(d)(2) do not need to complete or submit a Form 556 with their petition.

FERC Form 556 Page 4 - Instructions

Geographic Coordinates

If a street address does not exist for your facility, then line 3c of the Form 556 requires you to report your facility's geographic coordinates (latitude and longitude). Geographic coordinates may be obtained from several different sources. You can find links to online services that show latitude and longitude coordinates on online maps by visiting the Commission's QF webpage at www.ferc.gov/QF and clicking the Geographic Coordinates link. You may also be able to obtain your geographic coordinates from a GPS device, Google Earth (available free at http://earth.google.com), a property survey, various engineering or construction drawings, a property deed, or a municipal or county map showing property lines.

Filing Privileged Data or Critical Energy Infrastructure Information in a Form 556

The Commission's regulations provide procedures for applicants to either (1) request that any information submitted with a Form 556 be given privileged treatment because the information is exempt from the mandatory public disclosure requirements of the Freedom of Information Act, 5 U.S.C. § 552, and should be withheld from public disclosure; or (2) identify any documents containing critical energy infrastructure information (CEII) as defined in 18 C.F.R. § 388.113 that should not be made public.

If you are seeking privileged treatment or CEII status for any data in your Form 556, then you must follow the procedures in 18 C.F.R. § 388.112. See www.ferc.gov/help/filing-guide/file-ceii.asp for more information.

Among other things (see 18 C.F.R. § 388.112 for other requirements), applicants seeking privileged treatment or CEII status for data submitted in a Form 556 must prepare and file both (1) a complete version of the Form 556 (containing the privileged and/or CEII data), and (2) a public version of the Form 556 (with the privileged and/or CEII data redacted). Applicants preparing and filing these different versions of their Form 556 must indicate below the security designation of this version of their document. If you are *not* seeking privileged treatment or CEII status for any of your Form 556 data, then you should not respond to any of the items on this page.

Non-Public: Applicant is seeking privileged treatment and/or CEII status for data contained in the Form 556 lines indicated below. This non-public version of the applicant's Form 556 contains all data, including the data that is redacted in the (separate) public version of the applicant's Form 556.
Public (redacted): Applicant is seeking privileged treatment and/or CEII status for data contained in the Form 556 lines indicated below. This public version of the applicants's Form 556 contains all data except for data from the lines indicated below, which has been redacted.
Privileged: Indicate below which lines of your form contain data for which you are seeking privileged treatment
Critical Energy Infrastructure Information (CEII): Indicate below which lines of your form contain data for which you are seeking CEII status

The eFiling process described on page 2 will allow you to identify which versions of the electronic documents you submit are public, privileged and/or CEII. The filenames for such documents should begin with "Public", "Priv", or "CEII", as applicable, to clearly indicate the security designation of the file. Both versions of the Form 556 should be unaltered PDF copies of the Form 556, as available for download from www.ferc.gov/QF. To redact data from the public copy of the submittal, simply omit the relevant data from the Form. For numerical fields, leave the redacted fields blank. For text fields, complete as much of the field as possible, and replace the redacted portions of the field with the word "REDACTED" in brackets. Be sure to identify above all fields which contain data for which you are seeking non-public status.

The Commission is not responsible for detecting or correcting filer errors, including those errors related to security designation. If your documents contain sensitive information, make sure they are filed using the proper security designation.

FEDERAL ENERGY REGULATORY COMMISSION WASHINGTON, DC

OMB Control # 1902-0075 Expiration 5/31/2016

Form 556 Certification of Qualifying Facility (QF) Status for a Small Power Production or Cogeneration Facility

1b Applicant street add 401 NE Adams St					
1c City		1d State/prov	ince		
Camas		WA			
1e Postal code 98607	1f Country (if not United States)		1g Telephone number 360–834 3021		
1h Has the instant facili	ry ever previously been certified as a C	QF? Yes 1	No ⊠		
1i If yes, provide the do	ket number of the last known QF filin	g pertaining to tl	his facility: QF		
	tion process is the applicant making t		Management Management Company		
Notice of self-certif (see note below)	ication \Box_{f}^{f}	Application for Co	ommission certification (requires filing e" section on page 3)		
Note: a notice of self-certification is a notice by the applicant itself that its facility complies with the requirements for QF status. A notice of self-certification does not establish a proceeding, and the Commission does not review a notice of self-certification to verify compliance. See the "What to Expect From the Commission After You File" section on page 3 for more information.					
k What type(s) of QF status is the applicant seeking for its facility? (check all that apply)					
Qualifying small po	wer production facility status 💢 🤇	ualifying cogene	eration facility status		
to the control of the	What is the purpose and expected effective date(s) of this filing?				
○ Original certification	n; facility expected to be installed by	1/1/96 ar	nd to begin operation on $1/1/96$		
Change(s) to a previously certified facility to be effective on					
(identify type(s) of change(s) below, and describe change(s) in the Miscellaneous section starting on page 19)					
☐ Name change and/or other administrative change(s)					
Change in ownership					
Change(s) affecting plant equipment, fuel use, power production capacity and/or cogeneration thermal output					
Supplement or correction to a previous filing submitted on					
(describe the supple	ment or correction in the Miscellaneo	us section startin	ig on page 19)		
to the extent possible	, explaining any special circumstance	s in the Miscellan	ibe your situation and complete the form eous section starting on page 19.		
— previously granted	complies with the Commission's QF r I by the Commission in an order date ellaneous section starting on page 19)	d	virtue of a waiver of certain regulations (specify any other relevant waiver		
The instant facility concurrently with	would comply with the Commission's this application is granted	GQF requirement	s if a petition for waiver submitted		
employment of un	complies with the Commission's regulique or innovative technologies not compliance via this form difficult of	ontemplated by	pecial circumstances, such as the the structure of this form, that make scribe in Misc. section starting on p. 19)		

	2a Name of contact person S. Lorraine Cross	2b Telephone number 202 609 9862					
Contact Information	2c Which of the following describes the contact person's relationship to the applicant? (check one)						
	Applicant (self) Employee, owner or partner of applicant authorized to represent the applicant						
		Employee of a company affiliated with the applicant authorized to represent the applicant on this matter					
	Lawyer, consultant, or other representative authorized to represent the applicant on this matter						
Ĕ					-		
for	2d Company or organization name (Cross & Co. PLLC	ii applicant is an individu	ai, check here and	iskip to line 2e)			
드	\$1000000000000000000000000000000000000	and the second second second	1: 2-1				
acı	2e Street address (if same as Applica 3rd Floor, 840 First Str		line 3a)		U		
ont	31d F1001, 640 F11St 5t1	eet, N.E.					
S	of CV		T				
	2f City Washington		2g State/provi	nce			
			D.C.	and the second s	1		
	2h Postal code	2i Country (if not United	States)				
	20002				-		
_	3a Facility name						
tio	Camas Mill						
Ca	3b Street address (if a street address does not exist for the facility, check here and skip to line 3c)						
으	401 NE Adams Street	401 NE Adams Street					
pu							
Identification and Location	Geographic coordinates: If you indicated that no street address exists for your facility by checking the box in line 3b, then you must specify the latitude and longitude coordinates of the facility in degrees (to three decimal places). Use the following formula to convert to decimal degrees from degrees, minutes and seconds: decimal degrees = degrees + (minutes/60) + (seconds/3600). See the "Geographic Coordinates" section on page 4 for help. If you provided a street address for your facility in line 3b, then specifying the geographic coordinates below is optional.						
lenti	Longitude	degrees	Latitude [North (+) South (-) degrees			
	3d City (if unincorporated, check her	e and enter nearest city) [3e State/pro	ovince			
<u>∺</u>	Camas		WA				
Facility	3f County (or check here for indepen	ident city) 3	Country (if not	United States)	69		
<u> </u>	Clark	755 Absorpti			9		
	Identify the electric utilities that are contemplated to transact with the facility.						
ies	4a Identify utility interconnecting with the facility						
<u> </u>	Pacific Power						
ng Ut	4b Identify utilities providing wheeling service or check here if none						
Transacting Utilities	4c Identify utilities purchasing the us	seful electric power outpu	t or check here if	none 🔀	0		
Trar	4d Identify utilities providing supplementary power, backup power, maintenance power, and/or interruptible power service or check here if none Pacific Power						

5a	Direct ownership as of effective date or operation date: Identify all direct owners of the percent equity interest. For each identified owner, also (1) indicate whether that own defined in section 3(22) of the Federal Power Act (16 U.S.C. 796(22)), or a holding compact (1262(8)) of the Public Utility Holding Company Act of 2005 (42 U.S.C. 16451(8)), and (2 utilities or holding companies, provide the percentage of equity interest in the facility direct owners hold at least 10 percent equity interest in the facility, then provide the recommendation of the percentage of equity interest in the facility.	er is an elect pany, as def) for owners , held by tha	tric utilit ined in s which a t owner.	y, as ection re electric If no
	Full legal names of direct owners	Electric ut holdir compa	ng	If Yes, % equity interest
			No 🖂	%
2			No \square	
1			No \square	o
			No \square	96
			No \square	
1			No \square	
	,		No \square	
	(3)		No 🗍	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
))	Yes□	No 🗍	
=	0)	Yes□	No 🗍	96
Jer	Check here and continue in the Miscellaneous section starting on page 19 if add	itional space	is need	ed.
Ownership	defined in section 3(22) of the Federal Power Act (16 U.S.C. 796(22)), or holding comp 1262(8) of the Public Utility Holding Company Act of 2005 (42 U.S.C. 16451(8)). Also pequity interest in the facility held by such owners. (Note that, because upstream own another, total percent equity interest reported may exceed 100 percent.)	provide the p	percenta	ge of
W	Check here if no such upstream owners exist.			
	Full legal names of electric utility or holding company upstream own	ers		% equity interest
))			96
	2)			96
1	3)			9
y	1)			%
	5)			90
	5)			8
	7)			
	3)			96
	9)			8
	10)			90
	Check here and continue in the Miscellaneous section starting on page 19 if additional continue in the Miscellaneous section starting on page 19 if additional continue in the Miscellaneous section starting on page 19 if additional continue in the Miscellaneous section starting on page 19 if additional continue in the Miscellaneous section starting on page 19 if additional continue in the Miscellaneous section starting on page 19 if additional continue in the Miscellaneous section starting on page 19 if additional continue in the Miscellaneous section starting on page 19 if additional continue in the Miscellaneous section starting on page 19 if additional continue in the Miscellaneous section starting on page 19 if additional continue in the Miscellaneous section starting on page 19 if additional continue in the Miscellaneous section continue in the Miscell	tional space	is neede	[%]

Biomass (specify)

☐ Wood

☐ Landfill gas

☐ Manure digester gas

Municipal solid waste

☐ Sewage digester gas

			☐ Wood		Solar - thermal		Other fossil fuel	
			Other biomass (describe on page 19)		Wind		(describe on page 19)	
			Waste (specify type below in line 6b)		Other renewable resource (describe on page 19)		er (describe on page 19)	
		6k	If you specified "waste" as the primary energy inp	ut ir	n line 6a, indicate the type of	waste fue	l used: (check one)	
		1	Waste fuel listed in 18 C.F.R. § 292.202(b) (sp	ecif	y one of the following)			
			 Anthracite culm produced prior to July 	/ 23	1985			
		Anthracite refuse that has an average heat content of 6,000 Btu or less per pound and has an average heat content of 6,000 Btu or less per pound and has an average heat content of 6,000 Btu or less per pound and has an average heat content of 6,000 Btu or less per pound and has an average heat content of 6,000 Btu or less per pound and has an average heat content of 6,000 Btu or less per pound and has an average heat content of 6,000 Btu or less per pound and has an average heat content of 6,000 Btu or less per pound and has an average heat content of 6,000 Btu or less per pound and has an average heat content of 6,000 Btu or less per pound and has an average heat content of 6,000 Btu or less per pound and has an average heat content of 6,000 Btu or less per pound and has an average heat content of 6,000 Btu or less per pound and has an average heat content of 6,000 Btu or less per pound and has a second discount of 6,000 Btu or less per pound and has a second discount of 6,000 Btu or less per pound and has a second discount of 6,000 Btu or less per pound and but of 6,000 Btu or less per pound and but of 6,000 Btu or less per pound and but of 6,000 Btu or less per pound and 6,000 Btu or less per						
			Bituminous coal refuse that has an ave average ash content of 25 percent or n	rage nore	e heat content of 9,500 Btu pe	er pound	or less and has an	
	Input		Top or bottom subbituminous coal prodetermined to be waste by the United (BLM) or that is located on non-Federal the applicant shows that the latter coal	Stat	es Department of the Interior	's Bureau I M's iuris	of Land Management	
	Energy Input		Coal refuse produced on Federal lands BLM or that is located on non-Federal applicant shows that the latter is an extension of the control o	or c	on Indian lands that has been on-Indian lands outside of RI	determin M's jurisd	ed to be waste by the	
			Lignite produced in association with th as a result of such a mining operation					
			☐ Gaseous fuels (except natural gas and s	ynt	netic gas from coal) (describe	on page	19)	
			Waste natural gas from gas or oil wells ☐ C.F.R. § 2.400 for waste natural gas; incl compliance with 18 C.F.R. § 2.400)	(de	cribe on page 19 how the gar	r maate th	0.0000000000000000000000000000000000000	
			☐ Materials that a government agency ha	s ce	rtified for disposal by combus	tion (des	cribe on page 19)	
			☐ Heat from exothermic reactions (descri	oe o			(describe on page 19)	
			☐ Used rubber tires ☐ Plastic mat	eria			☐ Petroleum coke	
			Other waste energy input that has little or no facility industry (describe in the Miscellaneous lack of commercial value and existence in the	s sec abs	tion starting on page 19; incl ence of the qualifying facility	ude a disc industry)	cussion of the fuel's	
		6с	Provide the average energy input, calculated on a cenergy inputs, and provide the related percentage 292.202(j)). For any oil or natural gas fuel, use lower	ot ti	ne total average annual energ	winnut to	e following fossil fuel the facility (18 C.F.R. §	

Fuel

Natural gas

Coal

Oil-based fuels

Annual average energy

input for specified fuel

160,362,474 Btu/h

0 Btu/h

0 Btu/h

Renewable resources (specify)

☐ Hydro power - river

☐ Hydro power - tidal

☐ Hydro power - wave

☐ Solar - photovoltaic

6a Describe the primary energy input: (check one main category and, if applicable, one subcategory)

Geothermal

Percentage of total

annual energy input

18.5 %

0 %

0 %

Fossil fuel (specify)

☐ Coal (not waste)

☐ Natural gas (not waste)

☐ Fuel oil/diesel

Indicate the maximum gross and maximum net electric power production capacity of the facility at the point(s) of delivery by completing the worksheet below. Respond to all items. If any of the parasitic loads and/or losses identified in lines 7b through 7e are negligible, enter zero for those lines.

7a The maximum gross power production capacity at the terminals of the individual generator(s) under the most favorable anticipated design conditions

7b Parasitic station power used at the facility to run equipment which is necessary and integral to the power production process (boiler feed pumps, fans/blowers, office or maintenance buildings directly related to the operation of the power generating facility, etc.). If this facility includes non-power production processes (for instance, power consumed by a cogeneration facility's thermal host), do not include any power consumed by the non-power production activities in your reported parasitic station power.

4,570 kW

7c Electrical losses in interconnection transformers

0 kW

7d Electrical losses in AC/DC conversion equipment, if any

0 kW

7e Other interconnection losses in power lines or facilities (other than transformers and AC/DC conversion equipment) between the terminals of the generator(s) and the point of interconnection with the utility

0 kW

7f Total deductions from gross power production capacity = 7b + 7c + 7d + 7e

7g Maximum net power production capacity = 7a - 7f

38,171.0 kW

7h Description of facility and primary components: Describe the facility and its operation. Identify all boilers, heat recovery steam generators, prime movers (any mechanical equipment driving an electric generator), electrical generators, photovoltaic solar equipment, fuel cell equipment and/or other primary power generation equipment used in the facility. Descriptions of components should include (as applicable) specifications of the nominal capacities for mechanical output, electrical output, or steam generation of the identified equipment. For each piece of equipment identified, clearly indicate how many pieces of that type of equipment are included in the plant, and which components are normally operating or normally in standby mode. Provide a description of how the components operate as a system. Applicants for cogeneration facilities do not need to describe operations of systems that are clearly depicted on and easily understandable from a cogeneration facility's attached mass and heat balance diagram; however, such applicants should provide any necessary description needed to understand the sequential operation of the facility depicted in their mass and heat balance diagram. If additional space is needed, continue in the Miscellaneous section starting on page 19.

The nameplate rating of the steam turbine generator is 60 MW. However, a study was conducted in December of 2014 to determine the steam turbine's maximum output based on the current facilities operating conditions. The maximum operating capacity with connected motive steam was found to be 42,741 kW. See: Attached Mass & Heat Flow Diagram.



Information Required for Small Power Production Facility

If you indicated in line 1k that you are seeking qualifying small power production facility status for your facility, then you must respond to the items on this page. Otherwise, skip page 10.

	Pursuant to 18 C.F.R. § 292.204(a), the power production capacity of any small power production with the power production capacity of any other small power production facilities that use to resource, are owned by the same person(s) or its affiliates, and are located at the same site, in megawatts. To demonstrate compliance with this size limitation, or to demonstrate that you from this size limitation under the Solar, Wind, Waste, and Geothermal Power Production Inc. (Pub. L. 101-575, 104 Stat. 2834 (1990) as amended by Pub. L. 102-46, 105 Stat. 249 (1991)), rethrough 8e below (as applicable). 8a Identify any facilities with electrical generating equipment located within 1 mile of the equipment of the instant facilities.	the same energy may not exceed 80 ur facility is exempt centives Act of 1990 espond to lines 8a
ره	at least a 5 percent equity interest.	, or their affiliates, holds
DC.	Check here if no such facilities exist.	
tification of Complial with Size Limitations	Facility location Root docket # (city or county, state) (if any) Common owner(s)	Maximum net power production capacity
on itat	1) QF -	kW
of C Lim	2) QF -	kW
on (QF -	kW
atic Si	Check here and continue in the Miscellaneous section starting on page 19 if additional s	space is needed
Cer	8e If you answered No in line 8d, indicate whether reasonable diligence was exercised toward the facility, taking into account all factors relevant to construction? Yes No If you a brief narrative explanation in the Miscellaneous section starting on page 19 of the construction, describe why construction started so long after the facility was certified) and the distorated completion of the facility.	tified prior to 1995. Incentives Act? the facility filed on or to to trace the completion of the series are the facility filed on timeline (in trace tiled to the completion of the completion of the completion timeline (in trace the facility filed on the completion timeline (in trace the facility filed on the completion timeline (in trace the facility filed on or trace t
Certification of Compliance with Fuel Use Requirements	Pursuant to 18 C.F.R. § 292.204(b), qualifying small power production facilities may use fossil famounts, for only the following purposes: ignition; start-up; testing; flame stabilization; controvention of unanticipated equipment outages; and alleviation or prevention of emergencies the public health, safety, or welfare, which would result from electric power outages. The amounted for these purposes may not exceed 25 percent of the total energy input of the facility duperiod beginning with the date the facility first produces electric energy or any calendar years.	rol use; alleviation or es, directly affecting ount of fossil fuels
of of S	9a Certification of compliance with 18 C.F.R. § 292.204(b) with respect to uses of fossil fuel:	
ion Use	Applicant certifies that the facility will use fossil fuels exclusively for the purposes listed	l above.
Certificat with Fuel	9b Certification of compliance with 18 C.F.R. § 292.204(b) with respect to amount of fossil fue Applicant certifies that the amount of fossil fuel used at the facility will not, in aggrega percent of the total energy input of the facility during the 12-month period beginning facility first produces electric energy or any calendar year thereafter.	te exceed 25

TENCT OTHER

Information Required for Cogeneration Facility

If you indicated in line 1k that you are seeking qualifying cogeneration facility status for your facility, then you must respond to the items on pages 11 through 13. Otherwise, skip pages 11 through 13.

Pursuant to 18 C.F.R. § 292.202(c), a cogeneration facility produces electric energy and forms of useful thermal energy (such as heat or steam) used for industrial, commercial, heating, or cooling purposes, through the sequential use of energy. Pursuant to 18 C.F.R. § 292.202(s), "sequential use" of energy means the following: (1) for a toppingcycle cogeneration facility, the use of reject heat from a power production process in sufficient amounts in a thermal application or process to conform to the requirements of the operating standard contained in 18 C.F.R. § 292.205(a); or (2) for a bottoming-cycle cogeneration facility, the use of at least some reject heat from a thermal application or process for power production. 10a What type(s) of cogeneration technology does the facility represent? (check all that apply) ▼ Topping-cycle cogeneration ☐ Bottoming-cycle cogeneration 10b To help demonstrate the sequential operation of the cogeneration process, and to support compliance with other requirements such as the operating and efficiency standards, include with your filing a mass and heat balance diagram depicting average annual operating conditions. This diagram must include certain items and meet certain requirements, as described below. You must check next to the description of each requirement below to certify that you have complied with these requirements. Check to certify compliance with indicated requirement Requirement Diagram must show orientation within system piping and/or ducts of all prime movers, General Cogeneration heat recovery steam generators, boilers, electric generators, and condensers (as X applicable), as well as any other primary equipment relevant to the cogeneration process. Any average annual values required to be reported in lines 10b, 12a, 13a, 13b, 13d, 13f, \times 14a, 15b, 15d and/or 15f must be computed over the anticipated hours of operation. Diagram must specify all fuel inputs by fuel type and average annual rate in Btu/h. Fuel for supplementary firing should be specified separately and clearly labeled. All X specifications of fuel inputs should use lower heating values. Diagram must specify average gross electric output in kW or MW for each generator. \boxtimes Diagram must specify average mechanical output (that is, any mechanical energy taken off of the shaft of the prime movers for purposes not directly related to electric power X generation) in horsepower, if any. Typically, a cogeneration facility has no mechanical output. At each point for which working fluid flow conditions are required to be specified (see below), such flow condition data must include mass flow rate (in lb/h or kg/s), temperature (in °F, R, °C or K), absolute pressure (in psia or kPa) and enthalpy (in Btu/lb or kJ/kg). Exception: For systems where the working fluid is liquid only (no vapor at any X point in the cycle) and where the type of liquid and specific heat of that liquid are clearly indicated on the diagram or in the Miscellaneous section starting on page 19, only mass flow rate and temperature (not pressure and enthalpy) need be specified. For reference, specific heat at standard conditions for pure liquid water is approximately 1.002 Btu/ (lb*R) or 4.195 kJ/(kg*K). Diagram must specify working fluid flow conditions at input to and output from each X steam turbine or other expansion turbine or back-pressure turbine. Diagram must specify working fluid flow conditions at delivery to and return from each \boxtimes thermal application. Diagram must specify working fluid flow conditions at make-up water inputs. \bowtie

	EPAct 2005 cogeneration facilities: The Energy Policy Act of 2005 (EPAct 2005) established a new section 210(n) of the Public Utility Regulatory Policies Act of 1978 (PURPA), 16 USC 824a-3(n), with additional requirements for any qualifying cogeneration facility that (1) is seeking to sell electric energy pursuant to section 210 of PURPA and (2) was either not a cogeneration facility on August 8, 2005, or had not filed a self-certification or application for Commission certification of QF status on or before February 1, 2006. These requirements were implemented by the Whether these additional requirements apply to your cogeneration facility and, if so, whether your facility complies with such requirements.
	11a Was your facility operating as a qualifying cogeneration facility on or before August 8, 2005? Yes No
	for Commission certification) filed on or before February 1, 2006? Yes No M
Se	If the answer to either line 11a or 11b is Yes, then continue at line 11c below. Otherwise, if the answers to both lines 11a and 11b are No, skip to line 11e below.
Act 2005 Requirements for Fundamental Use Energy Output from Cogeneration Facilities	11c With respect to the design and operation of the facility, have any changes been implemented on or after February 2, 2006 that affect general plant operation, affect use of thermal output, and/or increase net power production capacity from the plant's capacity on February 1, 2006?
ame on F	Yes (continue at line 11d below)
Funda	No. Your facility is not subject to the requirements of 18 C.F.R. § 292.205(d) at this time. However, it may be subject to to these requirements in the future if changes are made to the facility. At such time, the applicant would need to recertify the facility to determine eligibility. Skip lines 11d through 11j.
ts for Coge	11d Does the applicant contend that the changes identified in line 11c are not so significant as to make the facility a "new" cogeneration facility that would be subject to the 18 C.F.R. § 292.205(d) cogeneration requirements?
remen from (the facility (including the purpose of the changes) and a discussion of why the facility should not be considered a "new" cogeneration facility in light of these changes. Skip lines 11e through 11j.
Requii Jutput	No. Applicant stipulates to the fact that it is a "new" cogeneration facility (for purposes of determining the applicability of the requirements of 18 C.F.R. § 292.205(d)) by virtue of modifications to the facility that were initiated on or after February 2, 2006. Continue below at line 11e.
)05 3y (11e Will electric energy from the facility be sold pursuant to section 210 of PURPA?
oct 20 Energ	Yes. The facility is an EPAct 2005 cogeneration facility. You must demonstrate compliance with 18 C.F.R. § 292.205(d)(2) by continuing at line 11f below.
EPA of E	No. Applicant certifies that energy will <i>not</i> be sold pursuant to section 210 of PURPA. Applicant also certifies its understanding that it must recertify its facility in order to determine compliance with the requirements of 18 C.F.R. § 292.205(d) <i>before</i> selling energy pursuant to section 210 of PURPA in the future. Skip lines 11f through 11j.
	11f Is the net power production capacity of your cogeneration facility, as indicated in line 7g above, less than or equal to 5,000 kW?
	Yes, the net power production capacity is less than or equal to 5,000 kW. 18 C.F.R. § 292.205(d)(4) provides a rebuttable presumption that cogeneration facilities of 5,000 kW and smaller capacity comply with the requirements for fundamental use of the facility's energy output in 18 C.F.R. § 292.205(d)(2). Applicant certifies its understanding that, should the power production capacity of the facility increase above 5,000 kW, then the facility must be recertified to (among other things) demonstrate compliance with 18 C.F.R. § 292.205(d)(2). Skip lines 11g through 11j.
	No, the net power production capacity is greater than 5,000 kW. Demonstrate compliance with the requirements for fundamental use of the facility's energy output in 18 C.F.R. § 292.205(d)(2) by continuing on the next page at line 11g.

Lines 11g through 11k below guide the applicant through the process of demonstrating compliance with the requirements for "fundamental use" of the facility's energy output. 18 C.F.R. § 292.205(d)(2). Only respond to the lines on this page if the instructions on the previous page direct you to do so. Otherwise, skip this page.

18 C.F.R. § 292.205(d)(2) requires that the electrical, thermal, chemical and mechanical output of an EPAct 2005 cogeneration facility is used fundamentally for industrial, commercial, residential or institutional purposes and is not intended fundamentally for sale to an electric utility, taking into account technological, efficiency, economic, and variable thermal energy requirements, as well as state laws applicable to sales of electric energy from a qualifying facility to its host facility. If you were directed on the previous page to respond to the items on this page, then your facility is an EPAct 2005 cogeneration facility that is subject to this "fundamental use" requirement.

The Commission's regulations provide a two-pronged approach to demonstrating compliance with the requirements for fundamental use of the facility's energy output. First, the Commission has established in 18 C.F.R. § 292.205(d)(3) a "fundamental use test" that can be used to demonstrate compliance with 18 C.F.R. § 292.205(d)(2). Under the fundamental use test, a facility is considered to comply with 18 C.F.R. § 292.205(d)(2) if at least 50 percent of the facility's total annual energy output (including electrical, thermal, chemical and mechanical energy output) is used for industrial, commercial, residential or institutional purposes.

Second, an applicant for a facility that does not pass the fundamental use test may provide a narrative explanation of and support for its contention that the facility nonetheless meets the requirement that the electrical, thermal, chemical and mechanical output of an EPAct 2005 cogeneration facility is used fundamentally for industrial, commercial, residential or institutional purposes and is not intended fundamentally for sale to an electric utility, taking into account technological, efficiency, economic, and variable thermal energy requirements, as well as state laws applicable to sales of electric energy from a qualifying facility to its host facility.

Complete lines 11g through 11j below to determine compliance with the fundamental use test in 18 C.F.R. § 292.205(d)(3). Complete lines 11g through 11j even if you do not intend to rely upon the fundamental use test to demonstrate compliance with 18 C.F.R. § 292.205(d)(2).

11g Amount of electrical, thermal, chemical and mechanical energy output (net of internal generation plant losses and parasitic loads) expected to be used annually for industrial,	
commercial, residential or institutional purposes and not sold to an electric utility	MWh
11h Total amount of electrical, thermal, chemical and mechanical energy expected to be sold to an electric utility	MWh
11i Percentage of total annual energy output expected to be used for industrial, commercial, residential or institutional purposes and not sold to a utility = 100 * 11g /(11g + 11h)	0 %

11j Is the response in line 11i greater than or equal to 50 percent?

Yes. Your facility complies with 18 C.F.R. § 292.205(d)(2) by virtue of passing the fundamental use test provided in 18 C.F.R. § 292.205(d)(3). Applicant certifies its understanding that, if it is to rely upon passing the fundamental use test as a basis for complying with 18 C.F.R. § 292.205(d)(2), then the facility must comply with the fundamental use test both in the 12-month period beginning with the date the facility first produces electric energy, and in all subsequent calendar years.

No. Your facility does not pass the fundamental use test. Instead, you must provide in the Miscellaneous section starting on page 19 a narrative explanation of and support for why your facility meets the requirement that the electrical, thermal, chemical and mechanical output of an EPAct 2005 cogeneration facility is used fundamentally for industrial, commercial, residential or institutional purposes and is not intended fundamentally for sale to an electric utility, taking into account technological, efficiency, economic, and variable thermal energy requirements, as well as state laws applicable to sales of electric energy from a QF to its host facility. Applicants providing a narrative explanation of why their facility should be found to comply with 18 C.F.R. § 292.205(d)(2) in spite of non-compliance with the fundamental use test may want to review paragraphs 47 through 61 of Order No. 671 (accessible from the Commission's QF website at www.ferc.gov/QF), which provide discussion of the facts and circumstances that may support their explanation. Applicant should also note that the percentage reported above will establish the standard that that facility must comply with, both for the 12-month period beginning with the date the facility first produces electric energy, and in all subsequent calendar years. See Order No. 671 at paragraph 51. As such, the applicant should make sure that it reports appropriate values on lines 11g and 11h above to serve as the relevant annual standard, taking into account expected variations in production conditions.

Usefulness of Topping-Cycle

Thermal Output

Information Required for Topping-Cycle Cogeneration Facility

If you indicated in line 10a that your facility represents topping-cycle cogeneration technology, then you must respond to the items on pages 14 and 15. Otherwise, skip pages 14 and 15.

The thermal energy output of a topping-cycle cogeneration facility is the net energy made available to an industrial or commercial process or used in a heating or cooling application. Pursuant to sections 292.202(c), (d) and (h) of the Commission's regulations (18 C.F.R. §§ 292.202(c), (d) and (h)), the thermal energy output of a qualifying topping-cycle cogeneration facility must be useful. In connection with this requirement, describe the thermal output of the topping-cycle cogeneration facility by responding to lines 12a and 12b below.

12a Identify and describe each thermal host, and specify the annual average rate of thermal output made available to each host for each use. For hosts with multiple uses of thermal output, provide the data for each use in separate rows. Average annual rate of thermal output attributable to use (net of Name of entity (thermal host) Thermal host's relationship to facility; heat contained in process taking thermal output Thermal host's use of thermal output return or make-up water) Applicant or affiliate 1) Industrial process - paper Camas Mill 683,579,407 Btu/h Select thermal host's relationship to facility 2) Select thermal host's use of thermal output Btu/h Select thermal host's relationship to facility 3) Select thermal host's use of thermal output Btu/h Select thermal host's relationship to facility 4) Select thermal host's use of thermal output Btu/h Select thermal host's relationship to facility 5) Select thermal host's use of thermal output Btu/h Select thermal host's relationship to facility 6) Select thermal host's use of thermal output Btu/h

Check here and continue in the Miscellaneous section starting on page 19 if additional space is needed

12b Demonstration of usefulness of thermal output: At a minimum, provide a brief description of each use of the thermal output identified above. In some cases, this brief description is sufficient to demonstrate usefulness. However, if your facility's use of thermal output is not common, and/or if the usefulness of such thermal output is not reasonably clear, then you must provide additional details as necessary to demonstrate usefulness. Your application may be rejected and/or additional information may be required if an insufficient showing of usefulness is made. (Exception: If you have previously received a Commission certification approving a specific use of thermal output related to the instant facility, then you need only provide a brief description of that use and a reference by date and docket number to the order certifying your facility with the indicated use. Such exemption may not be used if any change creates a material deviation from the previously authorized use.) If additional space is needed, continue in the Miscellaneous section starting on page 19.

The thermal host uses thermal output from the cogeneration facility for multiple production processes in a pulp & paper mill. These processes primarily include, but are not limited to, digesting wood chips to produce fiber, drying black liquor to allow safe firing, and drying the final product to desired moisture content.

0

Topping-Cycle Operating and Efficiency Value Calculation

equal to 42.5%:

 \bowtie Yes (complies with efficiency standard)

L	A II . C C alor
rt(iitfiboe	Applicants for facilities representing topping-cycle technology must demonstrate compliance with the topping-cycle operating standard and, if applicable, efficiency standard. Section 292.205(a)(1) of the Commission's regulations (18 C.F.R. § 292.205(a)(1)) establishes the operating standard for topping-cycle cogeneration facilities: the useful thermal energy output must be no less than 5 percent of the total energy output. Section 292.205(a)(2) (18 C.F.R. § 292.205(a)(2)) establishes the efficiency standard for topping-cycle cogeneration facilities for which installation commenced on or after March 13, 1980: the useful power output of the facility plus one-half the useful thermal energy output must (A) be no less than 42.5 percent of the total energy input of natural gas and oil to the facility; and (B) if the useful thermal energy output is less than 15 percent of the total energy output of the facility, be no less than 45 percent of the total energy input of natural gas and oil to the facility. To demonstrate compliance with the topping-cycle operating and/or efficiency standards, or to demonstrate that your facility is exempt from the efficiency standard based on the date that installation commenced, respond to lines 13a through 13l below.

If you indicated in line 10a that your facility represents both topping-cycle and bottoming-cycle cogeneration technology, then respond to lines 13a through 13I below considering only the energy inputs and outputs attributable to the topping-cycle portion of your facility. Your mass and heat balance diagram must make clear which mass and energy flow values and system components are for which portion (topping

which mass and energy flow values and system components are for which portion (to cogeneration system.	pping or bottoming) of	f the
13a Indicate the annual average rate of useful thermal energy output made available	T -	
to the host(s), net of any heat contained in condensate return or make-up water		
13b Indicate the annual average rate of net electrical energy output	683,579,407	Btu/h
and arrelage rate of net electrical energy output		
13c Multiply line 13b by 3,412 to convert from kW to Btu/h	13,653	kW
1-14 mandply line 13b by 3,412 to convert from KW to Btu/n		
13d Indicate the annual average ways (46,584,036	Btu/h
13d Indicate the annual average rate of mechanical energy output taken directly off		
of the shaft of a prime mover for purposes not directly related to power production		
(this value is usually zero)	0	hp
13e Multiply line 13d by 2,544 to convert from hp to Btu/h		
	0.0	Btu/h
13f Indicate the annual average rate of energy input from natural gas and oil	0.0	Dtu/II
	160 262 474	D+/h
13g Topping-cycle operating value = 100 * 13a / (13a + 13c + 13e)	160,362,474	btu/II
3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	20.0	0/
13h Topping-cycle efficiency value = 100 * (0.5*13a + 13c + 13e) / 13f	93.6	%
11 3 7 m and 100 (0.5 15d + 15C + 15e)/ 151		251
13i Compliance with energing steed but but and a second se	100	%
13i Compliance with operating standard: Is the operating value shown in line 13g gre	ater than or equal to 59	%?
Yes (complies with operating standard) No (does not comply wit	th operating standard)	
13i Did installation of the facility in its current forms assume the facility in its current forms		
13j Did installation of the facility in its current form commence on or after March 13, 19	980?	
Yes. Your facility is subject to the efficiency requirements of 18 CER 5 202 205	(a)(2) Dames a street	
Yes. Your facility is subject to the efficiency requirements of 18 C.F.R. § 292.205 compliance with the efficiency requirement by responding to line 13k or 13l, as	(a)(2). Demonstrate	
No. Your facility is exempt from the efficiency standard. Skip lines 13k and 13l.		
3k Compliance with efficiency standard (for low operating value): If the operating value and 15% then indicate below whather the control of		
han 15%, then indicate below whether the efficiency value shown in line 13h greater th	ue shown in line 13g is han or equal to 45%:	less
Yes (complies with efficiency standard) No (does not comply with		
31 Compliance with efficiency standard (for high operating value): If the operating value reater than or equal to 15%, then indicate below whether the efficiency value chown in	lue shown in line 13g is	5

greater than or equal to 15%, then indicate below whether the efficiency value shown in line 13h is greater than or

No (does not comply with efficiency standard)

Information Required for Bottoming-Cycle Cogeneration Facility

If you indicated in line 10a that your facility represents bottoming-cycle cogeneration technology, then you must respond to the items on pages 16 and 17. Otherwise, skip pages 16 and 17.

to the h	The thermal energy output of a bottoming-cycle cogeneration facility is the energy related to the process(es) from which at least some of the reject heat is then used for power production. Pursuant to sections 292.202(c) and (e) of the Commission's regulations (18 C.F.R. § 292.202(c) and (e)), the thermal energy output of a qualifying bottoming cycle cogeneration facility must be useful. In connection with this requirement, describe the process(es) from which at least some of the reject heat is used for power production by responding to lines 14a and 14b below. 14a Identify and describe each thermal host and each bottoming-cycle cogeneration process engaged in by each host. For hosts with multiple bottoming-cycle cogeneration processes, provide the data for each process in separate rows.								
		Name of entity (thermal host) performing the process from which at least some of the reject heat is used for power production	Thermal host's relationship to facility; Thermal host's process type	Has the energy input to the thermal host been augmented for purposes of increasing power production capacity? (if Yes, describe on p. 19)					
	1)		Select thermal host's relationship to facility	Yes No					
			Select thermal host's process type						
cle	2)		Select thermal host's relationship to facility	Yes No					
رَ ک			Select thermal host's process type						
ng.	3)		Select thermal host's relationship to facility	Yes No					
min fpu	. 1		Select thermal host's process type						
tto	Check here and continue in the Miscellaneous section starting on page 19 if additional sp								
Usefulness of Bottoming-Cycle Thermal Output	14b Demonstration of usefulness of thermal output: At a minimum, provide a brief description of each process identified above. In some cases, this brief description is sufficient to demonstrate usefulness. However, if your facility's process is not common, and/or if the usefulness of such thermal output is not reasonably clear, then you must provide additional details as necessary to demonstrate usefulness. Your application may be rejected and/or additional information may be required if an insufficient showing of usefulness is made. (Exception: If you have previously received a Commission certification approving a specific bottoming-cycle process related to the instant facility, then you need only provide a brief description of that process and a reference by date and docket number to the order certifying your facility with the indicated process. Such exemption may not be used if any material changes to the process have been made.) If additional space is needed, continue in the Miscellaneous section starting on page 19.								

Applicants for facilities representing bottoming-cycle technology and for which installation commenced on or after
March 13, 1990 must demonstrate compliance with the bottoming-cycle efficiency standards. Section 292.205(b) of
the Commission's regulations (18 C.F.R. § 292.205(b)) establishes the efficiency standard for bottoming-cycle
cogeneration facilities: the useful power output of the facility must be no less than 45 percent of the energy input
of natural gas and oil for supplementary firing. To demonstrate compliance with the bottoming-cycle efficiency
standard (if applicable), or to demonstrate that your facility is exempt from this standard based on the date that
installation of the facility began, respond to lines 15a through 15h below.

If you indicated in line 10a that your facility represents *both* topping-cycle and bottoming-cycle cogeneration technology, then respond to lines 15a through 15h below considering only the energy inputs and outputs attributable to the bottoming-cycle portion of your facility. Your mass and heat balance diagram must make clear which mass and energy flow values and system components are for which portion of the cogeneration system (topping or bottoming).

15a Did installation of the facility in its current form commence on or after March 13, 1	980?
Yes. Your facility is subject to the efficiency requirement of 18 C.F.R. § 292.2050 with the efficiency requirement by responding to lines 15b through 15h below	
No. Your facility is exempt from the efficiency standard. Skip the rest of page	17.
15b Indicate the annual average rate of net electrical energy output	kW
15c Multiply line 15b by 3,412 to convert from kW to Btu/h	0 Btu/h
15d Indicate the annual average rate of mechanical energy output taken directly off of the shaft of a prime mover for purposes not directly related to power production (this value is usually zero)	hp
15e Multiply line 15d by 2,544 to convert from hp to Btu/h	0 Btu/h
15f Indicate the annual average rate of supplementary energy input from natural gas or oil	Btu/h
15g Bottoming-cycle efficiency value = 100 * (15c + 15e) / 15f	0 %
15h Compliance with efficiency standard: Indicate below whether the efficiency value than or equal to 45%:	shown in line 15g is greater
Yes (complies with efficiency standard) No (does not comply wi	th efficiency standard)

Certificate of Completeness, Accuracy and Authority

Applicant must certify compliance with and understanding of filing requirements by checking next to each item below and signing at the bottom of this section. Forms with incomplete Certificates of Completeness, Accuracy and Authority will be rejected by the Secretary of the Commission.

rejected by the Secretary of the Commissi	on.	
Signer identified below certifies the follow	ring: (check all items and applicable subitems)	
	g any information contained in any attached docun I any information contained in the Miscellaneous se	
He or she has provided all of the required to the best of his or her knowledge ar	ired information for certification, and the provided and belief.	information is true as stated,
He or she possess full power and auth Practice and Procedure (18 C.F.R. § 38	nority to sign the filing; as required by Rule 2005(a)(5.2005(a)(3)), he or she is one of the following: (che	3) of the Commission's Rules of ck one)
☐ The person on whose behalf t	he filing is made	
☐ An officer of the corporation,	trust, association, or other organized group on beh	alf of which the filing is made
An officer, agent, or employe filing is made	of the governmental authority, agency, or instrume	entality on behalf of which the
A representative qualified to practice and Procedure (18 C.	practice before the Commission under Rule 2101 of F.R. § 385.2101) and who possesses authority to sig	the Commission's Rules of n
He or she has reviewed all automatic Miscellaneous section starting on page	calculations and agrees with their results, unless ot ge 19.	herwise noted in the
interconnect and transact (see lines 4	Form 556 and all attachments to the utilities with was a through 4d), as well as to the regulatory authorition the Required Notice to Public Utilities and State Reg	es of the states in which the
Procedure (18 C.F.R. § 385.2005(c)) provide	ture date below. Rule 2005(c) of the Commission's es that persons filing their documents electronically led documents. A person filing this document elected below.	may use typed characters
Your Signature	Your address	Date
	P.O. Box 25902,	
S. Lorraine Cross	Alexandria, VA 22313	1/29/2016
Audit Notes		
Commission Staff Use Only		

Miscellaneous


Use this space to provide any information for which there was not sufficient space in the previous sections of the form to provide. For each such item of information clearly identify the line number that the information belongs to. You may also use this space to provide any additional information you believe is relevant to the certification of your facility.

Your response below is not limited to one page. Additional page(s) will automatically be inserted into this form if the length of your response exceeds the space on this page. Use as many pages as you require.

Question 6A Other biomass (black liquor solids)

Question 1L Georgia-Pacific Consumer Products (Camas) LLC ("Camas")is filing an original notice of self-certification for a qualifying cogeneration facility located on the premises of a paper mill, owned by Camas. Camas purchased the cogeneration facilities from PacifiCorp on January 1, 2016. Although the Camas cogeneration facilities were installed by 1/1/1996 and commenced operations on 1/1/1996, PacifiCorp did not seek QF certification of the cogeneration facilities at Camas.

GP Camas Mill Operations - Mass & Energy Balance for Form 556



Start Time	1/1/2014 12:01AM
End Time	12/31/2014 11:59PM
Time Interval	1 y

Point	Value	PI Tag	Tag Value	Tag Units	Flow Sheet	Chant Hair	Notes
Demin Feed Water	Mass Flow	4PB.FI88016.PV	#NAME?	GPM	#NAME?	Sheet Units	
Demin Feed Water	Temp	4PB.TC88013.PV	#NAME?	Deg F	#NAME?	F F	PI Data
Demin Feed Water	Pressure	4PB.PI88096.PV	#NAME?	psi	#NAME?	-	PI Data
Demin Feed Water	Enthalpy		INVANE.	μω		psig 2 BTU/lb	PI Data
DA Steam Use	Mass Flow	4PB.FI88038B.PV	#NAME?	kpph	#NAME?	lb/hr	@40.9psig, 174.1 f Pl Data
Condensate Return	Mass Flow			кррп	#NAME?	lb/hr	Calculation
Condensate Return	Temp				212		No inst for combined condensate return.
Condensate Return	Pressure		#NAME?			psig	Atmosphere and estimated boiling temp
Condensate Return	Enthalpy					BTU/Ib	saturated @212 F, 0 psig
Condensate Return	Heat Flow				#NAME?	Btu/hr	Calculation
3PB Fuel Input	Bark Flow	3PB.FC83070.PV	#NAME?	kpph	#NAME?	tons/hr	PI Data
3PB Fuel Input	Bark Heat Flow	3PB.3STMHOG.PV	#NAME?	kpph	#NAME?	Btu/hr	PI Data
3PB Fuel Input	Gas Flow	3PB.FC83171.PV	#NAME?	kscfh	#NAME?	KCFH	PI Data
3PB Fuel Input	Gas Heat Flow	3PB.3STMGAS.PV	#NAME?	kpph	#NAME?	Btu/hr	Calculation
3PB Fuel Input	Total Heat Flow				#NAME?	Btu/hr	Calculation
5PB Fuel Input	Gas Flow	5PB.FC39002.PV	#NAME?	kscfh	#NAME?	KCFH	PI Data
5PB Fuel Input	Heat Flow	7. 11. 11. 11. 11. 11. 11. 11. 11. 11. 1	#NAME?		#NAME?	Btu/hr	Calculation
4RF Fuel Input	Liquor Flow	4RF.FY24021A.DACA.PV	#NAME?	KPPH	#NAME?	КРРН	PI Data
4RF Fuel Input	Liquor Heat Flow		#NAME?		#NAME?	Btu/hr	Calculation
4RF Fuel Input	Gas Flow	4RF.FI24110.DACA.PV	#NAME?	kscfh	#NAME?	KCFH	PI Data
4RF Fuel Input 4RF Fuel Input	Gas Heat Flow				#NAME?	Btu/hr	Calculation
3PB Steam Output	Total Heat Flow	200 5162625			#NAME?	Btu/hr	Calculation
BPB Steam Output	Mass Flow	3PB.FI83025.PV	#NAME?	kpph	#NAME?	lb/hr	PI Data
BPB Steam Output	Temp	3PB.TC83022.PV	#NAME?	degf	#NAME?	F	PI Data
3PB Steam Output	Pressure	3PB.PI83026.PV	#NAME?	psig	#NAME?	psig	PI Data
BPB Steam Output	Enthalpy					BTU/lb	@580psig, 727 f
SPB Steam Output	Heat Flow Mass Flow	EDD FIRESCO DIA			#NAME?	Btu/hr	Calculation
SPB Steam Output	Temp	5PB.FI39009.PV	#NAME?	kpph	#NAME?	lb/hr	PI Data
PB Steam Output	Pressure	5PB.TI39012.PV	#NAME?	degf	#NAME?	F	PI Data
SPB Steam Output	Enthalpy	5PB.Pl39035.PV	#NAME?	psig	#NAME?	psig	PI Data
SPB Steam Output	Heat Flow					BTU/lb	@573f, 591 psig
IRF Steam Output	Mass Flow	4RF.FY24082.PV	HNIANAED	11 /1	#NAME?	Btu/hr	Calculation
IRF Steam Output	Temp	4RF.TC24069.PIDA.PV	#NAME?	lb/hr	#NAME?	lb/hr	PI Data
RF Steam Output	Pressure	4RF.PI24079.DACA.PV	#NAME?	degf	#NAME?	F	PI Data
RF Steam Output	Enthalpy	III II IZ 1075.DACALI V	HIVAIVILI	psig	#NAME?	psig	Pl Data
RF Steam Output	Heat Flow			-		BTU/lb	@773f, 607 psig
G Steam Inlet	Mass Flow	4PB.FI86003.PV	#NAME?	kpph	#NAME? #NAME?	Btu/hr	Calculation
G Steam Inlet	Temp	STURBINE.TI86006.PV	#NAME?	degf	#NAME?	lb/hr	PI Data PI Data
G Steam Inlet	Pressure	STURBINE.PI86012.PV	#NAME?	psig	and the second second	psig	PI Data
G Steam Inlet	Enthalpy			Paig		BTU/lb	@711f, 574 psig
G Steam Inlet	Heat Flow			1 1 1 1		Btu/hr	Calculation
G Power Output	MW	STURBINE.XI86308.PV	#NAME?	mw		MW	PI Data
G Power Output	Heat Flow		#NAME?			MMBtu/hr	Calculation
G - 40# Exhaust	Mass Flow	STURBINE.EXHSTFLO.PV	#NAME?	Mlb/hr		lb/hr	PI Data
G - 40# Exhaust	Temp	STURBINE.TI86048.PV	#NAME?	degf			PI Data
G - 40# Exhaust	Pressure	STURBINE.PI86046.PV	#NAME?	psig			PI Data
G - 40# Exhaust	Enthalpy						@414f, 42.3 psig
G - 40# Exhaust	Heat Flow					Btu/hr	Calculation
G - 75# Extraction	Mass Flow	STURBINE.FI86040.PV	#NAME?	kpph			PI Data
G - 75# Extraction	Temp	STURBINE.TI86043.PV	#NAME?	degf	The state of the s		PI Data
G - 75# Extraction	Pressure	STURBINE.PI86036.PV	#NAME?	psig			PI Data
G - 75# Extraction	Enthalpy					BTU/lb	@468f, 76.3 psig
G - 75# Extraction	Heat Flow		REPORT OF LAND			Btu/hr	Calculation
6 - 150# Extraction	Mass Flow	STURBINE.FI86030.PV	#NAME?	kpph	#NAME?	lb/hr	PI Data
6 - 150# Extraction	Temp	STURBINE.TI86033.PV	#NAME?	degf			PI Data
6 - 150# Extraction	Pressure	STURBINE.PI86031.PV	#NAME?	psig	#NAME?		PI Data
6 - 150# Extraction	Enthalpy	DINESS NEWS					@560f, 150.4 psig
S - 150# Extraction	Heat Flow			THE PARTY	#NAME?		Calculation
ocess Use - 40#	Mass Flow	4			#NAME?		Calculation
ocess Use - 40#	Heat Flow				#NAME?	177.	Calculation
ocess Use - 75#	Mass Flow				#NAME?	TOTAL CONTRACTOR OF THE PARTY O	Calculation
ocess Use - 75#	Heat Flow		CITAL CLASS TO		#NAME?	Btu/hr	Calculation
ocess Use - 150#	Mass Flow				#NAME?		Calculation
ocess Use - 150#	Heat Flow		Market Market		#NAME?	Btu/hr	Calculation
ocess Use - 600# ocess Use - 600#	Mass Flow				#NAME?	b/hr	Calculation
	Heat Flow				#NAME?	Btu/hr	Calculation

Constants

*Constants used to convert values from PI into required values for Flow Diagram

Constant	Value	Units	
Water density at 180 deg F	8.096	lb/gal	
Time	60	mins/hr	
Weight	0.5	tons / thousand lbs	
Nat Gas Heat Value		mBTU/ft3	
Bark Heat Value	8.5	mmBTU/ton	
Liquor Heat Value		mBTU/lb	This is from the 2015 Fuel Liquor Analysis Sur
Power in MW	3.412	mmBTU/MW	and a substitution of the

^{*}Enthalpy was determined using the the US Department of Energy Steam System Modeler Tool located at the four https://www4.eere.energy.gov/manufacturing/tech_deployment/amo_steam_tool/propSteam_

Notes

40# Steam Process Users - DA, 2EVAPs, R8 BP, O2 Delig, 4CONC, K5 Dig & BP 75# Steam Process Users - 4EVAPs, PM20, Cond Stripping 150# Steam Process Users - PM20, PM11, K5 Dig, Kiln, O2 Delig, Demin Trim Htrs, 5PB AH 600# Steam Process Users - TD FW Pump, 4RF Sootblowers Condensate Return from - 2EVAPs, 4EVAPs, 4CONC, PM20, STMSTP, 600# traps, 5PB AH

Start Time End Time Time Interval

1/1/2014 12/31/2014 Total Parasitic Load

4570 KW

Steam Plant Electrical Deman Detail .PDI

1067.01 KW 3PB & FD Water 8S 3B FB5

Hogfuel Delivery Precipitator & Ash System

3PB FD Fan 3PB ID Fan 3PB Overfire Air Fan

2014 - Data is Average (TW) Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec 1274.95 1297.71 1167.62 883.91 1018.18 1072.05 1050.74 944.52 894.08 1088.24 930.89 1181.23

Demín Wtr Booster Pump Hotwell Pumps, HvAC, & #4PB

Feedwater US 3PB-1 FB2

W. Demin Supply Pump W. Demin Cond Pump Boiler Fill Pump

(average TW) Aux Fire Pump E. MD Fd Wtr Pump

272.81 KW Steam Plant US STM-3 FB1

E. Demin Supply Pump E. Demin Cond Pump Cooling Water Recovery pump

2014 - Data is Average (TW)

Apr May Jun Jul 4 5 188.39 249.52 319.74 297.44 Jan Feb Mar 290.59 261.75 238.45

Steam Plant US 3PB-2 FB2

(average TW)

south feedwater pump

Camas Mill Electrical Demand .PDI

#8 Compressor #9 Comperssor (average TW) #19 Compressor #20 Compressor

1022.52 KW #5 PB

1358.17 KW

FD Fan

(average TW) HP Fresh Water Booster Pump

UPS Aux Feed

Scrubber Circulation Pump 5PB NCG

LP Fresh Water Booster Pump

ID Fan

177.22 KW

Mill Water Filter plant lighting filter plant 240 v mill lighting non-woven fiber building deep wells 1-19

(average TW) refiner pilot plant development lab research lab

Year Average Natural Gas Energy Input Percent of Total Energy

2014 298,772,796 BTU/HR #NAME?

Accounting Data

Total Camas Mill Natural Gas Use for 2014 (including lime kiln, PM11, bleach plant, and

QF facility)

Camas QF usage of natural gas

26,172,497 therms

Constants

BTU/Therm 100,000 Hrs/Year 8,760 BTU/mmBTU 1,000,000

Average Total Boiler Energy Input

3PB Total Heat Flow	#NAME?	BTU/HR
5PB Total Heat Flow	#NAME?	BTU/HR
4RF Total Heat Flow	#NAME?	BTU/HR
Total Heat Flow	#NAME?	BTU/HR

Average NG Boiler Input

Total NG Heat Flow	#NAME?	BTU/HR
4RF NG Heat Flow	#NAME?	BTU/HR
5PB NG Heat Flow	#NAME?	BTU/HR
3PB NG Heat Flow	#NAME?	BTU/HR

Percentage of total annual energy input

#NAME?

Year	2	014	
Average rate of thermal output attributable to use	#NAME?	BTU/HR	
Data			
40# Steam Heat Flow	#NAME?	BTU/hr	
75# Steam Heat Flow	#NAME?	BTU/hr	
150# Steam Heat Flow	#NAME?	BTU/hr	
600# Steam Heat Flow	#NAME?	BTU/hr	
Total Process Heat Flow	#NAME?	BTU/hr	
Condensate Return	#NAME?	BTU/hr	
Average annual rate of thermal output attributable to use (net of heat contained in process retu			
	#NAME?	BTU/hr	
Constants			
BTU/mmBTU	1,000,00	20	
. ● California Medical Con	1,000,00	50	

13653

46,584,036

#NAME?

#NAME?

13 b Net electrical energy output

13g = 100 * 13a / (13a + 13c + 13f)

13f average rate of energy input from I

13 c (13 b multiplied by 3412)

Acceptance for Filing

The FERC Office of the Secretary has accepted the following electronic submission for filing (Acceptance for filing does not constitute approval of any application or self-certifying notice):

-Accession No.: 201601295308 -Docket(s) No.: QF16-400-000 -Filed By: Cross & Company, PLLC -Signed By: S. Lorraine Cross

-Filing Type: Qualifying Facility Application or PURPA Energy Utility Filing -Filing Desc: Form 556 of Georgia-Pacific Consumer Products (Camas) LLC under QF16-400.

-Submission Date/Time: 1/29/2016 2:26:19 PM -Filed Date: 1/29/2016 2:26:19 PM

Your submission is now part of the record for the above Docket(s) and available in FERC's eLibrary system at:

http://elibrary.ferc.gov/idmws/file list.asp?accession num=20160129-5308

If you would like to receive e-mail notification when additional documents are added to the above docket(s), you can eSubscribe by docket at:

https://ferconline.ferc.gov/eSubscription.aspx

There may be a 10 minute delay before the document appears in eLibrary.

Thank you again for using the FERC Electronic Filing System. If you need to contact us for any reason:

E-Mail: ferconlinesupport@ferc.gov mailto:ferconlinesupport@ferc.gov (do not send filings to this address) Voice Mail: 866-208-3676.

Confirmation of Receipt

This is to confirm receipt by the FERC Office of the Secretary of the following electronic submission:

-Submission ID: 645286 -Docket(s) No.: New Docket -Filed By: Cross & Company, PLLC -Signed By: S. Lorraine Cross

-Filing Desc: Form 556 filed on behalf of Georgia-Pacific Consumer Products (Camas) LLC -Submission Date/Time:

1/29/2016 2:26:19 PM -Filed Date: 1/29/2016 2:26:19 PM

Additional detail about your filing is available via the following link:

https://ferconline.ferc.gov/SubmissionStatus.aspx?hashcode=WIteU6KAM8ABRMqSYkK7AQ

You will receive an email, shortly, concerning the status of your submission.

Thank you for participating in the FERC Electronic Filing System. If you have any questions, or if you detect errors in your submission or the FERC-generated PDF, please contact FERC at:

E-Mail: ferconlinesupport@ferc.gov mailto:ferconlinesupport@ferc.gov (do not send filings to this address) Voice Mail: 866-208-3676.