# Willow Springs Windfarm, LLC

855 13th Street Boulder, CO 80302

2015 JUN 18 : A 10: 57

VIA US MAIL

June 12, 2015

Filing Center Oregon Public Utilities Commission PO Box 2148 Salem, OR 97308-2148

Subject:

QF Self-recertification of Willow Spring Windfarm, LLC

Dear Sir/Madam:

The amended QF certificates for Willow Spring Windfarm, LLC is enclosed for submittal to the Oregon Public Utilities Commission in accordance with the regulations of the Federal Energy Regulatory Commission.

Respectfully,

John Brown Manager

### FEDERAL ENERGY REGULATORY COMMISSION WASHINGTON, DC

OMB Control # 1902-0075 Expiration 5/31/2016

Form 556 Certification of Qualifying Facility (QF) Status for a Small Power Production or Cogeneration Facility

1b Applicant street a c/o 8030 Compa 855 13th Street	anies, Inc.					
1c City		1d State/prov	ince			
Boulder		co				
<b>1e Postal code</b> 80302	1f Country (if not United States)		1g Telephone number 303-818-2703			
1h Has the instant fa	cility ever previously been certified as a C	∑F? Yes 🔀 N	10 []			
1i If yes, provide the	docket number of the last known QF filin	g pertaining to tl	his facility: QF14 - 231 - 000			
1j Under which certif	ication process is the applicant making t	his filing?				
Notice of self-ce (see note below	rtification	Application for Co ee; see "Filing Fee	ommission certification (requires filing e" section on page 3)			
QF status. A noti notice of self-cert	Note: a notice of self-certification is a notice by the applicant itself that its facility complies with the requirements for QF status. A notice of self-certification does not establish a proceeding, and the Commission does not review a notice of self-certification to verify compliance. See the "What to Expect From the Commission After You File" section on page 3 for more information.					
lk What type(s) of QF status is the applicant seeking for its facility? (check all that apply)						
🔀 Qualifying smal	power production facility status	Qualifying cogen	eration facility status			
11 What is the purpos	What is the purpose and expected effective date(s) of this filing?					
Original certification; facility expected to be installed by and to begin operation on						
Change(s) to a previously certified facility to be effective on 6/12/15 (identify type(s) of change(s) below, and describe change(s) in the Miscellaneous section starting on page 19)						
☐ Name chang	e and/or other administrative change(s)					
	wnership					
🔀 Change(s) af	fecting plant equipment, fuel use, powe	r production capa	acity and/or cogeneration thermal output			
Supplement or c	Supplement or correction to a previous filing submitted on					
(describe the su	oplement or correction in the Miscellane	ous section starti	ng on page 19)			
to the extent pos	1m If any of the following three statements is true, check the box(es) that describe your situation and complete the form to the extent possible, explaining any special circumstances in the Miscellaneous section starting on page 19.					
previously gra	The instant facility complies with the Commission's QF requirements by virtue of a waiver of certain regulations previously granted by the Commission in an order dated orders in the Miscellaneous section starting on page 19)					
	The instant facility would comply with the Commission's QF requirements if a petition for waiver submitted concurrently with this application is granted					
employment of	cility complies with the Commission's reg of unique or innovative technologies not ation of compliance via this form difficult	contemplated by	y the structure of this form, that make			

	2a Name of contact person			2b Telephone number			
	John Brown	303-818-2703					
	2c Which of the following describes the contact person's relationship to the applicant? (check one)						
_	Applicant (self) Employee, owner or partner of applicant authorized to represent the applicant						
6	Employee of a company affiliated with the applicant authorized to represent the applicant on this matter						
ati	Lawyer, consultant, or other representative authorized to represent the applicant on this matter						
ΙĒ	2d Company or organization name	(if applicant is an individua	, check here and	skip to line 2e)			
윤	8030 Companies, Inc.			- Execut	ĺ		
Contact Information	2e Street address (if same as Applicant, check here and skip to line 3a) ☑						
ප	2f City		2g State/provi	nce			
	2h Postal code	2i Country (if not United	States)				
ity Identification and Location	then you must specify the latitud the following formula to convert degrees + (minutes/60) + (secon provided a street address for you	ndicated that no street add de and longitude coordinat to decimal degrees from c ds/3600). See the "Geogre	ress exists for yo es of the facility legrees, minutes aphic Coordinate ecifying the geo	our facility by checking the box in line 3b, in degrees (to three decimal places). Use and seconds: decimal degrees = es" section on page 4 for help. If you graphic coordinates below is optional.	E		
den	West (-)	degrees degrees	Latitude	North (+) 44.382 degrees  ☐ South (-) 44.382 degrees			
<u>:</u>	3d City (if unincorporated, check he	re and enter nearest city) [	3e State/pr	rovince			
Facili	Huntington			Note of Green	J. (1980)		
Fa	<b>3f</b> County (or check here for indepe	ndent city)	Country (if not	United States)			
	Baker Identify the electric utilities that are o	contemplated to transact w	ith the facility.				
ties	4a Identify utility interconnecting w Idaho Power Company	ith the facility					
Œ							
υ gr	45   Identify utilities providing wheel	4b Identify utilities providing wheeling service or check here if none					
Transacting Utilities	<b>4c</b> Identify utilities purchasing the u	iseful electric power outpu	or check here if	none []	Ü		
Trar	4d Identify utilities providing supple service or check here if none Idaho Power Company		ower, maintenan	ce power, and/or interruptible power	V		
1	Tours Tower Combany				i		

	5a Direct ownership as of effective date or operation date: Identify all direct owners of the percent equity interest. For each identified owner, also (1) indicate whether that owned defined in section 3(22) of the Federal Power Act (16 U.S.C. 796(22)), or a holding compart 1262(8) of the Public Utility Holding Company Act of 2005 (42 U.S.C. 16451(8)), and (2) utilities or holding companies, provide the percentage of equity interest in the facility direct owners hold at least 10 percent equity interest in the facility, then provide the retwo direct owners with the largest equity interest in the facility.	er is an elect pany, as defi for owners held by that	ric utilit ined in s which a t owner.	y, as ection re electric If no
		Electric uti		If Yes,
	Full legal names of direct owners	holdin compa	_	% equity interest
	1) Willow Spring Windfarm, LLC 2)		<b>%</b> ⊠	
	3)		<b>1</b> 0 □	°
	4)		<b>1</b> 0 □	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
	5)		<b>1</b> 0 □	용
	6)	Yes 🔲 🗈	Vo □	8
	7)	Yes 🗌 🗈	No 🗌	ક
_	8)	Yes 🔲 🛚 N	<b>Vo</b> □	.%
iō	9)	Yes 🔲 🐧	<b>V</b> o □	
rat	10)	Yes 🔲 🛚 N	No 🗌	
þe	Check here and continue in the Miscellaneous section starting on page 19 if addit	ional space	is neede	ed e
Ownership and Operation	5b Upstream (i.e., indirect) ownership as of effective date or operation date: Identify all upof the facility that both (1) hold at least 10 percent equity interest in the facility, and (2 defined in section 3(22) of the Federal Power Act (16 U.S.C. 796(22)), or holding comparated (16 U.S.C. 16451(8)). Also prequity interest in the facility held by such owners. (Note that, because upstream owners another, total percent equity interest reported may exceed 100 percent.) Check here if no such upstream owners exist.	) are electric mies, as defi rovide the p	cutilities ined in s ercentag	i, as ection ge of
Õ.	Check here if no such apstream owners exist.			% equity
	Full legal names of electric utility or holding company upstream owner	rs		interest
	1) 8030 Companies, Inc.			100%
	2)			00
	3)			
	4)			8
	5)			8
	6)			ob
	7)			
	8)			
	9)			<sup>06</sup>
	10)		<del></del>	
	Check here and continue in the Miscellaneous section starting on page 19 if addition	onal space i	s neede	d l
	5c Identify the facility operator			
	Willow Spring Windfarm, LLC			

	6a	Describe th	ne primary energy input: (ch	eck one ma	ain category and, if ap	olicable, o	ne subcategory)	
	Biomass (specify)			⊠R	enewable resources (s	pecify)	☐ Geothermal	
		_	andfill gas		☐ Hydro power - riv	er	Fossil fuel (specif	fy)
		□ N	Nanure digester gas		☐ Hydro power - tid	al	☐ Coal (not v	vaste)
		□ V	Aunicipal solid waste		☐ Hydro power - wa	ave	☐ Fuel oil/die	esel
		□ S	ewage digester gas		☐ Solar - photovolta	aic	☐ Natural ga	s (not waste)
		□ V	Vood		☐ Solar - thermal		Other fossi	
			Other biomass (describe on p	oage 19)	Wind		□ (describe o	on page 19)
			(specify type below in line 6i		Other renewable (describe on page	e 19)	Other (describe	
	6b	If you spec	ified "waste" as the primary	energy inp	ut in line 6a, indicate t	he type of	waste fuel used: (che	k one)
		☐ Wast	e fuel listed in 18 C.F.R. § 292	2.202(b) (sp	ecify one of the follow	ing)		
			Anthracite culm produced	prior to Jul	y 23, 198S			
			Anthracite refuse that has a ash content of 45 percent of		heat content of 6,000	Btu or less	per pound and has ar	average
			Bituminous coal refuse that has an average heat content of 9,500 Btu per pound or less and has an average ash content of 25 percent or more					
nput			Top or bottom subbitumine determined to be waste by (BLM) or that is located on the the applicant shows that the	the United	l States Department of al or non-Indian lands (	f the Interioutside of	or's Bureau of Land Ma BLM's jurisdiction, pro	anagement vided that
Energy Input	Coal refuse produced on Federal lands or on Indian lands that has been determined to be wasted  BLM or that is located on non-Federal or non-Indian lands outside of BLM's jurisdiction, provided applicant shows that the latter is an extension of that determined by BLM to be waste							
Ē	Lignite produced in association with the production of montan wax and lignite that becomes exposed as a result of such a mining operation						es exposed	
	Gaseous fuels (except natural gas and synthetic gas from coal) (describe on page 19)							
	Waste natural gas from gas or oil wells (describe on page 19 how the gas meets  C.F.R. § 2.400 for waste natural gas; include with your filing any materials necess compliance with 18 C.F.R. § 2.400)							
			Materials that a governmer	nt agency h	nas certified for dispos	al by comb	oustion (describe on p	age 19)
			Heat from exothermic react	tions (desc	ribe on page 19)	□ R	esidual heat (describe	on page 19)
			Used rubber tires	Plastic m	aterials 🔲 R	efinery off	-gas ☐ Petro	leum coke
	Other waste energy input that has little or no commercial value and exists in the absence of the commercial industry (describe in the Miscellaneous section starting on page 19; include a discussion of lack of commercial value and existence in the absence of the qualifying facility industry)						nclude a discussion of ity industry)	the fuel's
	6с	energy inp	e average energy input, calc outs, and provide the related ). For any oil or natural gas f	percentag	ge of the total average	annual en	ergy input to the facili	
					nual average energy		Percentage of total	
			Fuel Natural gas	in	put for specified fuel		annual energy input	
			Oil-based fuels			Btu/h	0 %	
			Coal			Btu/h	0 %	
	Ĺ.,					Btu/h	U %0	

Indicate the maximum gross and maximum net electric power production capacity of the facility at the point(s) of delivery by completing the worksheet below. Respond to all items. If any of the parasitic loads and/or losses identified in lines 7b through 7e are negligible, enter zero for those lines.

7a The maximum gross power production capacity at the terminals of the individual generator(s) under the most favorable anticipated design conditions	10,000	kW
7b Parasitic station power used at the facility to run equipment which is necessary and integral to the power production process (boiler feed pumps, fans/blowers, office or maintenance buildings directly related to the operation of the power generating facility, etc.). If this facility includes non-power production processes (for instance, power consumed by a cogeneration facility's thermal host), do not include any power consumed by the non-power production activities in your reported parasitic station power.	0	kW
7c Electrical losses in interconnection transformers	·······	
	151	kW
7d Electrical losses in AC/DC conversion equipment, if any	Λ	kW
7e Other interconnection losses in power lines or facilities (other than transformers and AC/DC conversion equipment) between the terminals of the generator(s) and the point of interconnection with the utility	69.4	
7f Total deductions from gross power production capacity = $7b + 7c + 7d + 7e$	09.4	
71 Total deductions from gross power production capacity = 75 + 75 + 76 + 76	220.4	kW
7g Maximum net power production capacity = 7a - 7f		
	9,779.6	kW

7h Description of facility and primary components: Describe the facility and its operation. Identify all boilers, heat recovery steam generators, prime movers (any mechanical equipment driving an electric generator), electrical generators, photovoltaic solar equipment, fuel cell equipment and/or other primary power generation equipment used in the facility. Descriptions of components should include (as applicable) specifications of the nominal capacities for mechanical output, electrical output, or steam generation of the identified equipment. For each piece of equipment identified, clearly indicate how many pieces of that type of equipment are included in the plant, and which components are normally operating or normally in standby mode. Provide a description of how the components operate as a system. Applicants for cogeneration facilities do not need to describe operations of systems that are clearly depicted on and easily understandable from a cogeneration facility's attached mass and heat balance diagram; however, such applicants should provide any necessary description needed to understand the sequential operation of the facility depicted in their mass and heat balance diagram. If additional space is needed, continue in the Miscellaneous section starting on page 19.

Generation Facility: The primary generation components of the facility will be five (5) General Electric model 2.0-116 wind turbines with a combined nameplate rated capacity of 10 MW on monopole towers with concrete foundations.

Interconnection and Other Facilities: The facility includes under or above ground feeders at 34.5 kV site voltage transformed to transmission voltage of 138 kV at an on-site substation jointly owned and shared on a prorated capacity basis with four other 10 MW QFs. The QFID's of the other four QFs are QF12-180-000, QF12-181-001, QF12-182-001, and QF12-183-000. The project will then be interconnected to Idaho Power Company's system using a 138 kV interconnection shared on a prorated capacity basis with the four other QFs. The facility also anticipates that it will enter into an agreement with the four other QFs relating to the interconnection facilities and other shared assets. The interconnection facilities and other shared assets are included in the self-certified QF.



### Information Required for Small Power Production Facility

If you indicated in line 1k that you are seeking qualifying small power production facility status for your facility, then you must respond to the items on this page. Otherwise, skip page 10.

	Pursuant to 18 C.F.R. § 292.204(a), the power production capacity of any small power production with the power production capacity of any other small power production facilities that use the resource, are owned by the same person(s) or its affiliates, and are located at the same site, may megawatts. To demonstrate compliance with this size limitation, or to demonstrate that your from this size limitation under the Solar, Wind, Waste, and Geothermal Power Production Incentive (Pub. L. 101-575, 104 Stat. 2834 (1990) as amended by Pub. L. 102-46, 105 Stat. 249 (1991)), respectively 8e below (as applicable).	same energy y not exceed 80 facility is exempt tives Act of 1990				
	8a Identify any facilities with electrical generating equipment located within 1 mile of the electrical generating equipment of the instant facility, and for which any of the entities identified in lines 5a or 5b, or at least a 5 percent equity interest.					
Ce	Check here if no such facilities exist. 🔀					
ons ons		Maximum net power production capacity				
ati	1) QF -	kW				
15. E	2) QF -	kW				
o Ci	3) QF -	kW				
atior Siza	Check here and continue in the Miscellaneous section starting on page 19 if additional spa	ace is needed				
Check here if no such facilities exist.     Facility location   Root docket #   Maximum (city or county, state)   (if any)   Common owner(s)   product						
	8d Did construction of the facility commence on or before December 31, 1999? Yes No					
	8e If you answered No in line 8d, indicate whether reasonable diligence was exercised toward the completion of the facility, taking into account all factors relevant to construction? Yes No If you answered Yes, provide a brief narrative explanation in the Miscellaneous section starting on page 19 of the construction timeline (in particular, describe why construction started so long after the facility was certified) and the diligence exercised toward completion of the facility.					
Certification of Compliance with Fuel Use Requirements	Pursuant to 18 C.F.R. § 292.204(b), qualifying small power production facilities may use fossil fu amounts, for only the following purposes: ignition; start-up; testing; flame stabilization; contro prevention of unanticipated equipment outages; and alleviation or prevention of emergencies the public health, safety, or welfare, which would result from electric power outages. The amounted for these purposes may not exceed 25 percent of the total energy input of the facility duriperiod beginning with the date the facility first produces electric energy or any calendar year the	I use; alleviation or , directly affecting unt of fossil fuels ing the 12-month				
Re F	9a Certification of compliance with 18 C.F.R. § 292.204(b) with respect to uses of fossil fuel:					
ion d Use	Applicant certifies that the facility will use fossil fuels exclusively for the purposes listed	above.				
cati	9b Certification of compliance with 18 C.F.R. § 292.204(b) with respect to amount of fossil fuel	used annually:				
Certifi with Fu	Applicant certifies that the amount of fossil fuel used at the facility will not, in aggregate, exceed 25    percent of the total energy input of the facility during the 12-month period beginning with the date the facility first produces electric energy or any calendar year thereafter.					

### Information Required for Cogeneration Facility

If you indicated in line 1k that you are seeking qualifying cogeneration facility status for your facility, then you must respond to the items on pages 11 through 13. Otherwise, skip pages 11 through 13.

		Pursuant to 18 C.F.R. § 292.202(c), a cogeneration facility produces electric energy and forms of useful thermal energy (such as heat or steam) used for industrial, commercial, heating, or cooling purposes, through the sequential use of energy. Pursuant to 18 C.F.R. § 292.202(s), "sequential use" of energy means the following: (1) for a topping-cycle cogeneration facility, the use of reject heat from a power production process in sufficient amounts in a thermal application or process to conform to the requirements of the operating standard contained in 18 C.F.R. § 292.205(a); or (2) for a bottoming-cycle cogeneration facility, the use of at least some reject heat from a thermal application or process for power production.						
		_	eneration technology does the facility represent? (check all that apply) cogeneration  Bottoming-cycle cogeneration					
		Topping-cycle cogeneration  Bottoming-cycle cogeneration  To help demonstrate the sequential operation of the cogeneration process, and to support compliance with other requirements such as the operating and efficiency standards, include with your filing a mass and head balance diagram depicting average annual operating conditions. This diagram must include certain items meet certain requirements, as described below. You must check next to the description of each requirements below to certify that you have complied with these requirements.						
		Check to certify compliance with indicated requirement	Requirement					
General Cogeneration Information	_		Diagram must show orientation within system piping and/or ducts of all prime movers, heat recovery steam generators, boilers, electric generators, and condensers (as applicable), as well as any other primary equipment relevant to the cogeneration process.					
	atio		Any average annual values required to be reported in lines 10b, 12a, 13a, 13b, 13d, 13f, 14a, 15b, 15d and/or 15f must be computed over the anticipated hours of operation.					
	Inform		Diagram must specify all fuel inputs by fuel type and average annual rate in Btu/h. Fuel for supplementary firing should be specified separately and clearly labeled. All specifications of fuel inputs should use lower heating values.					
en			Diagram must specify average gross electric output in kW or MW for each generator.					
G			Diagram must specify average mechanical output (that is, any mechanical energy taken off of the shaft of the prime movers for purposes not directly related to electric power generation) in horsepower, if any. Typically, a cogeneration facility has no mechanical output.					
			At each point for which working fluid flow conditions are required to be specified (see below), such flow condition data must include mass flow rate (in lb/h or kg/s), temperature (in °F, R, °C or K), absolute pressure (in psia or kPa) and enthalpy (in Btu/lb or kJ/kg). Exception: For systems where the working fluid is <i>liquid only</i> (no vapor at any point in the cycle) and where the type of liquid and specific heat of that liquid are clearly indicated on the diagram or in the Miscellaneous section starting on page 19, only mass flow rate and temperature (not pressure and enthalpy) need be specified. For reference, specific heat at standard conditions for pure liquid water is approximately 1.002 Btu/ (lb*R) or 4.195 kJ/(kg*K).					
			Diagram must specify working fluid flow conditions at input to and output from each steam turbine or other expansion turbine or back-pressure turbine.					
		on the second se	Diagram must specify working fluid flow conditions at delivery to and return from each thermal application.					
			Diagram must specify working fluid flow conditions at make-up water inputs.					







	EPAct 2005 cogeneration facilities: The Energy Policy Act of 2005 (EPAct 2005) established a new section 210(n) of the Public Utility Regulatory Policies Act of 1978 (PURPA), 16 U5C 824a-3(n), with additional requirements for any qualifying cogeneration facility that (1) is seeking to sell electric energy pursuant to section 210 of PURPA and (2) was either not a cogeneration facility on August 8, 2005, or had not filed a self-certification or application for Commission certification of QF status on or before February 1, 2006. These requirements were implemented by the Commission in 18 C.F.R. § 292.205(d). Complete the lines below, carefully following the instructions, to demonstrate whether these additional requirements apply to your cogeneration facility and, if so, whether your facility complies with such requirements.	
	11a Was your facility operating as a qualifying cogeneration facility on or before August 8, 2005? Yes No	
	11b Was the initial filing seeking certification of your facility (whether a notice of self-certification or an application for Commission certification) filed on or before February 1, 2006? Yes No	Ō
en o	If the answer to either line 11a or 11b is Yes, then continue at line 11c below. Otherwise, if the answers to both lines 11a and 11b are No, skip to line 11e below.	
ntal Us acilitie	11c With respect to the design and operation of the facility, have any changes been implemented on or after February 2, 2006 that affect general plant operation, affect use of thermal output, and/or increase net power production capacity from the plant's capacity on February 1, 2006?	Ø
n E	Yes (continue at line 11d below)	
EPAct 2005 Requirements for Fundamental Use of Energy Output from Cogeneration Facilities	No. Your facility is not subject to the requirements of 18 C.F.R. § 292.205(d) at this time. However, it may be subject to to these requirements in the future if changes are made to the facility. At such time, the applicant would need to recertify the facility to determine eligibility. Skip lines 11d through 11j.	
s for oger	11d Does the applicant contend that the changes identified in line 11c are not so significant as to make the facility a "new" cogeneration facility that would be subject to the 18 C.F.R. § 292.205(d) cogeneration requirements?	٥
ements from C	Yes. Provide in the Miscellaneous section starting on page 19 a description of any relevant changes made to the facility (including the purpose of the changes) and a discussion of why the facility should not be considered a "new" cogeneration facility in light of these changes. Skip lines 11e through 11j.	
Require	No. Applicant stipulates to the fact that it is a "new" cogeneration facility (for purposes of determining the applicability of the requirements of 18 C.F.R. § 292.205(d)) by virtue of modifications to the facility that were initiated on or after February 2, 2006. Continue below at line 11e.	
051 V O	11e Will electric energy from the facility be sold pursuant to section 210 of PURPA?	
t 20 nerg	Yes. The facility is an EPAct 2005 cogeneration facility. You must demonstrate compliance with 18 C.F.R. § 292.205(d)(2) by continuing at line 11f below.	
EPAc of E	No. Applicant certifies that energy will <i>not</i> be sold pursuant to section 210 of PURPA. Applicant also certifies its understanding that it must recertify its facility in order to determine compliance with the requirements of 18 C.F.R. § 292.205(d) <i>before</i> selling energy pursuant to section 210 of PURPA in the future. Skip lines 11f through 11j.	
	11f Is the net power production capacity of your cogeneration facility, as indicated in line 7g above, less than or equal to 5,000 kW?	
	Yes, the net power production capacity is less than or equal to 5,000 kW. 18 C.F.R. § 292.205(d)(4) provides a rebuttable presumption that cogeneration facilities of 5,000 kW and smaller capacity comply with the requirements for fundamental use of the facility's energy output in 18 C.F.R. § 292.205(d)(2). Applicant certifies its understanding that, should the power production capacity of the facility increase above 5,000 kW, then the facility must be recertified to (among other things) demonstrate compliance with 18 C.F.R. § 292.205(d)(2). Skip lines 11g through 11j.	
	No, the net power production capacity is greater than 5,000 kW. Demonstrate compliance with the requirements for fundamental use of the facility's energy output in 18 C.F.R. § 292.205(d)(2) by continuing on the next page at line 11g.	

Lines 11g through 11k below guide the applicant through the process of demonstrating compliance with the requirements for "fundamental use" of the facility's energy output. 18 C.F.R. § 292.205(d)(2). Only respond to the lines on this page if the instructions on the previous page direct you to do so. Otherwise, skip this page.

18 C.F.R. § 292.205(d)(2) requires that the electrical, thermal, chemical and mechanical output of an EPAct 2005 cogeneration facility is used fundamentally for industrial, commercial, residential or institutional purposes and is not intended fundamentally for sale to an electric utility, taking into account technological, efficiency, economic, and variable thermal energy requirements, as well as state laws applicable to sales of electric energy from a qualifying facility to its host facility. If you were directed on the previous page to respond to the items on this page, then your facility is an EPAct 2005 cogeneration facility that is subject to this "fundamental use" requirement.

The Commission's regulations provide a two-pronged approach to demonstrating compliance with the requirements for fundamental use of the facility's energy output. First, the Commission has established in 18 C.F.R. § 292.205(d)(3) a "fundamental use test" that can be used to demonstrate compliance with 18 C.F.R. § 292.205(d)(2). Under the fundamental use test, a facility is considered to comply with 18 C.F.R. § 292.205(d)(2) if at least 50 percent of the facility's total annual energy output (including electrical, thermal, chemical and mechanical energy output) is used for industrial, commercial, residential or institutional purposes.

Second, an applicant for a facility that does not pass the fundamental use test may provide a narrative explanation of and support for its contention that the facility nonetheless meets the requirement that the electrical, thermal, chemical and mechanical output of an EPAct 2005 cogeneration facility is used fundamentally for industrial, commercial, residential or institutional purposes and is not intended fundamentally for sale to an electric utility, taking into account technological, efficiency, economic, and variable thermal energy requirements, as well as state laws applicable to sales of electric energy from a qualifying facility to its host facility.

Complete lines 11g through 11j below to determine compliance with the fundamental use test in 18 C.F.R. § 292.205(d)(3). Complete lines 11g through 11j even if you do not intend to rely upon the fundamental use test to demonstrate compliance with 18 C.F.R. § 292.205(d)(2).

11g Amount of electrical, thermal, chemical and mechanical energy output (net of internal	
generation plant losses and parasitic loads) expected to be used annually for industrial,	
commercial, residential or institutional purposes and not sold to an electric utility	MWh
11h Total amount of electrical, thermal, chemical and mechanical energy expected to be	
sold to an electric utility	MWh
11i Percentage of total annual energy output expected to be used for industrial,	
commercial, residential or institutional purposes and not sold to a utility	
= 100 * 11g /(11g + 11h)	0 %

11i is the response in line 11i greater than or equal to 50 percent?

Yes. Your facility complies with 18 C.F.R. § 292.205(d)(2) by virtue of passing the fundamental use test provided in 18 C.F.R. § 292.205(d)(3). Applicant certifies its understanding that, if it is to rely upon passing the fundamental use test as a basis for complying with 18 C.F.R. § 292.205(d)(2), then the facility must comply with the fundamental use test both in the 12-month period beginning with the date the facility first produces electric energy, and in all subsequent calendar years.

No. Your facility does not pass the fundamental use test. Instead, you must provide in the Miscellaneous section starting on page 19 a narrative explanation of and support for why your facility meets the requirement that the electrical, thermal, chemical and mechanical output of an EPAct 2005 cogeneration facility is used fundamentally for industrial, commercial, residential or institutional purposes and is not intended fundamentally for sale to an electric utility, taking into account technological, efficiency, economic, and variable thermal energy requirements, as well as state laws applicable to sales of electric energy from a QF to its host facility. Applicants providing a narrative explanation of why their facility should be found to comply with 18 C.F.R. § 292.205(d)(2) in spite of non-compliance with the fundamental use test may want to review paragraphs 47 through 61 of Order No. 671 (accessible from the Commission's QF website at www.ferc.gov/QF), which provide discussion of the facts and circumstances that may support their explanation. Applicant should also note that the percentage reported above will establish the standard that that facility must comply with, both for the 12-month period beginning with the date the facility first produces electric energy, and in all subsequent calendar years. See Order No. 671 at paragraph 51. As such, the applicant should make sure that it reports appropriate values on lines 11g and 11h above to serve as the

relevant annual standard, taking into account expected variations in production conditions.

### Information Required for Topping-Cycle Cogeneration Facility

if you indicated in line 10a that your facility represents topping-cycle cogeneration technology, then you must respond to the items on pages 14 and 15. Otherwise, skip pages 14 and 15.

The thermal energy output of a topping-cycle cogeneration facility is the net energy made available to an industrial or commercial process or used in a heating or cooling application. Pursuant to sections 292.202(c), (d) and (h) of the Commission's regulations (18 C.F.R. §§ 292.202(c), (d) and (h)), the thermal energy output of a qualifying toppingcycle cogeneration facility must be useful. In connection with this requirement, describe the thermal output of the topping-cycle cogeneration facility by responding to lines 12a and 12b below. 12a Identify and describe each thermal host, and specify the annual average rate of thermal output made available to each host for each use. For hosts with multiple uses of thermal output, provide the data for each use in separate rows. Average annual rate of thermal output attributable to use (net of Name of entity (thermal host) Thermal host's relationship to facility; heat contained in process taking thermal output Thermal host's use of thermal output return or make-up water) Select thermal host's relationship to facility 1) Select thermal host's use of thermal output Btu/h Select thermal host's relationship to facility 2) Select thermal host's use of thermal output Btu/h Select thermal host's relationship to facility 3) Select thermal host's use of thermal output Btu/h **Fhermal Output** Select thermal host's relationship to facility 4) Select thermal host's use of thermal output Btu/h Select thermal host's relationship to facility 5) Select thermal host's use of thermal output Btu/h Select thermal host's relationship to facility Select thermal host's use of thermal output Btu/h Check here and continue in the Miscellaneous section starting on page 19 if additional space is needed 12b Demonstration of usefulness of thermal output: At a minimum, provide a brief description of each use of the thermal output identified above. In some cases, this brief description is sufficient to demonstrate usefulness, However, if your facility's use of thermal output is not common, and/or if the usefulness of such thermal output is not reasonably clear, then you must provide additional details as necessary to demonstrate usefulness. Your application may be rejected and/or additional information may be required if an insufficient showing of usefulness is made. (Exception: If you have previously received a Commission certification approving a specific use of thermal

output related to the instant facility, then you need only provide a brief description of that use and a reference by date and docket number to the order certifying your facility with the indicated use. Such exemption may not be used if any change creates a material deviation from the previously authorized use.) If additional space is needed,

continue in the Miscellaneous section starting on page 19.

Usefulness of Topping-Cycle Thermal Output



equal to 42.5%:

Yes (complies with efficiency standard)

rm 556 Page 15 - Topping	-Cycle Cogeneration Facilities
Applicants for facilities representing topping-cycle technology must demonstrate con cycle operating standard and, if applicable, efficiency standard. Section 292.205(a)(1) regulations (18 C.F.R. § 292.205(a)(1)) establishes the operating standard for topping-cycle useful thermal energy output must be no less than 5 percent of the total energy o (18 C.F.R. § 292.205(a)(2)) establishes the efficiency standard for topping-cycle cogene installation commenced on or after March 13, 1980: the useful power output of the fathermal energy output must (A) be no less than 42.5 percent of the total energy input facility; and (B) if the useful thermal energy output is less than 15 percent of the total be no less than 45 percent of the total energy input of natural gas and oil to the facility compliance with the topping-cycle operating and/or efficiency standards, or to demonexempt from the efficiency standard based on the date that installation commenced, 131 below.	of the Commission's cycle cogeneration facilities: utput. Section 292.205(a)(2) ration facilities for which cility plus one-half the useful of natural gas and oil to the energy output of the facility, y. To demonstrate instrate that your facility is
If you indicated in line 10a that your facility represents both topping-cycle and bottom technology, then respond to lines 13a through 13I below considering only the energy attributable to the topping-cycle portion of your facility. Your mass and heat balance which mass and energy flow values and system components are for which portion (to cogeneration system.	inputs and outputs diagram must make clear pping or bottoming) of the
13a Indicate the annual average rate of useful thermal energy output made available	1
to the host(s), net of any heat contained in condensate return or make-up water  13b Indicate the annual average rate of net electrical energy output	Btu/h
Indicate the annual average rate of net electrical energy output	kW
13c Multiply line 13b by 3,412 to convert from kW to Btu/h	0 Btu/h
<b>13d</b> Indicate the annual average rate of mechanical energy output taken directly off of the shaft of a prime mover for purposes not directly related to power production (this value is usually zero)	hp
13e Multiply line 13d by 2,544 to convert from hp to Btu/h	0 Btu/h
13f Indicate the annual average rate of energy input from natural gas and oil	Btu/h
<b>13g</b> Topping-cycle operating value = 100 * 13a / (13a + 13c + 13e)	0 %
<b>13h</b> Topping-cycle efficiency value = 100 * (0.5*13a + 13c + 13e) / 13f	0 %
13i Compliance with operating standard: Is the operating value shown in line 13g gr	eater than or equal to 5%?
Yes (complies with operating standard) No (does not comply w	ith operating standard)
13j Did installation of the facility in its current form commence on or after March 13,	1980?
Yes. Your facility is subject to the efficiency requirements of 18 C.F.R. § 292,20 compliance with the efficiency requirement by responding to line 13k or 13l, a	
No. Your facility is exempt from the efficiency standard. Skip lines 13k and 13	
13k Compliance with efficiency standard (for low operating value): If the operating value than 15%, then indicate below whether the efficiency value shown in line 13h greater	
Yes (complies with efficiency standard) No (does not comply w	ith efficiency standard)
131 Compliance with efficiency standard (for high operating value): If the operating v	alue shown in line 13g is

greater than or equal to 15%, then indicate below whether the efficiency value shown in line 13h is greater than or

No (does not comply with efficiency standard)

## Information Required for Bottoming-Cycle Cogeneration Facility

if you indicated in line 10a that your facility represents bottoming-cycle cogeneration technology, then you must respond to the items on pages 16 and 17. Otherwise, skip pages 16 and 17.

	which the cycle at le	ch at least some of the reject heat Commission's regulations (18 C.F. e cogeneration facility must be us ast some of the reject heat is used Identify and describe each them	oming-cycle cogeneration facility is the energy related to the used for power production. Pursuant to seed a.R. § 292.202(c) and (e)), the thermal energy output seful. In connection with this requirement, described for power production by responding to lines 14a and lost and each bottoming-cycle cogeneration protectioning-cycle cogeneration protection processes, provide the other themselves are the common to the common	ctions 292.202(c) and (e) of of a qualifying bottoming- the process(es) from which and 14b below. ocess engaged in by each		
			Select thermal host's relationship to facility			
	1)		Select thermal host's process type	Yes No		
Ф			Select thermal host's relationship to facility	Yes No		
yc.	2)		Select thermal host's process type	Tes NO		
Ą	3)		Select thermal host's relationship to facility	Yes No		
in in	ارد		Select thermal host's process type			
om Str	Check here and continue in the Miscellaneous section starting on page 19 if additional space is needed					
Usefulness of Bottoming-Cycle Thermal Output	ider facil mus add prev facil to th	ntified above. In some cases, this ity's process is not common, and, at provide additional details as ne itional information may be requiriously received a Commission ce ity, then you need only provide a ne order certifying your facility wi	thermal output: At a minimum, provide a brief description is sufficient to demonstrate usefulr for if the usefulness of such thermal output is not recessary to demonstrate usefulness. Your application red if an insufficient showing of usefulness is made. In insufficient showing of usefulness is made. In insufficient showing of usefulness is made. It is a proving a specific bottoming-cycle propriet description of that process and a reference by the indicated process. Such exemption may not ade.) If additional space is needed, continue in the first additional space is needed.	ness. However, if your asonably clear, then you n may be rejected and/or (Exception: If you have cess related to the instant date and docket number be used if any material		



# Bottoming-Cycle Operating and Efficiency Value Calculation

than or equal to 45%:

Yes (complies with efficiency standard)

orm 556 Page 17 - Bottomir	g-Cycle Cogeneration Facilities
Applicants for facilities representing bottoming-cycle technology and for which insta March 13, 1990 must demonstrate compliance with the bottoming-cycle efficiency state the Commission's regulations (18 C.F.R. § 292.205(b)) establishes the efficiency stand cogeneration facilities: the useful power output of the facility must be no less than 4 of natural gas and oil for supplementary firing. To demonstrate compliance with the standard (if applicable), or to demonstrate that your facility is exempt from this stand installation of the facility began, respond to lines 15a through 15h below.	andards. Section 292.205(b) of ard for bottoming-cycle percent of the energy input bottoming-cycle efficiency
If you indicated in line 10a that your facility represents both topping-cycle and bottor technology, then respond to lines 15a through 15h below considering only the energy attributable to the bottoming-cycle portion of your facility. Your mass and heat balan which mass and energy flow values and system components are for which portion of (topping or bottoming).	y inputs and outputs nce diagram must make clear
15a Did installation of the facility in its current form commence on or after March 13,  Yes. Your facility is subject to the efficiency requirement of 18 C.F.R. § 292.20 with the efficiency requirement by responding to lines 15b through 15h belo	5(b). Demonstrate compliance
No. Your facility is exempt from the efficiency standard. 5kip the rest of page	± 17.
15b Indicate the annual average rate of net electrical energy output	kW
15c Multiply line 15b by 3,412 to convert from kW to Btu/h	0 Btu/h
<b>15d</b> Indicate the annual average rate of mechanical energy output taken directly off of the shaft of a prime mover for purposes not directly related to power production (this value is usually zero)	hp
15e Multiply line 15d by 2,544 to convert from hp to Btu/h	0 Btu/h
15f Indicate the annual average rate of supplementary energy input from natural ga	
15g Bottoming-cycle efficiency value = 100 * (15c + 15e) / 15f	

15h Compliance with efficiency standard: Indicate below whether the efficiency value shown in line 15g is greater

No (does not comply with efficiency standard)

Commission Staff Use Only:

### Certificate of Completeness, Accuracy and Authority

Applicant must certify compliance with and understanding of filing requirements by checking next to each item below and signing at the bottom of this section. Forms with incomplete Certificates of Completeness, Accuracy and Authority will be rejected by the Secretary of the Commission.

ion,	
wing: (check all items and applicable subitems)	
ng any information contained in any attached doc d any information contained in the Miscellaneous	
uired information for certification, and the provide and belief.	ed information is true as stated,
thority to sign the filing; as required by Rule 2005(a 85.2005(a)(3)), he or she is one of the following: (c	a)(3) of the Commission's Rules of heck one)
the filing is made	
, trust, association, or other organized group on b	ehalf of which the filing is made
e of the governmental authority, agency, or instrur	mentality on behalf of which the
A representative qualified to practice before the Commission under Rule 2101 of the Commission's Rules of Practice and Procedure (18 C.F.R. § 385.2101) and who possesses authority to sign	
calculations and agrees with their results, unlessige 19.	otherwise noted in the
4a through 4d), as well as to the regulatory author	ities of the states in which the
e the Required Notice to Public Utilities and State F ature date below. Rule 2005(c) of the Commission des that persons filing their documents electronica filed documents. A person filing this document el- ided below.	Regulatory Authorities section on o's Rules of Practice and ally may use typed characters
ature date below. Rule 2005(c) of the Commission des that persons filing their documents electronica filed documents. A person filing this document el	Regulatory Authorities section on o's Rules of Practice and ally may use typed characters
ature date below. Rule 2005(c) of the Commission des that persons filing their documents electronica filed documents. A person filing this document el ided below.	Regulatory Authorities section on a's Rules of Practice and ally may use typed characters ectronically should sign (by
	ng any information contained in any attached doc d any information contained in the Miscellaneous uired information for certification, and the provide and belief.  Thority to sign the filing; as required by Rule 2005(a)(3)), he or she is one of the following: (c) the filling is made  The trust, association, or other organized group on been of the governmental authority, agency, or instrustice before the Commission under Rule 2101  The First Section and who possesses authority to see calculations and agrees with their results, unlessing the section of the utilities with the section of the section and all attachments to the utilities with the section of the section and all attachments to the utilities with the section of the section

FERC Form 556 Page 19 - All Facilities

### Miscellaneous

Use this space to provide any information for which there was not sufficient space in the previous sections of the form to provide. For each such item of information *clearly identify the line number that the information belongs to*. You may also use this space to provide any additional information you believe is relevant to the certification of your facility.

Your response below is not limited to one page. Additional page(s) will automatically be inserted into this form if the length of your response exceeds the space on this page. Use as many pages as you require.

This amendment updates the ownership and description of the facility. It also updated the estimated electrical and other interconnection losses.