



20575 NW Von Neumann Dr. Suite 150
Beaverton, OR 97006

January 27, 2015

Advice Letter No. OR-15-01 (Supplement 1)

Ms. Joan Grindeland
Administrator, Regulatory Operations
Oregon Public Utility Commission
3930 Fairview Industrial Dr SE
Salem, OR 97302
Fax (503) 373-7752

RE: Citizens Telecommunications Company of Oregon – Customer Designated
Premises (CDP)

Dear Ms. Grindeland:

Citizens Telecommunications Company of Oregon d/b/a Frontier Communications of Oregon (Frontier) hereby submits for filing the original and a redlined copy of the revised tariff sheets.

The purpose of this supplemental filing is to further clarify the definition of Customer Designated Premises (CDP) in the access tariff, per Commission staff.

It is respectfully requested that this filing become effective on February 24, 2015.

Please return stamped tariff sheets to:

Frontier Communications
Linda Saldaña
9260 E. Stockton Blvd.
Elk Grove, CA 95624

Any questions or notifications of action taken on this supplemental tariff filing should be directed to me at (503) 645-7909 or Renee.Willer@ftr.com.

Sincerely,

A handwritten signature in black ink that reads "Renee M. Willer".

Renee Willer
Manager, State Government & Regulatory Affairs

RW:lms
Enclosures

INTRASTATE ACCESS SERVICES TARIFF
CHECK SHEET

Tariff sheets are effective as of the date shown on the tariff page, with the latest revision as listed below:

<u>Page</u>	<u>Number of Revision Except as Indicated</u>	<u>Page</u>	<u>Number of Revision Except as Indicated</u>	<u>Page</u>	<u>Number of Revision Except as Indicated</u>
2-54	Original	3-10	Original	5-9	Original
2-55	1st Revised*	3-11	Original	5-10	Original
2-56	1st Revised*	3-12	1st Revised	5-11	Original
2-57	1st Revised*	3-13	Original	5-12	Original
2-58	Original	3-14	Original	5-13	Original
2-59	Original	3-15	Original	5-14	Original
2-60	Original	3-16	Original	5-15	Original
2-61	Original	3-17	Original	5-16	Original
2-62	Original	3-18	Original	5-17	Original
2-63	Original	3-19	Original	5-18	Original
2-64	Original	3-20	Original	5-19	Original
2-65	Original	3-21	Original		
2-66	Original	3-22	Original	6-1	2 nd Revised
2-67	Original	3-23	Original	6-2	1st Revised
2-68	Original			6-3	1st Revised
2-69	Original	4-1	Original	6-4	1st Revised
2-70	Original	4-2	Original	6-5	1st Revised
2-70.1	Original	4-3	Original	6-6	1st Revised
2-71	Original	4-4	Original	6-7	1st Revised
2-72	Original	4-5	Original	6-8	2nd Revised
2-73	Original	4-6	Original	6-9	1st Revised
		4-7	Original	6-10	1st Revised
3-1	1st Revised			6-11	1st Revised
3-2	Original	5-1	Original	6-11.1	1st Revised
3-3	Original	5-2	Original	6-12	2nd Revised
3-4	Original	5-3	Original	6-13	1st Revised
3-5	Original	5-4	1st Revised	6-14	1st Revised
3-6	Original	5-5	Original	6-15	1st Revised
3-7	Original	5-6	Original	6-16	1st Revised
3-8	Original	5-7	Original	6-17	1st Revised
3-9	Original	5-8	Original	6-18	1st Revised

* *New or Revised*

*Issued: January 27, 2015
Advice No: OR-15-01 (Supplement 1)*

Effective: February 24, 2015

*Jack Phillips
Director, Government & External Affairs
9260 E. Stockton Blvd.
Elk Grove, CA 95624*

SECTION NO. 2

2. General Regulations (Cont'd)

2.6 Definitions (Cont'd)

Customer Designated Premises (CDP)

The term "Customer Designated Premises" (CDP) denotes a location specified by the customer for the purpose of terminating services. The Telephone Company must have access to the location to perform installation, testing, and maintenances functions. The customer may or may not have access to the location. CDPs include locations such as customer premises, end user premises, customer repeater stations, customer microwave towers, a Telephone Company's first point of switching, some other point where Telephone Company testing can occur, etc. A CDP may be designated by the customer for Switched Access, Special Access, or both in combination. Customer transmission facilities and equipment terminated in Telephone Company central offices under EIS arrangements, as defined in Frontier Companies Tariff FCC No. 1, Section 16 are not considered a CDP. However, Telephone Company Special Access Services may be interconnected to such customer equipment using a Cross Connect arrangement.

(M)(C)

(M)(C)

Customer Message

The term "Customer Message" used herein for Feature Group A Switched Access Service denotes a completed call over Feature Group A Switched Access Service. A completed call includes both completed calls originated to and terminated from a Feature Group A Switched Access Service. A customer message begins in the originating direction when the off-hook supervision provided by the premise of the ordering customer is received by Telephone Company recording equipment. A customer message begins in the terminating direction when answer supervision is received by Telephone Company recording equipment indicating the called party has answered. A customer message ends in the originating direction when disconnect supervision is received by Telephone Company recording equipment from the premise of the ordering customer. A customer message ends in the terminating direction when disconnect supervision is received by Telephone Company recording equipment from either the premise of the ordering customer or the called party.

The term "Customer Message" used herein for Feature Group C and D Switched Access Service denotes a completed call originated by a customer's end user. A customer message begins when answer supervision from the premise of the ordering customer is received by Telephone Company recording equipment indicating that the called party has answered. A message ends when disconnect supervision is received by Telephone Company recording equipment from either the premise of the ordering customer or the customer's end user premise from which the call originated.

Data Transmission (107 Type) Test Line

The term "Data Transmission (107 Type) Test Line" denotes an arrangement, which provides for a connection to a signal source, which provides test signals for one-way testing of data and voice transmission parameters.

(M) Material relocated from Sheet No. 55.

(M) Material relocated to Sheet No. 57.

(M)
(M)
(N)
(N)

Issued: January 27, 2015

Effective: February 24, 2015

Advice No: OR-15-01 (Supplement 1)

*Jack Phillips
Director, Government & External Affairs
9260 E. Stockton Blvd.
Elk Grove, CA 95924*

SECTION NO. 2

2. General Regulations (Cont'd)

2.6 Definitions (Cont'd)

Decibel

The term "Decibel" denotes a unit used to express relative difference in power, usually between acoustic or electric signals, equal to ten (10) times the common logarithm of the ratio of two signal powers.

(M)
|
(M)

Decibel Reference Noise C-Message Weighting

The term "Decibel Reference Noise C-Message Weighting" denotes noise power measurements with C-Message Weighting in decibels relative to a reference 1000 Hz tone of 90 dB below 1 milliwatt.

Decibel Reference Noise C-Message Referenced to O

The term "Decibel Reference Noise C-Message Referenced to O" denotes noise power in "Decibel Reference Noise C-Message Weighting" referred to or measured at a zero transmission level point.

Detail Billing

The term "Detail Billing" denotes the listing of each message and/or rate element for which charges to a customer are due on a bill prepared by the Telephone Company.

Directory Assistance

The term "Directory Assistance" denotes the provision of telephone numbers by a Telephone Company operator when the operator location is accessed by a customer by dialing NPA + 555-1212 or 555-1212.

Directory Assistance Location

The term "Directory Assistance Location" denotes a Telephone Company office where telephone company equipment first receives the Directory Assistance call from the customer's end user and selects the first operator position to respond to the Directory Assistance call.

Dominant Carrier

The term "Dominant Carrier" denotes the company designated by the Commission to provide Intrastate IntraLATA Toll and Private Line Services.

(M) Material relocated from Sheet No. 56.

(N)

BEFORE THE PUBLIC UTILITY COMMISSION OF OREGON
550 CAPITOL STREET NE, SUITE 215
SALEM OR 97301-2551

IN THE MATTER OF THE APPLICATION OF) UTILITY L.S.N. APPLICATION
Citizens Telecommunications Company of Oregon d/b/a)
Frontier Communications of Oregon (Frontier)
Advice No. OR-15-01 (Supplement 1)) NO. _____

(UTILITY COMPANY)) (LEAVE BLANK)
TO WAIVE STATUTORY NOTICE.)


NOTE: ATTACH EXHIBIT IF SPACE IS INSUFFICIENT.

1. GENERAL DESCRIPTION OF THE PROPOSED SCHEDULE(S) ADDITION, DELETION, OR CHANGE. (SCHEDULE INCLUDES ALL RATES, TOLLS AND CHARGES FOR SERVICE AND ALL RULES AND REGULATIONS AFFECTING THE SAME)
Citizens Telecommunications Company of Oregon d/b/a Frontier Communications of Oregon (Frontier) Advice No. OR-15-01 (Supplement 1), Section 2 General Regulations, 1st Revised Sheet No. 56. Further clarify the definition of Customer Designated Premises (CDP), per Commission staff.
This does not include public bodies as defined by Oregon Statute 174.108.

2. APPLICANT DESIRES TO CHANGE THE SCHEDULE(S) NOW ON FILE KNOWN AND DESIGNATED AS: (INSERT SCHEDULE REFERENCE BY NUMBER, PAGE, AND ITEM)
Oregon PUC No. 2, Section 2, 1st Revised Sheet No. 56.

3. THE PROPOSED SCHEDULE(S) SHALL BE AS FOLLOWS: (INSERT SCHEDULE REFERENCE BY NUMBER, PAGE AND ITEM)
Oregon PUC No. 2, Section 2, 1st Revised Sheet No. 56.

4. REASONS FOR REQUESTING A WAIVER OF STATUTORY NOTICE:
Citizens Telecommunications Company of Oregon d/b/a Frontier Communications of Oregon (Frontier) is modifying its tariff to further clarify the definition of Customer Designated Premises (CDP), per Commission staff.

6. AUTHORIZED SIGNATURE 	TITLE Regulatory Manager	DATE January 27, 2015
PUC USE ONLY		
<input type="checkbox"/> APPROVED <input type="checkbox"/> DENIED	EFFECTIVE DATE OF APPROVED SCHEDULE(S) OR CHANGE	
AUTHORIZED SIGNATURE	DATE	

INTRASTATE ACCESS SERVICES TARIFF
CHECK SHEET

Tariff sheets are effective as of the date shown on the tariff page, with the latest revision as listed below:

<u>Page</u>	<u>Number of Revision Except as Indicated</u>	<u>Page</u>	<u>Number of Revision Except as Indicated</u>	<u>Page</u>	<u>Number of Revision Except as Indicated</u>
2-54	Original	3-10	Original	5-9	Original
2-55	Original 1st Revised*	3-11	Original	5-10	Original
2-56	Original 1st Revised*	3-12	1st Revised	5-11	Original
2-57	Original 1st Revised*	3-13	Original	5-12	Original
2-58	Original	3-14	Original	5-13	Original
2-59	Original	3-15	Original	5-14	Original
2-60	Original	3-16	Original	5-15	Original
2-61	Original	3-17	Original	5-16	Original
2-62	Original	3-18	Original	5-17	Original
2-63	Original	3-19	Original	5-18	Original
2-64	Original	3-20	Original	5-19	Original
2-65	Original	3-21	Original		
2-66	Original	3-22	Original	6-1	2 nd Revised*
2-67	Original	3-23	Original	6-2	1st Revised
2-68	Original			6-3	1st Revised
2-69	Original	4-1	Original	6-4	1st Revised
2-70	Original	4-2	Original	6-5	1st Revised
2-70.1	Original	4-3	Original	6-6	1st Revised
2-71	Original	4-4	Original	6-7	1st Revised
2-72	Original	4-5	Original	6-8	2nd Revised
2-73	Original	4-6	Original	6-9	1st Revised
		4-7	Original	6-10	1st Revised
3-1	1st Revised			6-11	1st Revised
3-2	Original	5-1	Original	6-11.1	1st Revised
3-3	Original	5-2	Original	6-12	2nd Revised
3-4	Original	5-3	Original	6-13	1st Revised
3-5	Original	5-4	1st Revised	6-14	1st Revised
3-6	Original	5-5	Original	6-15	1st Revised
3-7	Original	5-6	Original	6-16	1st Revised
3-8	Original	5-7	Original	6-17	1st Revised
3-9	Original	5-8	Original	6-18	1st Revised

* New or Revised

Issued: ~~August 28, 2014~~ January 27, 2015
Advice No: OR-14-0715-01(Supplement 1)

Effective: ~~October 1, 2014~~ February 24, 2015

Jack Phillips
Director, Government & External Affairs
180 S. Clinton Ave. 9260 E. Stockton Blvd.
Rochester, NY 14646 Elk Grove, CA 95624

SECTION NO. 2

2. General Regulations (Cont'd)

2.6 Definitions (Cont'd)

Customer Designated Premises (CDP)

The term "Customer Designated Premises" (CDP) denotes a location specified by the customer for the purpose of terminating services. The Telephone Company must have access to the location to perform installation, testing, and maintenances functions. The customer may or may not have access to the location. CDPs include locations such as customer premises, end user premises, customer repeater stations, customer microwave towers, a Telephone Company's first point of switching, some other point where Telephone Company testing can occur, etc. A CDP may be designated by the customer for Switched Access, Special Access, or both in combination. Customer transmission facilities and equipment terminated in Telephone Company central offices under EIS arrangements, as defined in Frontier Companies Tariff FCC No. 1, Section 16 are not considered a CDP. However, Telephone Company Special Access Services may be interconnected to such customer equipment using a Cross Connect arrangement.

(M)(C)

(M)(C)

Customer Message

The term "Customer Message" used herein for Feature Group A Switched Access Service denotes a completed call over Feature Group A Switched Access Service. A completed call includes both completed calls originated to and terminated from a Feature Group A Switched Access Service. A customer message begins in the originating direction when the off-hook supervision provided by the premise of the ordering customer is received by Telephone Company recording equipment. A customer message begins in the terminating direction when answer supervision is received by Telephone Company recording equipment indicating the called party has answered. A customer message ends in the originating direction when disconnect supervision is received by Telephone Company recording equipment from the premise of the ordering customer. A customer message ends in the terminating direction when disconnect supervision is received by Telephone Company recording equipment from either the premise of the ordering customer or the called party.

The term "Customer Message" used herein for Feature Group C and D Switched Access Service denotes a completed call originated by a customer's end user. A customer message begins when answer supervision from the premise of the ordering customer is received by Telephone Company recording equipment indicating that the called party has answered. A message ends when disconnect supervision is received by Telephone Company recording equipment from either the premise of the ordering customer or the customer's end user premise from which the call originated.

Data Transmission (107 Type) Test Line

The term "Data Transmission (107 Type) Test Line" denotes an arrangement, which provides for a connection to a signal source which provides test signals for one-way testing of data and voice transmission parameters.

Decibel

(M)

Issued: ~~September 1, 1995~~ January 27, 2015
Advice No: OR-95-0415-01 (Supplement 1)

Effective: ~~December 6, 1995~~ February 24, 2015

(M)
(N)
(N)

Robert S. Crums Jack Phillips
Vice President/Western Region Telephone Operations Director, Government & External Affairs
8920 Emerald park Drive, Suite G9260 E. Stockton Blvd.
Elk Grove, CA 95924

**CITIZENS TELECOMMUNICATIONS COMPANY
OF OREGON**

**ACCESS SERVICES TARIFF
P.U.C. OR. No. 2**

~~The term "Decibel" denotes a unit used to express relative difference in power, usually between acoustic or electric signals, equal to ten (10) times the common logarithm of the ratio of two signal powers.~~

(M) Material relocated from Sheet No. 55.

(M) Material relocated to Sheet No. 57.

~~Issued: September 1, 1995~~ January 27, 2015
~~Advice No: OR-95-0415-01 (Supplement 1)~~

~~Effective: December 6, 1995~~ February 24, 2015

~~Robert S. Crums~~ Jack Phillips
~~Vice President/Western Region Telephone Operations~~ Director, Government & External Affairs
~~8920 Emerald park Drive, Suite G9260 E. Stockton Blvd.~~
Elk Grove, CA 95924

SECTION NO. 2

2. General Regulations (Cont'd)

2.6 Definitions (Cont'd)

Decibel

The term "Decibel" denotes a unit used to express relative difference in power, usually between acoustic or electric signals, equal to ten (10) times the common logarithm of the ratio of two signal powers.

Decibel Reference Noise C-Message Weighting

The term "Decibel Reference Noise C-Message Weighting" denotes noise power measurements with C-Message Weighting in decibels relative to a reference 1000 Hz tone of 90 dB below 1 milliwatt.

Decibel Reference Noise C-Message Referenced to O

The term "Decibel Reference Noise C-Message Referenced to O" denotes noise power in "Decibel Reference Noise C-Message Weighting" referred to or measured at a zero transmission level point.

Detail Billing

The term "Detail Billing" denotes the listing of each message and/or rate element for which charges to a customer are due on a bill prepared by the Telephone Company.

Directory Assistance

The term "Directory Assistance" denotes the provision of telephone numbers by a Telephone Company operator when the operator location is accessed by a customer by dialing NPA + 555-1212 or 555-1212.

Directory Assistance Location

The term "Directory Assistance Location" denotes a Telephone Company office where telephone company equipment first receives the Directory Assistance call from the customer's end user and selects the first operator position to respond to the Directory Assistance call.

Dominant Carrier

The term "Dominant Carrier" denotes the company designated by the Commission to provide Intrastate IntraLATA Toll and Private Line Services.

(M) Material relocated from Sheet No. 56.

Issued: ~~September 1, 1995~~ January 27, 2015
Advice No: ~~OR-95-0415-01 (Supplement 1)~~

Effective: ~~December 6, 1995~~ February 24, 2015

~~Robert S. Crums~~ Jack Phillips
~~Vice President/Western Region Telephone Operations Director, Government & External Affairs~~
~~8920 Emerald park Drive, Suite G9260 E. Stockton Blvd.~~
~~Elk Grove, CA 95924~~

(M)
|
(M)

(N)