ORDER NO. 20-154

ENTERED May 07 2020

BEFORE THE PUBLIC UTILITY COMMISSION

OF OREGON

UM 1631

In the Matter of

NORTHWEST NATURAL GAS COMPANY, dba NW NATURAL, ORDER

Petition for Partial Waiver of OAR 860-021-0130(2), Meter Test.

DISPOSITION: STAFF'S RECOMMENDATION ADOPTED

At its public meeting on May 5, 2020, the Public Utility Commission of Oregon adopted Staff's recommendation in this matter. The Staff Report with the recommendation is attached as Appendix A.



BY THE COMMISSION:

Nolan Moser Chief Administrative Law Judge

A party may request rehearing or reconsideration of this order under ORS 756.561. A request for rehearing or reconsideration must be filed with the Commission within 60 days of the date of service of this order. The request must comply with the requirements in OAR 860-001-0720. A copy of the request must also be served on each party to the proceedings as provided in OAR 860-001-0180(2). A party may appeal this order by filing a petition for review with the Circuit Court for Marion County in compliance with ORS 183.484.

ORDER NO. 20-154

ITEM NO. CA3

PUBLIC UTILITY COMMISSION OF OREGON STAFF REPORT PUBLIC MEETING DATE: May 5, 2020

 REGULAR _____ CONSENT _X EFFECTIVE DATE _____ May 6, 2020

- **DATE:** April 21, 2020
- **TO:** Public Utility Commission
- **FROM:** Kathy Zarate
- THROUGH: Bryan Conway, Michael Dougherty, John Crider, and Matthew Muldoon SIGNED
- SUBJECT: <u>NORTHWEST NATURAL</u>: (Docket No. UM 1631) NW Natural's petition for a limited Waiver of OAR 860-021-0130(2).

STAFF RECOMMENDATION:

Staff recommends that the Public Utility Commission of Oregon (Commission) approve Northwest Natural's (NW Natural or Company) request for a partial waiver of OAR 860-021-0130(2) for a period of 60 days, effective on and after May 6, 2020.

DISCUSSION:

lssue

Whether the Commission should approve NW Natural's request for a partial waiver of OAR 860-860-021-0130(2), which concerns a customer's ability to be present at a meter test.

Applicable Rule or Law

Under OAR 860-021-0005, the Commission may waiver any of the Division 21 rules upon a showing of good cause.

OAR 860-021-0130(2) relates to meter tests, specifying, "A customer and/or a designated representative shall have the right to be present at any meter test. The test shall be conducted at a mutually acceptable time during regular business hours."

Docket No. UM 1631 April 21, 2020 Page 2

<u>Analysis</u>

Background

On April 7, 2020, NW Natural filed this application requesting a partial waiver of OAR 860-021-0130(2) due to the COVID-19 public health emergency. NW Natural requests a waiver of the first sentence of this rule effective immediately, for an initial period of 60 days. OAR 860-021-0130(2) relates to meter tests, specifying in part that, "A customer and/or a designated representative shall have the right to be present at any meter tests."

The Company seeks this flexibility in order to protect customers and employees from potential exposure to COVID-19, noting that Executive Order 20-12 requires social distancing measures. The Company requests this waiver be in effect for an initial period of 60 days. The Company will monitor the situation and continually assess the need to seek any continuance of the waiver. The Company represents that it will continue to pull and test meters as needed, and will send the customer the results of any meter tests, including those that the customer would have otherwise been permitted to witness.

Conclusion

Staff reviewed the Company's filing and finds there is good cause to support the waiver request due to the current need for social distancing, and the limited value to the customer in witnessing a meter test from a distance. Given the uncertainties and flux with the public health situation, as a result of the COVID-19 pandemic, immediate action for a period of 60 days is appropriate.

PROPOSED COMMISSION MOTION:

Approve NW Natural's partial waiver request of OAR 860-021-0130(2) for a period of 60 days, effective on and after May 6, 2020.

UM 1631 NWN Waiver of Emergency Certificate Rule