



Oregon

Kate Brown, Governor

Public Utility Commission

201 High St SE Suite 100

Salem, OR 97301-3398

Mailing Address: PO Box 1088

Salem, OR 97308-1088

503-373-7394

June 23, 2022



BY EMAIL

ZiPLY Fiber Northwest LLC, dba ZiPLY Fiber

jessica.epley@ziPLY.com

RE: Advice No. 2022-3

Staff of the Oregon Public Utility Commission reviewed the sheets in the filing docketed as ADV 1414. A receipted copy of the acknowledged sheet(s) in your advice filing is attached.

/s/ Nolan Moser

Nolan Moser

Chief Administrative Law Judge

Public Utility Commission of Oregon

503-689-3622

V. SWITCHED ACCESS

k. Multiplexing				
	<u>DS1 to Voice</u>		<u>DS3 to DS1</u>	
	Service Installation <u>Charge</u>	Monthly <u>Rate</u>	Service Installation <u>Charge</u>	Monthly <u>Rate</u>
Price Band A	\$800.00	\$214.50	\$450.00	\$457.00
Price Band B	800.00	218.40	450.00	457.00
Price Band C	800.00	224.30	450.00	457.00
Zone 1	800.00	190.00	450.00	393.55
Zone 2	800.00	197.50	450.00	498.00
Zone 3	800.00	200.00	450.00	585.00
3. <i>End Office Services</i>				
a. Toll Free Data Base Query Charge				
0.002224				(R)
b. End Office Switching – Bundled (EOSB)				
The unbundled rates for End Office Switching are based on originating and terminating Access Minutes.				
Per Originating 8YY <u>Access Minute</u>	Per Originating Non-8YY <u>Access Minute</u>	Per Terminating <u>Access Minute</u>		
\$.00321064	\$.00642128	\$0.00		
(R)				
c. End Office Switching – Unbundled (EOSU) – Circuit Switched Line				
The unbundled rates for End Office Switching are based on originating and terminating Access Minutes.				
Per Originating 8YY <u>Access Minute</u>	Per Originating Non-8YY <u>Access Minute</u>	Per Terminating <u>Access Minute</u>		
\$.00321064	\$.00642128	\$0.00		
(R)				
d. Shared Trunk Port				
Regulations concerning switched access are set forth in Section V..				
4. <i>Information Surcharge</i>				
The rates for Information Surcharge are based on originating and terminating Access Minutes. Regulations concerning switched access are set forth in Section V..				