To MALHEUR ENTERPRISE, 293 Washington St W, Vale, OR 979

To publish attached Legal Notice in 2 issues \$108.00

STATE OF OREGON

County of Malheur

) ss.

I, Marie Kirk, being first duly swom, depose and say that I am Circulation Manager of the Malheur Enterprise, which is a weekly newspaper of general circulation, published in Vale in said county and state, that such newspaper is made up of at least four pages of six columns each and at least 21 inches in depth of matter, that such newspaper was regularly and uninterruptedly published each week of the last 12 consecutive months preceding the first publication of the attached legal notice and has more than 200 bona fide subscribers within said county; that the legal notice of which the one hereto attached is a true and correct copy as printed, was published in the regular and entire issue of said newspaper and not in any supplement thereof, once each week for 2 successive and consecutive weeks, being

October 26,2022 and ending with the issue dated the 02 of November, 2022

The amount of charge actually made and to be collected for


such pulication is \$108.00

Marie Kirk

Circulation Manager

Subscribed and swom to me the 02 of November, 2022

Notary Public of Oregon



*UBLIC UTILITY COMMISSION OF OREGON NOTICE OF PUBLIC COMMENT HEARING

YOU HAVE A DISABILITY AND NEED ACCOMMODATION TO PARTICIPATE IN THIS EVENT, | 378-6678, Oregon Relay Service: 7-1-1, or e-mail: PUC HEARINGS@puc.oregon.gov

sox 1088, Salem, OR 97308-1088, or by telephone to 1-800-522-2404. Customers may contact the Hearings

I to PUC.PublicComments@puc.oregon.gov, via U.S. Mail to OPUC, Attn: PCN 5, PO

ivision for more information at (503) 378.-6678 or ←mail: PUC.HEARINGS@puc.oregon.gov

will hold a public comment hearing at Eastern Oregon University's Gilbert Event Center November 16, from Longhorn Station near Boardman to the existing Hemingway Substation in Southwest Idaho. The PUC

remence and Necessity concerning a proposed 300 mile overhead 500 Kilovolt transmission line planned