CARRIER-TO-CARRIER AGREEMENT CHECKLIST

INSTRUCTIONS: Please complete all applicable parts of this form and submit it with related materials when filing a carrier-tocarrier agreement pursuant to 47 U.S.C. 252 and OAR 860-016-0000 et al. The Commission will utilize the information contained in this form to determine how to process the filing.

| 1. | PARTIES Requesting Carrier | | Affected Carrier |
|---------|---|-------------------------|---|
| Name: | Verizon Northwest Inc. | | AT&T Broadband Phone of Oregon, LLC |
| Address | P.O. Box 1100 | _ | c/o Dennis Hruska |
| | Beaverton, OR 97076 | | 188 Inverness Drive West, 4 th Floor |
| | | | Englewood, CO 80112 |
| 2. | PRIMARY CONTACT PERSON FOR PROCESSING | INFORMA | hruska.dennis@broadban.att.com TION: |
| Name: | Renee Willer/Verizon | Phone: | 503/645-7907 |
| Address | P.O. Box 1100 | Fax: | 503/629-0592 |
| | Beaverton, OR 97075 | E-Mail: | renee.willer@verizon.com |
| With a | cc to :melissa.blankenship@verizon.com | | |
| _X_ | Adoption: Adopts interconnection agreement previously ap Parties to prior agreement: <u>Verizon Northwest Inc.</u> Approved in Docket ARB <u>5</u> , Order No(s). <u>99-028</u> Does filing adopt amendments to base agreement previous <u>NO</u> <u>X</u> YES, approved in Docket ARB | & B ly approved l | AT&T Communications of the Pacific Northwest |
| | <u>New Agreement</u> : Seeks approval of new negotiated agreen | | NO(5) |
| | Intervention Seeks approval of new negotiated agreen Does this filing replace an agreement between the same pa NO YES, approved in Docket ARB | rties that was | |
| | Amendment: Amends an existing carrier-to-carrier agreem | | |
| | If the original agreement was negotiated, has it been appro | | nission? |
| | NO, decision pending in Docket ARB | | |
| | YES, approved in Docket ARB Orde | er No(s). | |
| | | its docket nui | mber? Docket ARB |
| | Other: Please explain. | | |
| | | | |

Steven J. Pitterle Director - Negotiations Network Services



600 Hidden Ridge HQE03B13 P.O. Box 152092 Irving, Texas 75038

Phone 972/718-1333 Fax 972/718-1279 steve.pitterle@verizon.com

November 11, 2002

Mr. Dennis Hruska Vice President Business Management AT&T Broadband Phone of Oregon, LLC 188 Inverness Drive West Englewood, CO 80112

Re: Requested Adoption Under Section 252(i) of the TA96

Dear Mr. Hruska:

Verizon Northwest Inc., f/k/a GTE Northwest Incorporated] ("Verizon"), a Washington corporation, with principal place of business at 1800 41st, Everett, Washington 98201, has received your letter stating that, under Section 252(i) of the Telecommunications Act of 1996 (the "Act"), AT&T Broadband Phone of Oregon, LLC ("AT&T Broadband"), a Delaware corporation, with principal place of business at 188 Inverness Drive West, Englewood, CO 80112, wishes to adopt the terms of the arbitrated Interconnection Agreement between AT&T Communications of the Pacific Northwest Inc. ("AT&T") and Verizon that was approved by the Oregon Public Utility Commission (the "Commission") as an effective agreement in the State of Oregon in Docket No. ARB 5, as such agreement exists on the date hereof after giving effect to operation of law (the "Terms"). I understand AT&T Broadband has a copy of the Terms. Please note the following with respect to AT&T Broadband's adoption of the Terms.

- 1. By AT&T Broadband's countersignature on this letter, AT&T Broadband hereby represents and agrees to the following five points:
 - (A) AT&T Broadband adopts (and agrees to be bound by) the Terms of the AT&T/Verizon arbitrated agreement for interconnection as it is in effect on the date hereof after giving effect to operation of law, and in applying the Terms, agrees that AT&T Broadband shall be substituted in place of

AT&T Communications of the Pacific Northwest Inc. and AT&T in the Terms wherever appropriate.

- (B) Notice to AT&T Broadband and Verizon as may be required under the Terms shall be provided as follows:
 - To: AT&T Broadband Phone of Oregon, LLC Attention: Mr. Dennis Hruska Vice President AT&T Broadband-Business Management 188 Inverness Drive West Englewood, CO 80112 Telephone number: 303-885-5224 FAX number: 303-858-3375

with a copy to:

Ms. Tina S. Pyle Executive Director – Local Product Implementation AT&T Broadband 10 Independence Blvd., Suite 100 Warren, NJ 07059 Telephone number: 908-626-6327 FAX number: 908-626-6352

Mr. Fredrik Cederqvist AT&T – District Manager ICA Negotiations 32 Avenue of the Americas, RM E 544 New York, NY 10013 Telephone number: 212-387-4018 FAX number: 212-539-9492

To Verizon:

Director-Contract Performance & Administration Verizon Wholesale Markets 600 Hidden Ridge HQEWMNOTICES Irving, TX 75038 Telephone Number: 972-718-5988 Facsimile Number: 972-719-1519 Internet Address: wmnotices@verizon.com

with a copy to:

Vice President and Associate General Counsel Verizon Wholesale Markets 1515 N. Court House Road Suite 500 Arlington, VA 22201 Facsimile: 703-351-3664

- (C) AT&T Broadband represents and warrants that it is a certified provider of local telecommunications service in the State of Oregon, and that its adoption of the Terms will cover services in the State of Oregon only.
- (D) In the event an interconnection agreement between Verizon and AT&T Broadband is currently in effect (the "Original ICA"), this adoption shall be an amendment and restatement of the operating terms and conditions of the Original ICA, and shall replace in their entirety the terms of the Original ICA. This adoption is not intended to be, nor shall it be construed to create, a novation or accord and satisfaction with respect to the Original ICA. Any outstanding payment obligations of the parties that were incurred but not fully performed under the Original ICA shall constitute payment obligations of the parties under this adoption.
- (E) Verizon's standard pricing schedule for interconnection agreements in the State of Oregon (as such schedule may be amended from time to time) (attached as Appendix 1 hereto) shall apply to AT&T Broadband's adoption of the Terms. AT&T Broadband should note that the aforementioned pricing schedule may contain rates for certain services the terms for which are not included in the Terms or that are otherwise not part of this adoption. In an effort to expedite the adoption process, Verizon has not deleted such rates from the pricing schedule. However, the inclusion of such rates in no way obligates Verizon to provide the subject services and in no way waives Verizon's rights.
- 2. AT&T Broadband's adoption of the AT&T arbitrated Terms shall become effective as of November 25, 2002. The Parties understand and agree that Verizon will file this adoption letter with the Commission promptly upon my receipt of a copy of this letter, countersigned by AT&T Broadband as to points (A), (B), (C), (D) and (E) of paragraph 1 above. The term and termination provisions of the AT&T/Verizon agreement shall govern AT&T Broadband's adoption of the Terms. The adoption of the Terms is currently scheduled to expire on January 27, 2003.
- 3. As the Terms are being adopted by you pursuant to your statutory rights under section 252(i), Verizon does not provide the Terms to you as either a voluntary or negotiated agreement. The filing and performance by Verizon of the Terms does not in any way constitute a waiver by Verizon of any position as to the Terms or a portion thereof, nor does it constitute a waiver by Verizon of all rights and

remedies it may have to seek review of the Terms, or to petition the Commission, other administrative body, or court for reconsideration or reversal of any determination made by the Commission pursuant to arbitration in Docket No. ARB 5, or to seek review in any way of any provisions included in these Terms as a result of AT&T Broadband's 252(i) election.

- 4. Nothing herein shall be construed as or is intended to be a concession or admission by Verizon that any contractual provision required by the Commission in Docket No. ARB 5 (the AT&T arbitration) or any provision in the Terms complies with the rights and duties imposed by the Act, the decisions of the FCC and the Commissions, the decisions of the courts, or other law, and Verizon expressly reserves its full right to assert and pursue claims arising from or related to the Terms.
- 5. Verizon reserves the right to deny AT&T Broadband's adoption and/or application of the Terms, in whole or in part, at any time:
 - (a) when the costs of providing the Terms to AT&T Broadband are greater than the costs of providing them to AT&T;
 - (b) if the provision of the Terms to AT&T Broadband is not technically feasible; and/or
 - (c) to the extent that Verizon otherwise is not required to make the Terms available to AT&T Broadband under applicable law.
- 6. For avoidance of doubt, please note that adoption of the Terms will not result in reciprocal compensation payments for Internet traffic. Verizon has always taken the position that reciprocal compensation was not due to be paid for Internet traffic under section 251(b)(5) of the Act. Verizon's position that reciprocal compensation is not to be paid for Internet traffic was confirmed by the FCC in the Order on Remand and Report and Order adopted on April 18, 2001 ("FCC *Internet Order*"), which held that Internet traffic constitutes "information access" outside the scope of the reciprocal compensation to be paid for Internet traffic will be handled pursuant to the terms of the FCC *Internet Order*, not pursuant to adoption of the Terms.² Moreover, in light of the FCC *Internet Order*, not private traffic mechanism for Internet traffic, any reasonable amount of time permitted for adopting such provisions has expired under the FCC's rules

¹ Order on Remand and Report and Order, In the Matters of: Implementation of the Local Competition Provisions in the Telecommunications Act of 1996 and Intercarrier Compensation for ISP-Bound Traffic, CC Docket No. 99-68 (rel. April 27, 2001) ("FCC Remand Order") ¶44, remanded, WorldCom, Inc. v. FCC, No. 01-1218 (D.C. Cir. May 3, 2002). Although the D.C. Circuit remanded the FCC Remand Order to permit the FCC to clarify its reasoning, it left the order in place as governing federal law. See WorldCom, Inc. v. FCC, No. 01-1218, slip op. at 5 (D.C. Cir. May 3, 2002).

² For your convenience, an industry letter distributed by Verizon explaining its plans to implement the *FCC Internet Order* can be viewed at Verizon's Customer Support Website at URL <u>www.verizon.com/wise</u> (select Verizon East Customer Support, Resources, Industry Letters, CLEC).

implementing section 252(i) of the Act.³ In fact, the *FCC Internet Order* made clear that carriers may not adopt provisions of an existing interconnection agreement to the extent that such provisions provide compensation for Internet traffic.⁴

- 7. Should AT&T Broadband attempt to apply the Terms in a manner that conflicts with paragraphs 3-6 above, Verizon reserves its rights to seek appropriate legal and/or equitable relief.
- 8. In the event that a voluntary or involuntary petition has been or is in the future filed against AT&T Broadband under bankruptcy or insolvency laws, or any law relating to the relief of debtors, readjustment of indebtedness, debtor reorganization or composition or extension of debt (any such proceeding, an "Insolvency Proceeding"), then: (i) all rights of Verizon under such laws, including, without limitation, all rights of Verizon under 11 U.S.C. § 366, shall be preserved, and AT&T Broadband's adoption of the Verizon Terms shall in no way impair such rights of Verizon; and (ii) all rights of AT&T Broadband resulting from AT&T Broadband's adoption of the Verizon terms shall be subject to and modified by any Stipulations and Orders entered in the Insolvency Proceeding, including, without limitation, any Stipulation or Order providing adequate assurance of payment to Verizon pursuant to 11 U.S.C. § 366.

³ See, e.g., 47 C.F.R. Section 51.809(c).

⁴ FCC Internet Order ¶ 82.

Please arrange for a duly authorized representative of AT&T Broadband to sign this letter in the space provided below and return it to the undersigned.

Sincerely,

VERIZON NORTHWEST INC.

Steven J. Pitterle Director – Negotiations Network Services

Reviewed and countersigned as to points A, B, C, D and E of paragraph 1 only. As to point E of paragraph 1 and the Verizon standard pricing schedule ("Appendix 1") referenced therein, AT&T Broadband does not waive any right it has (i) under Applicable Law, and (ii) to purchase at the prices (including application of any pricing rules) established by the Terms being adopted pursuant to this letter. In addition, AT&T Broadband does not waive any right it has to assert that any rate in Appendix 1 is unlawful, nor does AT&T Broadband waive its right to challenge such rates in any court or administrative forum of competent jurisdiction.

AT&T BROADBAND PHONE OF OREGON, LLC

(SIGNATURE)

(PRINT NAME)

c: R. Ragsdale – Verizon

APPENDIX 1

I. Rates and Charges for Transportation and Termination of Traffic1

- A. The Reciprocal Compensation Traffic Termination rate element that applies to Reciprocal Compensation Traffic on a minute of use basis for traffic that is delivered to an End Office is **\$0.0013300**√.
- B. The Reciprocal Compensation Traffic Termination rate element that applies to Reciprocal Compensation Traffic on a minute of use basis for traffic that is delivered to Tandem Switch is **\$0.0036917**√.
- C. The Tandem Transiting Charge is **\$0.0023617**∇.
- D. Entrance Facility Charge:

See Intrastate Access Tariff

∇Oregon Tarrif, UM #844

¹ All rates and charges specified herein are pertaining to the Interconnection Attachment

II. Services Available for Resale

The avoided cost discount for all Resale services is 21.00%2.

Non-Recurring Charges (NRCs) for Resale Services

Pre-ordering

| CLEC Account Establishment Per CLEC | \$275.09 |
|-------------------------------------|----------|
| Customer Record Search Per Account | \$ 11.77 |

Ordering and Provisioning

| Engineered Initial Service Order (ISO) - New Serv Engineered Initial Service Order - As Specified Engineered Subsequent Service Order Non-Engineered Initial Service Order - New Servic Non-Engineered Initial Service Order - Changeove Non-Engineered Initial Service Order - As Specifie Non-Engineered Subsequent Service Order | \$130.48 \$64.88 ce \$37.74 er \$21.59 |
|---|---|
| Central Office Connect | \$ 6.84 |
| Outside Facility Connect | \$ 88.03 |
| Manual Ordering Charge | \$ 12.01 |

Product Specific

NRCs, other than those for Pre-ordering, Ordering and Provisioning, and Custom Handling as listed in this Appendix, will be charged from the appropriate retail tariff. No discount applies to such NRCs.

Custom Handling

| Service Order Expedite: | |
|--|-----------|
| Engineered | \$ 54.36 |
| Non-Engineered | \$ 5.71 |
| Coordinated Conversions: | |
| ISO | \$ 24.42 |
| Central Office Connection | \$ 10.89 |
| Outside Facility Connection | \$ 8.96 |
| Hot Coordinated Conversion First Hour: | |
| ISO | \$ 31.28 |
| Central Office Connection | \$ 43.58 |
| Outside Facility Connection | \$ 35.83 |

2 In compliance with the FCC Order approving the Merger of GTE Corporation and Bell Atlantic (CC Docket No. 98-1840), Verizon will offer limited duration promotional discounts on resold residential exchange access lines. The terms and conditions on which these promotional discounts are being made available can be found on Verizon's web site, at <u>http://www.gte.com/wise</u> for former GTE service areas and <u>http://www.bell-atl.com/wholesale/html/resources.htm</u> for former Bell Atlantic service areas. Hot Coordinated Conversion per Additional Quarter Hour:

| ISO | \$ 6.56 |
|-----------------------------|----------|
| Central Office Connection | \$ 10.89 |
| Outside Facility Connection | \$ 8.96 |

Application of NRCs

Pre-ordering:

CLEC Account Establishment is a one-time charge applied the first time that AT&T Broadband orders any service from this Agreement.

Customer Record Search applies when AT&T Broadband requests a summary of the services currently subscribed to by the end-user.

Ordering and Provisioning:

Engineered Initial Service Order - New Service applies per Local Service Request (LSR) when engineering work activity is required to complete the order, e.g. digital loops.

Non-Engineered Initial Service Order - New Service applies per LSR when no engineering work activity is required to complete the order, e.g. analog loops.

Initial Service Order - As Specified (Engineered or Non-Engineered) applies only to Complex Services for services migrating from Verizon to AT&T Broadband. Complex Services are services that require a data gathering form or has special instructions.

Non-Engineered Initial Service Order - Changeover applies only to Basic Services for services migrating from Verizon to AT&T Broadband. End-user service may remain the same or change.

Central Office Connect applies in addition to the ISO when physical installation is required at the central office.

Outside Facility Connect applies in addition to the ISO when incremental field work is required.

Manual Ordering Charge applies to orders that require Verizon to manually enter AT&T Broadband's order into Verizon's Secure Integrated Gateway System (SIGS), e.g. faxed orders and orders sent via physical or electronic mail.

Custom Handling (These NRCs are in addition to any Preordering or Ordering and Provisioning NRCs):

Service Order Expedite (Engineered or Non-Engineered) applies if AT&T Broadband requests service prior to the standard due date intervals.

Coordinated Conversion applies if AT&T Broadband requests notification and coordination of service cut over prior to the service becoming effective.

Hot Coordinated Conversion First Hour applies if AT&T Broadband requests realtime coordination of a service cut-over that takes one hour or less.

Hot Coordinated Conversion Per Additional Quarter Hour applies, in addition to the Hot Coordinated Conversion First Hour, for every 15-minute segment of real-time coordination of a service cut-over that takes more than one hour.

III. Prices for Unbundled Network Elements

Monthly Recurring Charges

Local Loop3 (Referred to as NAC as referenced in Oregon Tariff)

| Basic NAC (2-wire)-U (inclusive of NID) Zone 1 Zone 2 Zone 3 Basic NAC (4-wire)-U (inclusive of NID) Zone 1 Zone 2 Zone 3 | \$ \$ \$ \$ \$ \$ \$ \$ | 14.36∇ 25.83∇ 50.16∇ 28.72∇ 51.66∇ 100.32∇ |
|---|----------------------------------|--|
| DS-1 NAC DS-3 NAC Primary Rate ISDN NAC | \$ \$ \$ | 87.37⊽ 363.42⊽ 87.37⊽ |
| Supplemental Features: ISDN-BRI Line Loop Extender DS1 Clear Channel Capability | \$ \$ | 6.66 24.26 |
| Installation with Testing, Results Provided, per NAC First Loop Each Additional Loop | \$ \$ | 579.75⊽ 476.04⊽ |
| Sub-Loop 2-Wire Feeder 2-Wire Distribution 4-Wire Feeder 4-Wire Distribution 2-Wire Drop 4-Wire Drop Inside Wire | \$\$\$\$\$ | 11.94 24.77 29.23 43.54 5.35 5.64 BFR |
| Network Interface Device (leased separately) | | |
| Basic NID: Complex (12 x) NID | \$ \$ | 1.90 2.00 |
| Switching (Referred to as NACC as referenced in Oregon 1 NACC Ports | 「ariff) | |
| NACC DS0 Switched Lineside NACC DS0 Switched Trunkside Coin Line Side Port NACC ISDN BRI NACC DS1 Switched Lineside NACC DS1 Trunkside ISDN PRI Digital Trunk Side Port | \$\$\$\$\$ | 1.14∇ 12.33∇ 6.28 6.09∇ 68.60∇ 78.24∇ 225.52 |
| Vertical Features | S | See Attached List |

³ ∇ Oregon Tariff, UM #844

| Usage Charges (must purchase Port) Local Central Office Switching End Office Orig End Office Term Common Shared Transport Transport Facility (Average MOU/ALM) Transport Termination (Average MOU/Term) | \$ \$ \$ | 0.0014830⊽ 0.0013300⊽ 0.000050⊽ 0.0003720⊽ |
|---|----------------|---|
| Tandem Switching (Average MOU) | \$ | 0.0015960∇ |
| Terminating to Originating Ratio | | 1.00 |
| Dedicated Transport Facilities | | |
| CLEC Dedicated Transport | | |
| CDT 2 Wire | \$ | 15.00 |
| CDT 4 Wire | \$ \$ | 30.00 |
| CDT DS1 | \$ | 87.37 |
| CDT DS3 Optical Interface | \$ | 363.42 |
| CDT DS3 Electrical Interface | \$ | 1,000.00 |
| Interoffice Dedicated Transport | | |
| IDT DS0 Transport Facility per ALM | \$ | 0.08∇ |
| IDT DS0 Transport Termination | \$ | 19.74∇ |
| IDT DS1 Transport Facility per ALM | \$ | 0.85∇ |
| IDT DS1 Transport Termination | \$ | 37.94∇ |
| IDT DS3 Transport Facility per ALM | \$ | 10.19∇ |
| IDT DS3 Transport Termination | \$ | 253.13∇ |
| Multiplaying | | |
| Multiplexing | ¢ | 212.76∇ |
| DS1 to Voice Multiplexing DS3 to DS1 Multiplexing | \$ \$ | 212.70V 203.54∇ |
| DS3 to DS1 Multiplexing | φ | 203.54 V |
| DS1 Clear Channel Capability | \$ | 24.26 |
| Unbundled Dark Fiber | | |
| Unbundled Dark Fiber Loops/Sub-Loops | | |
| Dark Fiber Loop | \$ | 67.13 |
| Dark Fiber Sub-Loop – Feeder | \$ | 53.17 |
| Dark Fiber Sub-Loop – Distribution | \$ | 13.96 |
| Unbundled Dark Fiber Dedicated Transport | | |
| Dark Fiber IDT –Facility | \$ | 24.80 |
| Dark Fiber IDT – Termination | \$ | 6.34 |
| | Ψ | 0.01 |

∇ Oregon Tariff, UM #844

UNE-P Pricing

<u>MRCs</u>. The MRC for a UNE-P will generally be equal to the sum of the MRCs for the combined UNEs (e.g. the total of the UNE loop charge plus the UNE port charges in the Agreement (see Note A) plus: UNE local switching (per minute originating usage plus T/O factor to determine terminating minutes) based on UNE local switching rates in the Agreement plus UNE shared transport and tandem switching (based on factors for percent interoffice and tandem switch usage, plus assumed transport mileage of 10 miles and 2 terms) based on UNE shared transport rates in the Agreement plus UNE vertical Services charges (optional per line charges, if allowed by the Agreement).

(Note A): UNE platforms are available in four loop/port configurations as shown below. If the price for any component of these platforms is not set forth herein, Verizon will use the ICB process to determine the appropriate price and TBD pricing shall apply.

UNE Basic Analog Voice Grade Platform consists of the following components: UNE 2-wire Analog loop; and UNE Basic Analog Line Side port

UNE ISDN BRI Platform consists of the following components: UNE 2-wire Digital loop; and UNE ISDN BRI Digital Line Side port

UNE ISDN PRI Platform consists of the following components: UNE DS1 loop; and UNE ISDN PRI Digital Trunk Side port

UNE DS1 Platform consists of the following components: UNE DS1 loop; and UNE DS1 Digital Trunk Side port

NRCs.

Optional NRCs will apply as ordered by the CLEC including such charges as Expedites, Coordinated Conversions, loop Conditioning, etc.

Operator Services and Directory Assistance Services (OS/DA). If AT&T Broadband does not initially utilize available customized routing services to re-route OS/DA calls to its own or another party's operator services platform, Verizon will bill the CLEC for OS/DA calls at a market-based ICB rate pending AT&T Broadband's completion of a separate OS/DA agreement.

EEL Pricing

MRCs. The MRCs for an EEL will generally be equal to the applicable MRCs for UNEs and Multiplexing that comprise an EEL arrangement (e.g. UNE Loop, IDT, CDT, Multiplexing, & Clear Channel Capability).

| VERTICAL FEATURES | | (Subject to Availability) |
|---|------------------|---------------------------|
| Three Way Calling | \$/Feature/Month | \$ 0.12 \(\nabla\) |
| Call Forwarding Variable | \$/Feature/Month | \$ 0.12 ∇ |
| Cut. Changeable Speed Calling 1-Digit Short | \$/Feature/Month | \$ 0.06 ∇ |
| Cut. Changeable Speed Calling 2-Digit Long | \$/Feature/Month | \$ 0.06 ∇ |
| Call Waiting | \$/Feature/Month | \$ 0.11 ∇ |
| Busy Number Redial | \$/Feature/Month | \$ 0.99 ∇ |
| Calling Number Delivery | \$/Feature/Month | \$ 0.08 ∇ |
| Calling Number Delivery Blocking | \$/Feature/Month | \$ 0.00 ∇ |
| Distinctive Ringing -CTX | \$/Feature/Month | \$ 0.08 ∇ |
| Customer Originated Trace | \$/Feature/Month | \$ 0.91 ∇ |
| Selective Call Rejection | \$/Feature/Month | \$ 1.28 ∇ |
| Selective Call Forwarding | \$/Feature/Month | \$ 0.62 ∇ |
| Call Forwarding Busy/No Answ-Fixed CTX | \$/Feature/Month | \$ 0.35 ∇ |
| Call Forwarding Busy Line-Fixed | \$/Feature/Month | \$ 0.25 ∇ |
| Call Forwarding No Answer-Fixed | \$/Feature/Month | \$ 0.18 ∇ |
| Call Transfer Individual All Calls CTX | \$/Feature/Month | \$ 0.31 ∇ |
| Speed Calling Individual 1-Digit | \$/Feature/Month | \$ 0.83 ∇ |
| Speed Calling Individual 2-Digit | \$/Feature/Month | \$ 1.80 ∇ |
| Call Hold CTX | \$/Feature/Month | \$ 0.05 ∇ |
| Call Pick-up-Direct CTX | \$/Feature/Month | \$ 0.06 ∇ |
| Circular Hunting | \$/Feature/Month | \$ 0.05 ∇ |
| Hot Line CTX | \$/Feature/Month | \$0.10 ∇ |
| VIP Alert (Priority Calling) | \$/Feature/Month | \$0.74 ∇ |
| Last Number Redial | \$/Feature/Month | \$ 0.24 ∇ |
| Warm Line | \$/Feature/Month | 0.07∇ |
| Caller ID Name and Number | \$/Feature/Month | \$ 0.25 ∇ |

OREGON UNBUNDLED VERTICAL FEATURES

∇ Oregon Tariff, UM #844

NON-RECURRING CHARGES – LOOP AND PORT

| Service Ordering (Loop or Port) | |
|---------------------------------|--|
| | |

| Initial Service Order, per order Subsequent Service Order, per order | \$ \$ | 47.25 ∇ 24.00 ∇ |
|---|----------|--------------------|
| Installation | | |
| Unbundled Loop, per loop | \$ | 11.50 <i>∇</i> |
| Unbundled Port, per port | \$ | 11.50 ∇ |
| Loop Facility Charge, per order (See Note 1) | \$ | 69.75 V |

CUSTOM HANDLING

Coordinated Conversions:

| ISO | \$ 25.13 |
|--|-------------|
| Central Office Connection | \$ 9.43 |
| Outside Facility Connection | \$ 8.09 |
| Hot Coordinated Conversions First Hour: | |
| ISO | \$ 31.28 |
| Central Office Connection | \$ 37.72 |
| Outside Facility Connection | \$ 33.28 |
| Hot Coordinated Conversions per Additional Quarter Hour: | |
| ISO | \$ 4.56 |
| Central Office Connection | \$ 9.43 |
| Outside Facility Connection | \$ 8.32 |

∇ Oregon Tariff, UM #844

NON-RECURRING CHARGES

| | Ordering | Ordering | Prov | visioning |
|---|--|--|--|---|
| LOCAL WHOLESALE SERVICES | 100% Manual | Semi- Mech. | Initial Unit | Addt'l Unit |
| UNBUNDLED NID | | | | |
| Exchange – Basic | \$ 27.06 | \$ 18.83 | \$ 33.99 | N/A |
| UNBUNDLED SUB-LOOP | | | | |
| Exchange - FDI Feeder Interconnection - Initial Exchange - FDI Feeder Interconnection - Subsequent Exchange - FDI Distribution Interconnection - Initial Exchange - FDI Distribution Interconnection - Subsequent Exchange - Serving Terminal Interconnection - Initial Exchange - Serving Terminal Interconnection - Subsequent | \$ 36.32 \$ 15.01 \$ 36.32 \$ 15.01 \$ 36.32 \$ 15.01 | \$ 26.88 \$ 11.83 \$ 26.88 \$ 11.83 \$ 26.88 \$ 11.83 | \$ 46.20 \$ 16.99 \$ 61.90 \$ 16.99 \$ 28.99 \$ 13.23 | \$ 24.97 \$ 7.22 \$ 30.36 \$ 7.22 \$ 15.51 \$ 6.41 |
| UNBUNDLED DARK FIBER | ψ 15.01 | ψ 11.05 | ψ 15.25 | φ 0.11 |
| Advanced - Service Inquiry Charge Advanced - Interoffice Dedicated Transport - Initial Advanced - Unbundled Loop - Initial Advanced - Sub-Loop Feeder - Initial Advanced - Sub-Loop Distribution - Initial | \$405.87 \$64.80 \$64.80 \$64.80 \$64.80 | \$405.65 \$ 64.57 \$ 64.57 \$ 64.57 \$ 64.57 | N/A \$267.28 \$261.86 \$261.86 \$264.84 | N/A \$224.68 \$220.43 \$220.43 \$216.19 |
| ENHANCED EXTENDED LOOPS (EELs) Loop portion (In additi- applicable to the EEL arrangement)) | on, IDT and C | DT charges a | pply if | |
| Advanced - Basic (2-wire and 4-wire) - Initial Advanced - Basic (2-wire and 4-wire) - Subsequent DS1/DS3 - Initial DS1/DS3 - Subsequent DS3 to DS1 Multiplexer DS1 to DS0 Multiplexer | \$ 88.39 \$ 38.02 \$ 97.94 \$ 38.02 N/A N/A | \$ 56.13 \$ 21.89 \$ 65.68 \$ 21.89 N/A N/A | \$11.50 \$11.50 \$11.50 \$11.50 \$450.00 \$800.00 | N/A N/A N/A N/A N/A |
| CHANGEOVER CHARGE - (Conversion from Special Access to | | | | |
| EELs or Transport) Advanced - Basic (2-wire and 4-wire) Changeover (As Is) Advanced - Basic (2-wire and 4-wire) Changeover (As Is)- Additional MOG (Mass Order Generator) Only Advanced - Complex (DS1 and above) Changeover (As Is) Advanced - Complex (DS1 and above) Changeover (As Is)- | \$161.87 \$7.52 \$179.37 \$7.52 | \$99.77 \$4.56 \$117.27 \$4.56 | \$41.64 \$41.64 \$41.64 \$41.64 | n/a n/a n/a n/a |
| Additional MOG (Mass Order Generator) Only LOOP CONDITIONING4 (No charge for loops 12,000 feet or less) | | | | |
| Loop Conditioning - Bridged Tap Loop Conditioning - Load Coils Loop Conditioning - Load Coils / Bridged Tap | N/A N/A N/A | N/A N/A N/A | \$318.71 \$249.91 \$568.62 | \$ 34.88 \$ \$ 34.88 |

⁴ These charges are interim and subject to retroactive true-up back to the Effective Date of this Agreement.

UNE PLATFORM

| Exchange Basic Initial | \$ 31.57 | \$ 22.13 | \$ 28.23 | \$ 26.58 |
|--|----------------------|----------------------|---------------------|---------------------|
| Exchange - Basic - Initial Exchange - Basic - Subsequent | \$ 31.37 \$ 16.44 | \$ 22.13 \$ 13.26 | \$ 28.23 \$ 1.08 | \$ 20.38 \$ 1.08 |
| • | \$ 10.44 \$ 19.93 | \$ 15.20 \$ 15.54 | \$ 1.08 \$ 0.90 | \$ 1.08 \$ 0.90 |
| Exchange - Basic - Changeover | | | 4 000 0 | 4 0.00 |
| Exchange - Complex Non-Digital - Initial | \$ 41.35 | \$ 27.53 | \$162.41 | \$ 31.70 |
| Exchange - Complex Non-Digital - Subsequent (Port Feature) | \$ 16.44 | \$ 13.26 | \$ 5.89 | \$ 5.89 |
| Exchange - Complex Non-Digital - Subsequent (Switch Feature | \$ 20.82 | \$ 13.26 | \$ 22.73 | \$ 22.73 |
| Group) | | | | |
| Exchange - Complex Non-Digital - Changeover (As Is) | \$ 22.35 | \$ 17.96 | \$ 3.61 | \$ 3.61 |
| Exchange - Complex Non-Digital - Changeover (As Specified) | \$ 30.08 | \$ 21.31 | \$ 20.97 | \$ 3.61 |
| Exchange - Complex Digital - Initial | \$ 41.35 | \$ 27.53 | \$205.75 | \$ 28.18 |
| Exchange - Complex Digital - Subsequent (Port Feature) | \$ 16.44 | \$ 13.26 | \$ 5.15 | \$ 5.15 |
| Exchange - Complex Digital - Subsequent (Switch Feature Group) | \$ 20.82 | \$ 13.26 | \$ 22.73 | \$ 22.73 |
| Exchange - Complex Digital - Changeover (As Is) | \$ 22.35 | \$ 17.96 | \$ 4.18 | \$ 4.18 |
| Exchange - Complex Digital - Changeover (As Specified) | \$ 30.08 | \$ 21.31 | \$ 80.98 | \$ 4.18 |
| Advanced - Complex - Initial | \$ 48.35 | \$ 34.53 | \$681.24 | \$303.66 |
| Advanced - Complex - Subsequent | \$ 20.82 | \$ 13.26 | \$ 65.81 | \$ 48.47 |
| Advanced - Complex - Changeover (As Is) | \$ 24.06 | \$ 19.67 | \$ 51.51 | \$ 34.17 |
| Advanced - Complex - Changeover (As Specified) | \$ 37.08 | \$ 28.31 | \$ 82.31 | \$ 64.97 |
| Advanced Complex Changeover (As Speemed) | φ 57.00 | φ 20.51 | φ 02.51 | Ψ 04.77 |
| INTEROFFICE DEDICATED TRANSPORT(IDT) (Also applies to | | | | |
| IDT portion of an EEL arrangement) | | | | |
| | | | | |
| Advanced - Basic (2-wire and 4-wire) - Initial | \$ 95.49 | \$ 63.01 | \$428.58 | N/A |
| Advanced - Basic (2-wire and 4-wire) - Subsequent | \$ 45.12 | \$ 28.77 | \$ 58.20 | N/A |
| Advanced - Complex (DS1 and above) - Initial | \$105.04 | \$ 72.56 | \$584.49 | N/A |
| Advanced - Complex (DS1 and above) - Subsequent | \$ 45.12 | \$ 28.77 | \$ 86.80 | N/A |
| r (| | | | |

| CLEC DEDICATED TRANSPORT (CDT) (Also applies to CDT portion of an EEL arrangement) | | | | |
|--|----------|----------|----------|-----|
| Entrance Facility/Dedicated Transport DS0 - Initial | \$ 95.49 | \$ 63.01 | \$390.08 | N/A |
| Entrance Facility/Dedicated Transport DS0 - Subsequent | \$ 45.12 | \$ 28.77 | \$ 58.20 | N/A |
| Entrance Facility/Dedicated Transport DS1/DS3 - Initial | \$105.04 | \$ 72.56 | \$515.03 | N/A |
| Entrance Facility/Dedicated Transport DS1/DS3 - Subsequent | \$ 45.12 | \$ 28.77 | \$ 86.80 | N/A |
| Clear Channel Capability | N/A | N/A | \$ 83.00 | N/A |

SIGNALING SYSTEM 7 (SS7)

| Facilities and Trunks - Initial | \$237.67 | \$205.19 | \$568.54 | N/A |
|--|----------|----------|----------|----------|
| Facilities and Trunks - Subsequent (with Engineering Review) | \$ 71.58 | \$ 55.23 | \$213.12 | N/A |
| Facilities and Trunks - Subsequent (w/o Engineering Review) | \$ 71.58 | \$ 55.23 | \$ 67.28 | N/A |
| Trunks Only - Initial | \$126.13 | \$ 93.65 | \$505.41 | N/A |
| Trunks Only - Subsequent (with Engineering Review) | \$ 49.46 | \$ 33.11 | \$202.03 | N/A |
| Trunks Only - Subsequent (w/o Engineering Review) | \$ 49.46 | \$ 33.11 | \$ 67.28 | N/A |
| STP Ports (SS7 Links) | \$237.67 | \$205.19 | \$438.81 | N/A |
| CUSTOMIZED ROUTING | BFR | BFR | BFR | BFR |
| EXPEDITES | | | | |
| Exchange Products | \$ 3.36 | \$ 3.36 | N/A | N/A |
| Advanced Products | \$ 25.80 | \$ 25.80 | N/A | N/A |
| OTHER | | | | |
| Customer Record Search (per account) | \$ 4.21 | \$- | N/A | N/A |
| CLEC Account Establishment (per CLEC) | \$166.32 | \$166.32 | N/A | N/A |
| Design Change Charge - EELs and Transport | \$27.00 | \$27.00 | N/A | N/A |
| LINE SHARING - CLEC OWNED SPLITTER | | | | |
| CLEC Splitter Connection - Initial | \$ 32.19 | \$ 22.52 | \$ 53.04 | \$ 47.29 |
| CLEC Splitter Connection - Subsequent | \$ 13.24 | \$ 9.83 | \$ 14.49 | \$ 13.53 |

Application of NRCs

Preordering:

CLEC Account Establishment is a one-time charge applied the first time that AT&T Broadband orders any service from this Agreement.

Customer Record Search applies when AT&T Broadband requests a summary of the services currently subscribed to by the end-user.

Ordering and Provisioning:

Initial Service Order (ISO) applies to each Local Service Request (LSR) and Access Service Request (ASR) for new service. Charge is Manual (e.g. for a faxed order) or Semi-Mechanized (e.g. for an electronically transmitted order) based upon the method of submission used by the CLEC.

Subsequent Service Order applies to each LSR/ASR for modifications to an existing service. Charge is Manual or Semi-Mechanized based upon the method of submission used by the CLEC.

Advanced ISO applies per LSR/ASR when engineering work activity is required to complete the order.

Exchange ISO applies per LSR/ASR when no engineering work activity is required to complete the order.

Provisioning – Initial Unit applies per ISO for the first unit installed. The Additional Unit applies for each additional unit installed on the same ISO.

Basic Provisioning applies to services that can be provisioned using standard network components maintained in inventory without specialized instructions for switch translations, routing, and service arrangements.

Complex Provisioning applies to services that require special instruction for the provisioning of the service to meet the customer's needs.

Examples of services and their Ordering/Provisioning category that applies:

Exchange-Basic: 2-Wire Analog, 4-Wire Analog, Standard Sub-Loop Distribution, Standard Sub-Loop Feeder, Drop and NID.

Exchange-Complex: Non-loaded Sub-Loop Distribution, Non-load Sub-Loop Feeder, Loop Conditioning, Customized Routing, ISDN BRI Digital Line Side Port and Line Sharing.

Advanced-Basic: 2-Wire Digital Loop, 4-Wire Digital Loop

Advanced-Complex: DS1 Loop, DS3 Loop, Dark Fiber, EELs, and ISDN PRI Digital Trunk Side Port

Conditioning applies in addition to the ISO, for each Loop or Sub-Loop UNE for the installation and grooming of Conditioning requests.

DS1 Clear Channel Capability applies in addition to the ISO, per DS1 for the installation and grooming of DS1 Clear Channel Capability requests.

Changeover Charge applies to UNE-P and EEL orders when an existing retail, resale, or special access service is already in place.

Service Inquiry – Dark Fiber applies per service inquiry when a CLEC requests Verizon to determine the availability of dark fiber on a specific route.

EELs - The NRCs that generally apply to an EEL arrangement are applicable ordering & provisioning charges for EEL Loops, IDT, CDT, Multiplexing and Clear Channel Capability

Custom Handling (These NRCs are in addition to any Preordering or Ordering and Provisioning NRCs):

Service Order Expedite applies if AT&T Broadband requests service prior to the standard due date intervals and the expedite request can be met by Verizon.

Coordinated Conversion applies if AT&T Broadband requests notification and coordination of service cut-over prior to the service becoming effective.

Hot Coordinated Conversion First Hour applies if AT&T Broadband requests real-time coordination of a service cut-over that takes one hour or less.

Hot Coordinated Conversion Per Additional Quarter Hour applies, in addition to the Hot Coordinated Conversion First Hour, for every 15-minute segment of real-time coordination of a service cut-over that takes more than one hour.

Design Change Charge applies to EELs & Transport orders for design changes requested by the CLEC.

IV. Rates and Charges for 911

See State 911 Tariff.

V. Collocation Rates

| Elements | Increment | NRC / MRC | Rate |
|--|------------------|-----------|------------|
| | | | |
| Non-Recurring Prices | | | |
| Engineering Costs | | | |
| Engineering/Major Augment Fee | per occurrence | NRC | \$1,128.54 |
| Minor Augment Fee | per occurrence | NRC | 199.42 |
| Access Card Administration (New/Replacement) | per card | NRC | 21.0 |
| Cage Grounding Bar | per bar | NRC | 1,423.10 |
| DC Power | per 40 amps | NRC | |
| | per amp | NRC | 68.15 |
| Overhead Superstructure | per project | NRC | 2,371.98 |
| Facility Cable or Fiber Optic Patchcord Pull/Termination | | | |
| Engineering | per project | NRC | 75.43 |
| Facility Cable Pull | per cable run | NRC | 210.08 |
| Fiber Optic Patchcord Pull | per cable run | NRC | 207.20 |
| DS0 Cable Termination | per 100 pair | NRC | 4.16 |
| DS1 Cable Termination | per 28 pair | NRC | 1.04 |
| DS3 Coaxial Cable Termination (Preconnectorized) | per termination | NRC | 1.04 |
| DS3 Coaxial Cable Termination (Unconnectorized) | per termination | NRC | 10.40 |
| Fiber Optic Patchcord Termination | per termination | NRC | 1.12 |
| Fiber Cable Pull | per termination | itte | 1.12 |
| Engineering | per project | NRC | 606.30 |
| Place Innerduct | per lin ft | NRC | 1.63 |
| Pull Cable | per lin ft | NRC | 0.72 |
| Cable Fire Retardant | per occurrence | NRC | 41.61 |
| Fiber Cable Splice | per occurrence | Mille | 41.01 |
| Engineering | per project | NRC | 30.32 |
| Splice Cable | per fiber | NRC | 56.80 |
| BITS Timing | per project | NRC | 288.07 |
| | per project | INKC | 200.07 |
| Monthly Recurring Prices | | | |
| Caged Floor Space including Shared Access Area | per sq ft | MRC | 2.31 |
| DC Power | per 40 amps | MRC | |
| | per amp | MRC | 9.68 |
| Building Modification | per request | MRC | 119.66 |
| Environmental Conditioning | per 40 amps | MRC | |
| 8 | per amp | MRC | 1.55 |
| Facility Termination | | | |
| DS0 | per 100 pr | MRC | 2.27 |
| DS1 | per 28 pr | MRC | 9.55 |
| DS3 | per DS3 | MRC | 6.59 |
| Fiber Optic Patchcord | per connector | MRC | 0.88 |
| Cable Rack Space - Metallic | per cable run | MRC | 0.34 |
| Cable Rack Space - Fiber | per innerduct ft | MRC | 0.01 |
| Fiber Optic Patchcord Duct Space | per cable run | MRC | 0.50 |
| Manhole Space - Fiber | per project | MRC | 2.92 |
| Subduct Space - Fiber | per lin ft | MRC | 0.02 |
| Cable Vault Splice | Per mi it | mille | 0.02 |

CAGED COLLOCATION RATES

| Increment | NRC / MRC | Rate |
|----------------|--|--|
| | | |
| per splice | MRC | 5.58 |
| per subduct | MRC | 0.62 |
| | | |
| per splice | MRC | 15.94 |
| per subduct | MRC | 0.62 |
| per occurrence | MRC | 6.15 |
| | per splice per subduct per splice per subduct | per splice MRC per subduct MRC per splice MRC per subduct MRC |

| Elements | Increment | NRC / MRC | Rate |
|---|----------------------------|-----------|------------|
| | | | |
| Non-Recurring Prices | | | |
| Engineering Costs | | | |
| Engineering/Major Augment Fee | per occurrence | NRC | \$1,128.54 |
| Minor Augment Fee | per occurrence | NRC | 199.42 |
| Access Card Administration (New/Replacement) | per card | NRC | 21.01 |
| DC Power | per 40 amps | NRC | |
| | per amp | NRC | 68.15 |
| Overhead Superstructure | per project | NRC | 2,371.98 |
| Facility Cable or Fiber Optic Patchcord Pull/Termin | ation | | |
| Engineering | per project | NRC | 75.43 |
| Facility Pull | per cable run | NRC | 210.08 |
| Fiber Optic Patchcord Pull | per cable run | NRC | 207.20 |
| DS0 Cable Termination | per 100 pair | NRC | 4.16 |
| DS1 Cable Termination | per 28 pair | NRC | 1.04 |
| DS3 Coaxial Cable Termination | per termination | NRC | 1.04 |
| (Preconnectorized) | 1 | | |
| DS3 Coaxial Cable Termination | per termination | NRC | 10.40 |
| (Unconnectorized) | 1 | | |
| Fiber Optic Patchcord Termination | per termination | NRC | 1.12 |
| Fiber Cable Pull | 1 | | |
| Engineering | per project | NRC | 606.30 |
| Place Innerduct | per lin ft | NRC | 1.63 |
| Pull Cable | per lin ft | NRC | 0.72 |
| Cable Fire Retardant | per occurrence | NRC | 41.61 |
| Fiber Cable Splice | 1 | | |
| Engineering | per project | NRC | 30.32 |
| Splice Cable | per fiber | NRC | 56.80 |
| BITS Timing | per project | NRC | 288.07 |
| Monthly Recurring Prices | | | |
| Dolay Dook Floor Space | per lin ft | MRC | 9.83 |
| Relay Rack Floor Space DC Power | per 40 amps | MRC | 9.62 |
| DCTOwer | | MRC | 9.68 |
| Duilding Modification | per amp | MRC | 119.66 |
| Building Modification | per request per 40 amps | MRC | 119.00 |
| Environmental Conditioning | 1 1 | MRC | 1.54 |
| Facility Taumination | per amp | MKC | 1.55 |
| Facility Termination | nor 100 nr | MDC | 2.25 |
| DS0 | per 100 pr | MRC | 2.27 |
| DS1 DS2 | per 28 pr | MRC | 9.55 |
| DS3 Eihor Ontio Potakoord | per DS3 | MRC | 6.59 |
| Fiber Optic Patchcord | per connector | MRC | 0.88 |
| Cable Rack Space - Metallic | per cable run | MRC | 0.34 |
| Cable Rack Space - Fiber | per innerduct ft | MRC | 0.01 |
| Fiber Optic Patchcord Duct Space | per cable run | MRC | 0.50 |
| Manhole Space - Fiber | per project | MRC | 2.92 |
| Subduct Space - Fiber | per lin ft | MRC | 0.02 |
| L ODIO VOUIT NDUOO | | | |
| Cable Vault Splice | | | |
| Fiber Cable - 48 Fiber Material | per splice | MRC | 5.58 |

| CAGELESS COLLOCATION RATES | | | |
|----------------------------|----------------|-----------|-------|
| Elements | Increment | NRC / MRC | Rate |
| Space Utilization in Vault | per subduct | MRC | 0.62 |
| Fiber Cable - 96 Fiber | | | |
| Material | per splice | MRC | 15.94 |
| Space Utilization in Vault | per subduct | MRC | 0.62 |
| BITS Timing | per occurrence | MRC | 6.15 |

| Elements | Increment | NRC / MRC | Rate |
|---|------------------|-----------|---------|
| | | | |
| Non-Recurring Prices | | | |
| Engineering Fee | per occurrence | NRC | \$958.0 |
| Fiber Cable Pull | | | |
| Engineering | per project | NRC | 606.3 |
| Place Innerduct | 1 lin ft | NRC | 1.6 |
| Pull Cable | 1 lin ft | NRC | 0.7 |
| Cable Fire Retardant | per occurrence | NRC | 41.6 |
| Metallic Cable Pull | | | |
| Engineering | per project | NRC | 606.3 |
| Pull Cable | 1 lin ft | NRC | 0.94 |
| Cable Fire Retardant | per occurrence | NRC | 41.6 |
| Cable Splice | | | |
| Engineering | per project | NRC | 30.32 |
| Metallic Cable Splicing (greater than | per DSO/DS1 pair | NRC | 0.6 |
| 200 pair) | | | |
| Metallic Cable Splicing (200 pair or | per DSO/DS1 pair | NRC | 2.14 |
| less) | | | |
| Fiber Cable Splicing (48 fiber cable or | per fiber | NRC | 56.80 |
| less) | - | | |
| Fiber Cable Splicing (greater than 48 | per fiber | NRC | 50.40 |
| fiber) | 1 | | |
| Facility Pull | | | |
| Engineering | per project | NRC | 75.43 |
| Facility Pull | 1 lin ft | NRC | 1.04 |
| Facility Termination | | | |
| DS0 Cable | | | |
| Connectorized | per 100 pr | NRC | 4.10 |
| Unconnectorized | per 100 pr | NRC | 41.6 |
| DS1 Cable | 1 1 | | |
| Connectorized | per 28 pr | NRC | 1.04 |
| Unconnectorized | per 28 pr | NRC | 31.2 |
| DS3 (Coaxial) Cable | r · · r | | |
| Connectorized | per DS3 | NRC | 1.04 |
| Unconnectorized | per DS3 | NRC | 10.40 |
| Fiber | per fiber term | NRC | 56.80 |
| BITS Timing | per project | NRC | 288.0 |
| Monthly Recurring Prices | | | |
| Cable Space | | | |
| Subduct Space | | | |
| Manhole | per project | MRC | 2.92 |
| Subduct | 1 lin ft | MRC | 0.02 |
| Conduit Space - 4" Duct - Metallic Cabl | | MINU | 0.02 |
| Manhole | per conduit | MRC | 5.3 |
| Conduit | 1 lin ft | MRC | 0.0 |
| | 1 1111 11 | WIKC | 0.0 |
| Facility Termination DSO | ner 100 nr | MRC | 2.2 |
| | per 100 pr | | |
| DS1 | per 28 pr | MRC | 9.5 |
| DS3 | per coaxial | MRC | 6.59 |
| | | | |

| Elements | Increment | NRC / MRC | Rate |
|--------------------------------|------------------|-----------|--------|
| Cable Vault Space | | | |
| Metallic DS0 Cable - 1200 Pair | | | |
| Material | per splice | MRC | 217.54 |
| Space Utilization | per cable | MRC | 2.42 |
| Metallic DS0 Cable - 900 Pair | 1 | | |
| Material | per splice | MRC | 158.43 |
| Space Utilization | per cable | MRC | 1.8 |
| Metallic DS0 Cable - 600 Pair | 1 | | |
| Material | per splice | MRC | 104.90 |
| Space Utilization | per cable | MRC | 1.3 |
| Metallic DS0 Cable - 100 Pair | - | | |
| Material | per splice | MRC | 40.00 |
| Space Utilization | per cable | MRC | 1.00 |
| Fiber Cable - 48 fiber | - | | |
| Material | per splice | MRC | 5.5 |
| Space Utilization | per subduct | MRC | 0.62 |
| Fiber Cable - 96 fiber | 1 | | |
| Material | per splice | MRC | 15.94 |
| Space Utilization | per subduct | MRC | 0.62 |
| Cable Rack Space | - | | |
| Metallic DSO | 1 lin ft | MRC | 0.0 |
| Metallic DS1 | 1 lin ft | MRC | 0.0 |
| Fiber | per innerduct ft | MRC | 0.0 |
| Coaxial | 1 lin ft | MRC | 0.0 |
| BITS Timing | per occurrence | MRC | 6.15 |

| Elements | Increment | NRC / MRC | Rate |
|--|---------------------|-----------|---------|
| Non-Recurring Prices | | | |
| Engineering Costs | | | |
| Engineering/Major Augment Fee | per occurrence | NRC | 557.8 |
| Equipment Installation | per quarter rack | NRC | 3,474.2 |
| Software Upgrades | per base unit | NRC | 96.0 |
| Card Installation | per card | NRC | 223.7 |
| DC Power | per 40 amps | NRC | 223.1 |
| De l'uwei | per 40 amps | NRC | 68. |
| Facility Cable or Fiber Optic Patchcord Pull/Termination | | ivite | 00. |
| Engineering | per project | NRC | 75.4 |
| Facility Cable Pull | per cable run | NRC | 210.0 |
| Fiber Optic Patchcord Pull | per cable run | NRC | 207.2 |
| DS0 Cable Termination | per 100 pair | NRC | 4. |
| DS1 Cable Termination | per 28 pair | NRC | 1.0 |
| DS3 Coaxial Cable Termination (Preconnectorized) | per termination | NRC | 1.0 |
| DS3 Coaxial Cable Termination (Unconnectorized) | per termination | NRC | 10.4 |
| Fiber Optic Patchcord Termination | per termination | NRC | 1.1 |
| Fiber Cable Pull | 1 | | |
| Engineering | per project | NRC | 606.3 |
| Place Innerduct | per lin ft | NRC | 1.0 |
| Pull Cable | per lin ft | NRC | 0.7 |
| Cable Fire Retardant | per occurrence | NRC | 41.6 |
| Fiber Cable Splice | r · · · · · · · | | |
| Engineering | per project | NRC | 30.3 |
| Splice Cable | per fiber | NRC | 56.8 |
| BITS Timing | per project | NRC | 288.0 |
| Monthly Recurring Prices | | | |
| Equipment Maintenance | per quarter rack | MRC | 71.5 |
| DC Power | per 40 amps | MRC | / 1 |
| | per amp | MRC | 9.6 |
| Environmental Conditioning | per 40 amps | MRC | 2.0 |
| | per amp | MRC | 1.5 |
| Facility Termination | per ump | inite | 1 |
| DS0 | per 100 pr | MRC | 2.2 |
| DS1 | per 28 pr | MRC | 9.5 |
| DS3 | per DS3 | MRC | 6.5 |
| Fiber Optic Patchcord | per connector | MRC | 0.8 |
| Cable Rack Space - Metallic | per cable run | MRC | 0.3 |
| Cable Rack Space - Fiber | per innerduct ft | MRC | 0.0 |
| Fiber Optic Patchcord Duct Space | per cable run | MRC | 0.5 |
| Manhole Space - Fiber | per project | MRC | 2.9 |
| Subduct Space - Fiber | per lin ft | MRC | 0.0 |
| Cable Vault Splice | r · · · · · · · · · | | 5.0 |

Fiber Cable - 48 Fiber

| VIRTUAL COLLOCATION RATES | | | |
|----------------------------|----------------|-----------|-------|
| Elements | Increment | NRC / MRC | Rate |
| Material | per splice | MRC | 5.58 |
| Space Utilization in Vault | per subduct | MRC | 0.62 |
| Fiber Cable - 96 Fiber | - | | |
| Material | per splice | MRC | 15.94 |
| Space Utilization in Vault | per subduct | MRC | 0.62 |
| BITS Timing | per occurrence | MRC | 6.15 |

| MICROWAVE COLLOCATION RATES | | | |
|---|----------------|-----------|--------|
| Elements | Increment | NRC / MRC | Rate |
| Non-Recurring Prices | | | |
| Augment Fee | per occurrence | NRC | 998.92 |
| Facility Pull | - | | |
| Engineering | per project | NRC | 75.43 |
| Labor | per linear ft | NRC | 1.12 |
| Building Penetration for Microwave Cable | per occurrence | NRC | ICB |
| Special Work for Microwave | per occurrence | NRC | ICB |
| Monthly Recurring Prices | | | |
| Rooftop Space | per sq ft | MRC | 3.33 |

| DEDICATED TRANSIT SERVICE COLLOCATION R | ATES | | |
|---|------------|-----------|-------|
| Elements | Increment | NRC / MRC | Rate |
| Non-Recurring Prices | | | |
| DS0 | | | |
| Service Order - Semi-Mechanized | per order | NRC | 21.89 |
| Service Order - Manual | per order | NRC | 38.02 |
| Service Connection - CO Wiring | per jumper | NRC | 7.17 |
| Service Connection - Provisioning | per order | NRC | 64.95 |
| DS1/DS3/Dark Fiber | | | |
| Service Order - Semi-Mechanized | per order | NRC | 21.89 |
| Service Order - Manual | per order | NRC | 38.02 |
| Service Connection - CO Wiring | per jumper | NRC | 17.57 |
| Service Connection - Provisioning | per order | NRC | 78.57 |
| Lit Fiber | | | ICB |

| MISCELLANEOUS COLLOCATION SERVICES | | | | |
|---|-----------------|-----------|---------|--|
| Elements | Increment | NRC / MRC | Rate | |
| Labor: | | | | |
| | per rates below | | | |
| Overtime Repair Labor | per rates below | | | |
| Additional Installation Testing Labor | per rates below | | | |
| Standby Labor | per rates below | | | |
| Testing & Maintenance with Other Telcos, Labor | per rates below | | | |
| Other Labor | per rates below | | | |
| Labor Rates: | | | | |
| Basic Time, Business Day, Per Technician | | | | |
| First Half Hour or Fraction Thereof | | NRC | \$42.83 | |
| Each Additional Half Hour or Fraction Thereof | | NRC | 21.41 | |
| Overtime, Outside the Business Day | | | | |
| First Half Hour or Fraction Thereof | | NRC | 100.00 | |
| Each Additional Half Hour or Fraction Thereof | | NRC | 75.00 | |
| Prem.Time,Outside Business Day, Per Tech | | | | |
| First Half Hour or Fraction Thereof | | NRC | 150.00 | |
| Each Additional Half Hour or Fraction Thereof | | NRC | 125.00 | |
| Cable Material | | | | |
| Facility Cable-DS0 Cable (Connectorized) 100 pair | per cable run | NRC | 308.70 | |
| Facility Cable-DS1 Cable (Connectorized) | per cable run | NRC | 286.62 | |
| Facility Cable-DS3 Coaxial Cable | per cable run | NRC | 77.75 | |
| Facility Cable-Shielded Cable (Orange Jacket) | per cable run | NRC | 31.12 | |
| Fiber Optic Patchcord - 24 Fiber (Connectorized) | per cable run | NRC | 775.15 | |
| Power Cable-Wire Power 1/0 | per cable run | NRC | 86.65 | |
| Power Cable-Wire Power 2/0 | per cable run | NRC | 125.63 | |
| Power Cable-Wire Power 3/0 | per cable run | NRC | 138.57 | |
| Power Cable-Wire Power 4/0 | per cable run | NRC | 171.34 | |
| Power Cable-Wire Power 350 MCM | per cable run | NRC | 292.92 | |
| Power Cable-Wire Power 500 MCM | per cable run | NRC | 408.24 | |
| Power Cable-Wire Power 750 MCM | per cable run | NRC | 628.09 | |
| Facility Cable - Category 5 Connectorized | per linear ft | NRC | 1.02 | |
| Collocation Space Report | per premise | NRC | 974.02 | |

ATT BROADBAND 252I

DESCRIPTION AND APPLICATION OF RATE ELEMENTS

Non-Recurring Charges

The following are non-recurring charges (one-time charges) that apply for specific work activity:

Engineering/Major Augment Fee. The Engineering/Major Augment Fee applies for each initial Caged, Cageless, Virtual, or Microwave collocation request and major augment requests for existing Caged, Cageless, and Virtual collocation arrangements. This charge recovers the costs of the initial walkthrough to determine if there is sufficient collocation space, the best location for the collocation area, what building modifications are necessary to provide collocation, and if sufficient DC power facilities exist in the premises to accommodate collocation. This fee also includes the total time for the Building Services Engineer and the time for the Outside Plant and Central Office Engineers to attend status meetings.

Engineering/Major Augment Fee (Microwave Only). The Engineering/Major Augment Fee for Microwave Collocation applies when an existing Caged and Cageless collocation arrangement is augmented with newly installed microwave antennae and other exterior facilities. This charge recovers the costs of the initial walkthrough to determine if there is sufficient space, the best location for the microwave antennae and other exterior facilities, what building modifications are necessary, if any, and if sufficient support facilities exist in the premises to accommodate the microwave antennae and other exterior facilities. This fee also includes the total time for the Building Services Engineer to coordinate the entire project.

<u>Minor Augment Fee</u>. The Minor Augment Fee applies for each minor augment request of an Existing Caged, Cageless, Virtual, or Microwave collocation arrangement that does not require additional AC or DC power systems, HVAC system upgrades, or additional cage space. Minor augments are those requests that require the Company to perform a service or function on behalf of the CLEC including, but not limited to: installation of Virtual equipment cards or software upgrades, removal of Virtual equipment, requests to pull cable from exterior microwave facilities, and requests to terminate DS0, DS1 and DS3 cables.

<u>Access Card Administration</u>. The Access Card Administration rate covers activities associated with the issuance and management of premises access cards. The rate is applied on a per card basis.

<u>Cage Grounding Bar</u>. The Cage Grounding Bar rate recovers the material and labor costs to provision a ground bar, including necessary ground wire, in the collocator's cage.

<u>BITS Timing</u>. The non-recurring charge for BITS Timing includes engineering, materials, and labor costs to wire a BITS port to the CLEC's equipment. If requested, it is applied on a per project basis.

<u>Overhead Superstructure</u>. The Overhead Superstructure charge is applied for each initial caged and cageless collocation application. The Overhead Superstructure charge is designed to recover Verizon's engineering, material, and installation costs for extending dedicated overhead superstructure.

<u>Facility Cable or Fiber Optic Patchcord Pull/Termination-Engineering</u>. The Facility Cable or Fiber Optic Patchcord Pull/Termination-Engineering charge is applied per project to recover the engineering costs of pulling and terminating the interconnection wire (cable or fiber patchcord) from the collocation cage or relay rack to the Main Distribution Frame block, DSX panel, or fiber distribution panel. The charge would also apply per project to recover the engineering costs of

pulling transmission cable from microwave antennae facilities on the rooftop to the collocation cage or relay rack.

<u>Facility Pull</u>. The Facility Pull charge is applied per cable run and recovers the labor cost of pulling metallic cable or fiber optic patchcord from the collocation cage or relay rack to the Main Distribution Frame block, DSX panel, or fiber distribution panel.

<u>Cable Termination</u>. The Cable Termination charge is applied per cable or fiber optic patchcord terminated and is designed to recover the labor cost of terminating transmission cable or fiber optic patchcord from the collocation cage or relay rack to the Main Distribution Frame block, DSX panel, or fiber distribution panel.

<u>Fiber Cable Pull-Engineering</u>. The Fiber Cable Pull-Engineering charge is applied per project to cover the engineering costs for pulling the CLEC's fiber cable, when necessary, into Verizon's central office.

<u>Fiber Cable Pull-Place Innerduct</u> The Fiber Cable Pull-Place Innerduct charge is applied per linear foot to cover the cost of placing innerduct. Innerduct is the split plastic duct placed from the cable vault to the CLEC's equipment area through which the CLEC's fiber cable is pulled.

<u>Fiber Cable Pull-Labor</u>. This charge is applied per linear foot and covers the labor costs of pulling the CLEC's fiber cable into Verizon's central office.

<u>Fiber Cable Pull-Fire Retardant</u>. This charge is associated with the filling of space around cables extending through walls and between floors with a non-flammable material to prevent fire from spreading from one room or floor to another.

<u>Fiber Optic Patchcord Termination</u>. The Fiber Optic Patchcord Termination is applied per fiber cable termination and recovers the labor cost to terminate the fiber optic patchcord cable.

<u>Fiber Splice-Engineering</u>. The Fiber Splice-Engineering charge is applied per project and covers the engineering costs for fiber cable splicing projects.

<u>Fiber Splice</u>. The Fiber Splice charge is applied per fiber cable spliced and recovers the labor cost associated with the splicing.

<u>DC Power</u>. The DC Power Charge is applied per 40 load amps requested for each caged, cageless, and virtual collocation application. This NRC recovers Verizon's engineering, material and installation costs for providing and terminating DC power runs to the collocation area.

<u>Cable Material Charges</u>. The CLEC has the option of providing its own cable or Verizon may, at the CLEC's request, provide the necessary transmission and power cables. If Verizon provides these cables, the applicable Cable Material Charge will be charged.

<u>Adjacent Engineering Fee</u>. The Adjacent Engineering Fee provides for the initial activities of the Central Office Equipment Engineer, Land & Building Engineer and the Outside Plant Engineer associated with determining the capabilities of providing Adjacent On-Site collocation. The labor charges are for an on-site visit, preliminary investigation of the manhole/conduit systems, wire center and property, and contacting other agencies that could impact the provisioning of adjacent collocation.

<u>Adjacent Fiber Cable Pull-Engineering</u>. The Adjacent Fiber Cable Pull-Engineering fee provides for engineering associated with pulling the CLEC's fiber cable in an adjacent collocation arrangement. The Adjacent Fiber Cable Pull-Engineering charge includes the time incurred by

the Outside Plant Engineer on the project to determine the conduit/ subduct assignment and associated outside plant activity to complete the work.

<u>Adjacent Fiber Cable Pull-Place Innerduct</u>. This NRC covers the cost for placing innerduct, if required for adjacent collocation, which is the split plastic duct placed from the cable vault to the CLEC's equipment area through which the CLEC's fiber is pulled.

<u>Adjacent Fiber Cable Pull-Labor</u>. This charge covers the labor costs for pulling CLEC fiber cable for an adjacent collocation arrangement. Refer to Adjacent Fiber Cable Pull-Engineering above.

<u>Adjacent-Cable Fire Retardant</u>. This charge is associated with the filling of space around cables extending through walls and between floors with a non-flammable material to prevent fire from spreading from one room or floor to another.

<u>Adjacent Metallic Cable Pull-Engineering</u>. This NRC covers the engineering costs of pulling metallic cable for Adjacent collocation into Verizon's wire center. For Adjacent collocation, the metallic cable will be spliced in the cable vault to a stubbed connector located on the vertical side of the main distribution frame to provide proper protection for central office equipment.

<u>Adjacent Metallic Cable Pull Labor</u>. This charge covers the labor costs of pulling metallic cable for Adjacent collocation into Verizon's wire center.

<u>Adjacent Cable Splice-Engineering</u>. This charge covers the outside plant engineering costs for cable splice projects associated with an adjacent collocation arrangement.

Adjacent DS1/DS0 Cable Splice-Greater Than 200 Pair. This charge is for the labor to splice metallic cables and is based on a per pair spliced.

<u>Adjacent DS1/DS0 Cable Splice-Less Than 200 Pair</u>. This charge is for the labor to splice metallic cables and is based on a per pair spliced.

<u>Adjacent Fiber Cable Splice</u>. This charge covers the labor to splice fiber cables and is based on a per fiber spliced.

<u>Adjacent Facility Pull-Engineering</u>. This charge covers the engineering cost associated with the interconnection wire (cable) from the main distribution frame connector to a termination block or DSX panel.

<u>Adjacent Facility Pull-Labor</u>. This charge covers the labor of running the interconnection wire (cable) from the main distribution frame connector to a termination block or DSX panel.

<u>Adjacent DS0 Cable Termination (Connectorized)/Adjacent DS0 Cable Termination</u> (<u>Unconnectorized</u>). These charges cover the labor to terminate these types of interconnection wire (cable) for adjacent collocation to the main distribution frame block or DSX panel.

<u>Adjacent DS1 Cable Termination (Connectorized)/Adjacent DS1 Cable Termination</u> (<u>Unconnectorized</u>). These charges cover the labor of terminating these types of interconnection wire (cable) for adjacent collocation to the main distribution frame block or DSX panel.

<u>Adjacent DS3 Coaxial Cable Termination (Preconnectorized) /Adjacent</u>. These charges cover the labor of terminating this type of interconnection wire (cable) for adjacent collocation to the main distribution frame block or DSX panel.

<u>Adjacent Fiber Cable Termination</u>. This charge covers the labor of terminating fiber cable for adjacent collocation to the main distribution frame block or DSX panel.

<u>Collocation Space Report</u>. When requested by a CLEC, Verizon will submit a report that indicates Verizon's available collocation space in a particular premise. The report will be issued within ten calendar days of the request. The report will specify the amount of collocation space available at each requested premise, the number of collocators, and any modifications in the use of the space since the last report. The report will also include measures that Verizon is taking to make additional space available for collocation.

<u>Miscellaneous Services Labor</u>. Additional labor, if required., to complete a collocation request or perform inventory services for CLECs.

<u>Facility Pull (Microwave Only)</u>. The Facility Pull charge is applied per linear foot and recovers the labor cost of pulling transmission cable from the microwave antennae and other exterior facilities on the rooftop to the transmission equipment in the collocation cage or relay rack.

<u>Building Penetration for Microwave Cable</u>. The reasonable costs to penetrate buildings for microwave cable to connect microwave antennae facilities and other exterior facilities to the transmission equipment in the collocation cage or relay rack will be determined and applied on an individual case basis, where technically feasible, as determined by the initial and subsequent Engineering surveys.

<u>Special Work for Microwave</u>. The costs incurred by Verizon for installation of CLEC's microwave antennae and other exterior facilities that are not recovered via other microwave rate elements will be determined and applied on an individual case basis.

<u>Virtual Equipment Installation</u>. The Virtual Equipment Installation charge is applied on a per quarter rack (or quarter bay) basis and recovers the costs incurred by Verizon for engineering and installation of the virtual collocation equipment. This charge would apply to the installation of powered equipment including, but not limited to, ATM, DSLAM, frame relay, routers, OC3, OC12, OC24, OC48, and NGDLC. This charge does not apply for the installation of splitters.

<u>Virtual Software Upgrade</u>. The Virtual Software Upgrade charge is applied per base unit when Verizon, upon CLEC request, installs software to upgrade equipment for an existing Virtual Collocation arrangement.

<u>Virtual Card Installation</u>. The Virtual Card Installation charge is applied per card when Verizon, upon CLEC request, installs additional cards for an existing Virtual Collocation arrangement.

Dedicated Transit Service (DTS) Service Order Charge. Applied per DTS order to the requesting CLEC for recovery of DTS order placement and issuance costs. The manual charge applies when the semi-mechanized ordering interface is not used.

Dedicated Transit Service (DTS) – Service Connection CO Wiring. Applied per DTS circuit to the requesting CLEC for recovery of DTS jumper material, wiring, service turn-up for DS0, DS1, DS3, and dark fiber circuits.

Dedicated Transit Service (DTS) – Service Connection Provisioning. Applied per DTS order to the request CLEC for recovery of circuit design and labor costs associated with the provisioning of DS0, DS1, DS3, and dark fiber circuits for DTS.

Monthly Recurring Charges

The following are monthly charges. Monthly charges apply each month or fraction thereof that Collocation Service is provided.

<u>Caged Floor Space</u>. Caged Floor Space is the cost per square foot to provide environmentally conditioned caged floor space to the CLEC. Environmentally conditioned space is that which has proper humidification and temperature controls to house telecommunications equipment. The cost includes only that which relates directly to the land and building space itself.

<u>Relay Rack Floor Space</u>. The Relay Rack Floor Space charge provides for the environmentally conditioned floor space that a relay rack occupies based on linear feet. The standardized relay rack floor space depth is based on half the aisle area in front and back of the rack, and the depth of the equipment that will be placed within the rack.

<u>Cable Subduct Space-Manhole</u>. This charge applies per project per month and covers the cost of the space that the outside plant fiber occupies within the manhole.

<u>Cable Subduct Space</u>. The Subduct Space charge covers the cost of the subduct space that the outside plant fiber occupies and applies on a per linear foot basis.

<u>Fiber Cable Vault Splice</u>. The Fiber Cable Vault Splice charge applies per subduct or per splice and covers the space and material cost associated with the CLEC's fiber cable splice within Verizon's cable vault.

<u>Cable Rack Space-Metallic</u>. The Cable Space-Metallic charge is applied for each DS0, DS1 and DS3 cable run. The charge is designed to recover the space utilization cost that the CLEC's metallic and coaxial cable occupies within Verizon.

<u>Cable Rack Space-Fiber</u>. The Cable Rack Space-Fiber charge recovers the space utilization cost that the CLEC's fiber cable occupies within Verizon's cable rack system.

<u>Fiber Optic Patchcord Duct Space</u>. The Fiber Optic Duct Space rate element is applied per cable run and recovers the cost for the central office duct space occupied by the fiber optic patchcord cable.

<u>DC Power.</u> The DC Power monthly charge is applied on a per 40 load amp basis. This charge is designed to recover the monthly facility and utility expense to power the collocation equipment.

<u>Facility Termination</u>. This charge is applied per cable terminated. This charge is designed to recover the labor and material costs of the applicable main distribution frame 100 pair circuit block, DSX facility termination panel, or fiber distribution panel.

<u>BITS Timing</u>. The BITS Timing monthly charge is designed to recover equipment and installation cost to provide synchronized timing for electronic communications equipment. This rate is based on a per port cost.

<u>Building Modification</u>. The Building Modification monthly charge is applied to each caged and cageless arrangement and is associated with provisioning the following items in Verizon's premises: security, dust partition, ventilation ducts, demolition/site work, lighting, outlets, and grounding equipment.

<u>Environmental Conditioning</u>. The Environmental Conditioning charge is applied to each caged, cageless, and virtual arrangement on a per 40 amp increment based on the CLEC's DC Power requirements. This charge is associated with the provisioning of heating, ventilation, and air conditioning systems for the CLEC's equipment in Verizon's premises.

<u>Adjacent Cable Subduct Space-Manhole</u>. This charge covers the space utilization cost that the outside plant fiber or metallic cable occupies within the manhole.

<u>Adjacent Cable Subduct Space</u>. The Adjacent Cable Subduct Space charge covers the space utilization cost of the subduct that the outside plant fiber or metallic cable occupies within the conduit system.

Adjacent Conduit Space (Metallic)-Manhole. This charge covers the space utilization cost that the outside plant metallic cable occupies within the manhole.

<u>Adjacent Conduit Space (Metallic)</u>. This charge covers the space utilization cost that the outside plant metallic cable occupies within the conduit system.

<u>Adjacent Facility Termination DS0 Cable</u>. This charge is applied per 100 pair cable terminated. This charge is designed to recover the labor and material cost of the main distribution frame 100 pair circuit block.

<u>Adjacent Facility Termination DS1 Cable</u>. The Facility Termination (DS1) charge is applied per 28 pair DS1 cable terminated. This charge is designed to recover the labor and material cost of the DSX facility termination panel.

<u>Adjacent Facility Termination DS3 Cable</u>. The Facility Termination (DS3) charge is applied per DS3 cable terminated. This charge recovers the labor and material cost of the DSX facility termination panel.

<u>Adjacent Cable Vault Space</u>. The Adjacent Cable Vault Space charge covers the cost of the space the CLEC's cable occupies within the cable vault. The charge is based on the diameter of the cable or subduct.

<u>Adjacent Cable Rack Space</u>. This charge covers the space utilization cost that the CLEC's fiber, metallic or coaxial cable occupies within the cable rack system. The charge is based on the linear feet occupied.

<u>Microwave Rooftop Space</u>. Microwave Rooftop Space is the cost per square foot to provide rooftop space to the CLEC for microwave antennae and other exterior facilities. The cost includes only that which relates directly to the land and building space itself.

<u>Virtual Equipment Maintenance</u>. The Virtual Equipment Maintenance charge is applied on a per quarter rack (or quarter bay) basis and recovers the costs incurred by the Company for maintenance of the CLEC's virtual collocation equipment. This charge would apply to the maintenance of equipment including, but not limited to, ATM, DSLAM, frame relay, routers, OC3, OC12, OC24, OC48, and NGDLC. This charge does not apply for the maintenance of splitters.