CARRIER-TO-CARRIER AGREEMENT CHECKLIST

INSTRUCTIONS: Please complete all applicable parts of this form and submit it with related materials when filing a carrier-tocarrier agreement pursuant to 47 U.S.C. 252 and OAR 860-016-0000 et al. The Commission will utilize the information contained in this form to determine how to process the filing. **Unless you request otherwise in writing, the Commission will serve all documents related to the review of this agreement electronically to the e-mail addresses listed below.**

1. PARTIES *Requesting Carrier*

Affected Carrier

Name of Party:

Contact for Processing Questions:

Name:

Telephone:

E-mail:

Contact for Legal Questions (if different):

Name:

Telephone:

E-mail:

Other Persons wanting E-mail service of documents (if any):

Name:

E-mail:

2. TYPE OF FILING

NOTE: Parties making multiple requests (such as seeking to adopt a previously approved agreement and Commission approval of new negotiated amendments to that agreement) should submit a separate checklist for each requested action.

&

Adoption: Adopts existing carrier-to-carrier agreement filed with Commission.

- Docket ARB
- Parties to prior agreement
- Check one:

Adopts base agreement only; or

Adopts base agreement and subsequent amendments approved in Order No(s).

New Agreement: Seeks approval of new negotiated agreement.

- Does filing replace an existing agreement between the parties?
- NO
- YES, Docket ARB

- If filing involves Qwest Communications, does it utilize the terms of an SGAT?
 - NO
- YES, Revision

Amendment: Amends an existing carrier-to-carrier agreement.

Docket ARB

Other: Please explain.

Performance Assurance Plan Amendment to the Interconnection Agreement between Qwest Corporation and Advanced TelCom Group for the State of Oregon

This Amendment ("Amendment") is to the Interconnection Agreement between Qwest Corporation (f/k/a U S WEST Communications, Inc.) ("Qwest"), a Colorado corporation, and Advanced TelCom, Inc. dba Advanced TelCom Group ("CLEC"), a Delaware corporation.

RECITALS

WHEREAS, the Parties entered into an Interconnection Agreement, for service in the State of Oregon, that was approved by the Oregon Public Utility Commission on November 20, 1998, as referenced in Docket/Order No. 98-485 ("Agreement"); and

WHEREAS, the Parties wish to amend the Agreement under the terms and conditions contained herein.

AGREEMENT

NOW THEREFORE, in consideration of the mutual terms, covenants and conditions contained in this Amendment and other good and valuable consideration, the receipt and sufficiency of which is hereby acknowledged, the Parties agree as follows:

Amendment Terms

Service Performance

The Performance Assurance Plan ("PAP") as approved by the Commission and the Performance Indicator Definitions ("PIDs") included as Exhibit B to the Commission approved Statement of Generally Acceptable Terms and Conditions ("SGAT") are hereby incorporated into this Amendment as Attachments 1 and 2, respectively. Modifications to PIDs that apply to the PAP shall be made in accordance with Section 16.0 of the PAP. Changes made pursuant to Section 16.0 shall apply to and modify this Amendment, subject to and in accordance with terms therein and any applicable subsequent judicial review.

Consistent with Section 13.0 of the PAP, CLEC elects the PAP as a part of its Interconnection Agreement with Qwest. Therefore, all references in the Agreement to performance standards and measurements and accompanying payment mechanisms (including, but not limited to, Direct Measures of Quality (DMOQ) and Supplier Performance Quality Management System) are superceded by this Amendment.

Force Majeure and Dispute Resolution

Pursuant to Section 18.0 of the PAP, Section 5.18 of the SGAT (attached hereto as Attachment 3 to this Amendment) is hereby incorporated into the Amendment for the sole purpose of implementing the PAP.

Implementation Date

If the FCC has granted Section 271 authorization for the State, the PAP will be implemented on the date the Amendment is executed by both parties. If the FCC had not granted Section 271 authorization for the State as of the date the Amendment was executed by both parties, the PAP will be implemented on the date the FCC grants Section 271 approval for the State. In the initial month of implementation, payments to CLEC under the PAP will be pro-rated to reflect the applicable percentage of the monthly payment.

CLEC Information

CLEC agrees that for amounts owed under the PAP that are not credited to CLEC's bill as allowed by the PAP, payments shall be made by the use of electronic fund transfers, or check, if the option of electronic fund transfer is not available. CLEC agrees that monthly performance reports shall be delivered via a password-protected website. In order to implement these provisions, CLEC shall provide specific information in response to the Performance Assurance Plan Amendment Questionnaire. To accommodate this need, CLEC shall generate an updated Performance Assurance Plan Amendment Questionnaire within 30 days.

Amendments; Waivers

Except as modified herein, the provisions of the Agreement shall remain in full force and effect. The provisions of this Amendment, including the provisions of this sentence, may not be amended, modified or supplemented, and waivers or consents to departures from the provisions of this Amendment may not be given without the written consent thereto by both Parties' authorized representative. No waiver by any Party of any default, misrepresentation, or breach of warranty or covenant hereunder, whether intentional or not, will be deemed to extend to any prior or subsequent default, misrepresentation, or breach of warranty or covenant hereunder or affect in any way any rights arising by virtue of any prior or subsequent such occurrence.

Entire Agreement

The Agreement as amended (including the documents referred to herein) constitutes the full and entire understanding and agreement between the Parties with regard to the subjects of the Agreement as amended and supersedes any prior understandings, agreements, or representations by or between the Parties, written or oral, to the extent they relate in any way to the subjects of the Agreement as amended. The Parties intending to be legally bound have executed this Amendment as of the dates set forth below, in multiple counterparts, each of which is deemed an original, but all of which shall constitute one and the same instrument.

Advanced TelCom Group

Signature

R Smut haird Name vped

Qwest Corporation

Signature

L. T. Christensen Name Printed/Typed

Director - Interconnection Agreements

Title 02

See Attached Exhibit K from the Oregon SGAT.

January 5, 2005/msd/ATG/PAP/OR Amendment to CDS-981027-0118 See Attached Exhibit B from the Oregon SGAT.

January 5, 2005/msd/ATG/PAP/OR Amendment to CDS-981027-0118 ,

5.18 Dispute Resolution

5.18.1 If any claim, controversy or dispute between the Parties, their agents, employees, officers, directors or affiliated agents should arise, and the Parties do not resolve it in the ordinary course of their dealings (the "Dispute"), then it shall be resolved in accordance with this Section. Each notice of default, unless cured within the applicable cure period, shall be resolved in accordance herewith. Dispute resolution under the procedures provided in this Section 5.18 shall be the preferred, but not the exclusive remedy for all disputes between Qwest and CLEC arising out of this Amendment or its breach. Each Party reserves its rights to resort to the Commission or to a court, agency, or regulatory authority of competent jurisdiction. Nothing in this Section 5.18 shall limit the right of either Qwest or CLEC, upon meeting the requisite showing, to obtain provisional remedies (including injunctive relief) from a court before, during or after the pendancy of any arbitration proceeding brought pursuant to this Section 5.18. However, once a decision is reached by the Arbitrator, such decision shall supersede any provisional remedy.

5.18.2 At the written request of either Party (the Resolution Request), and prior to any other formal dispute resolution proceedings, each Party shall within seven (7) calendar Days after such Resolution Request designate a vice-presidential level employee or a representative with authority to make commitments to review, meet, and negotiate, in good faith, to resolve the Dispute. The Parties intend that these negotiations be conducted by non-lawyer, business representatives, and the locations, format, frequency, duration, and conclusions of these discussions shall be at the discretion of the representatives. By mutual agreement, the representatives may use other procedures, such as mediation, to assist in these negotiations. The discussions and correspondence among the representatives for the purposes of these negotiations shall be treated as Confidential Information developed for purposes of settlement, and shall be exempt from discovery and production, and shall not be admissible in any subsequent arbitration or other proceedings without the concurrence of both of the Parties.

5.18.3 If the vice-presidential level representatives or the designated representative with authority to make commitments have not reached a resolution of the Dispute within fifteen (15) calendar Days after the Resolution Request (or such longer period as agreed to in writing by the Parties), or if either Party fails to designate such vice-presidential level representative or their representative with authority to make commitments within seven (7) calendar Days after the date of the Resolution Request, then either Party may request that the Dispute be settled by arbitration. Notwithstanding the foregoing, a Party may request that the Dispute be settled by arbitration two (2) calendar Days after the Resolution Request pursuant to the terms of Section 5.18.3.1. In any case, the arbitration proceeding shall be conducted by a single arbitrator, knowledgeable about the Telecommunications industry unless the Dispute involves amounts exceeding five million (\$5,000,000) in which case the proceeding shall be conducted by a panel of three (3) arbitrators, knowledgeable about the Telecommunications industry. The arbitration proceedings shall be conducted under the then-current rules for commercial disputes of the American Arbitration Association (AAA) or J.A.M.S./Endispute, at the election of the Party that initiates dispute resolution under this Section 5.18. Such rules and procedures shall apply notwithstanding any part of such rules that may limit their availability for resolution of a Dispute. The Federal Arbitration Act, 9 U.S.C. Sections 1-16, not state law, shall govern the arbitrability of the Dispute. The arbitrator shall not have authority to award punitive damages. The arbitrator's award shall be final and binding and may be entered in any court having jurisdiction

January 5, 2005/msd/ATG/PAP/OR Amendment to CDS-981027-0118

Attachment 3 Oregon Performance Assurance Plan Amendment

thereof. Each Party shall bear its own costs and attorneys' fees, and shall share equally in the fees and expenses of the arbitrator. The arbitration proceedings shall occur in the Denver, Colorado metropolitan area or in another mutually agreeable location. It is acknowledged that the Parties, by mutual, written agreement, may change any of these arbitration practices for a particular, some, or all Dispute(s). The Party which sends the Resolution Request must notify the Secretary of the Commission of the arbitration proceeding within forty-eight (48) hours of the determination to arbitrate.

5.18.3.1 expedited procedures prescribed by the AAA or All J.A.M.S./Endispute rules, as the case may be, shall apply to Disputes affecting the ability of a Party to provide uninterrupted, high quality services to its End User Customers, or as otherwise called for in this Amendment. A Party may seek expedited resolution of a Dispute if the vice-presidential level representative, or other representative with authority to make commitments, have not reached a resolution of the Dispute within two (2) calendar Days after the Resolution Request. In the event the Parties do not agree that a service affecting Dispute exists, the Dispute resolution shall commence under the expedited process set forth in this Section 5.18.3.1, however, the first matter to be addressed by the Arbitrator shall be the applicability of such process to such Dispute.

5.18.3.2 There shall be no discovery except for the exchange of documents deemed necessary by the Arbitrator to an understanding and determination of the Dispute. Qwest and CLEC shall attempt, in good faith, to agree on a plan for such document discovery. Should they fail to agree, either Qwest or CLEC may request a joint meeting or conference call with the Arbitrator. The Arbitrator shall resolve any Disputes between Qwest and CLEC, and such resolution with respect to the need, scope, manner, and timing of discovery shall be final and binding.

5.18.3.3 Arbitrator's Decision

5.18.3.3.1 The Arbitrator's decision and award shall be in writing and shall state concisely the reasons for the award, including the Arbitrator's findings of fact and conclusions of law.

5.18.3.3.2 An interlocutory decision and award of the Arbitrator granting or denying an application for preliminary injunctive relief may be challenged in a forum of competent jurisdiction immediately, but no later than ten (10) business days after the appellant's receipt of the decision challenged. During the pendency of any such challenge, any injunction ordered by the Arbitrator shall remain in effect, but the enjoined Party may make an application to the Arbitrator for appropriate security for the payment of such costs and damages as may be incurred or suffered by it if it is found to have been wrongfully enjoined, if such security has not previously been ordered. If the authority of competent jurisdiction determines that it will review, a decision granting or denying an application for preliminary injunctive relief, such review shall be conducted on an expedited basis.

5.18.3.4 To the extent that any information or materials disclosed in the course of an arbitration proceeding contain proprietary, trade secret or Confidential Information of either Party, it shall be safeguarded in accordance with the Nondisclosure Section of the Agreement, or if the Parties mutually agree, such other appropriate agreement for the protection of proprietary, trade secret or Confidential Information that the Parties negotiate. However, nothing in such negotiated agreement shall be construed to prevent either Party from disclosing the other Party's information to the Arbitrator in connection with or in anticipation of an arbitration proceeding, provided, however, that the Party seeking to disclose the information shall first provide fifteen (15) calendar Days notice to the disclosing Party so that that Party, with the cooperation of the other Party, may seek a protective order from the arbitrator. Except as the Parties otherwise agree, or as the Arbitrator for good cause orders, the arbitration proceedings, including hearings, briefs, orders, pleadings and discovery shall not be deemed confidential and may be disclosed at the discretion of either Party, unless it is subject to being safeguarded as proprietary, trade secret or Confidential Information, in which event the procedures for disclosure of such information shall apply.

5.18.4 Should it become necessary to resort to court proceedings to enforce a Party's compliance with the dispute resolution process set forth herein, and the court directs or otherwise requires compliance herewith, then all of the costs and expenses, including its reasonable attorney fees, incurred by the Party requesting such enforcement shall be reimbursed by the non-complying Party to the requesting Party.

5.18.5 No Dispute, regardless of the form of action, arising out of this Amendment, may be brought by either Party more than two (2) years after the cause of action accrues.

5.18.6 Nothing in this Section is intended to divest or limit the jurisdiction and authority of the Commission or the FCC as provided by state and federal law.

5.18.7 In the event of a conflict between this Amendment and the rules prescribed by the AAA or J.A.M.S./Endispute, this Amendment shall be controlling.

5.18.8 This Section does not apply to any claim, controversy or Dispute between the Parties, their agents, employees, officers, directors or affiliated agents concerning the misappropriation of use of intellectual property rights of a Party, including, but not limited to, the use of the trademark, tradename, trade dress or service mark of a Party.

PERFORMANCE ASSURANCE PLAN

1.0 Introduction

1.1 As set forth in this Agreement, Qwest and CLEC voluntarily agree to the terms of the following Performance Assurance Plan ("PAP"), prepared in conjunction with Qwest's application for approval under Section 271 of the Telecommunications Act of 1996 (the "Act") to offer in-region long distance service.

2.0 Plan Structure

2.1 The PAP is a two-tiered, self-executing remedy plan. CLEC shall be provided with Tier 1 payments if, as applicable, Qwest does not provide parity between the service it provides to CLEC and that which it provides to its own retail customers, or Qwest fails to meet applicable benchmarks.

2.1.1 As specified in section 7.0, if Qwest fails to meet parity and benchmark standards on an aggregate CLEC basis, Qwest shall make Tier 2 payments to a Fund established by the state regulatory commission or, if required by existing law, to the state general fund.

2.2 As specified in sections 6.0 and 7.0 and Attachments 1 and 2, payment is generally on a per occurrence basis, (i.e., a set dollar payment times the number of non-conforming service events). For the performance measurements which do not lend themselves to per occurrence payment, payment is on a per measurement basis, (i.e., a set dollar payment). The level of payment also depends upon the number of consecutive months of non-conforming performance, (i.e., an escalating payment the longer the duration of non-conforming performance).

2.3 Qwest shall be in conformance with the parity standard when service Qwest provides to CLEC is equivalent to that which it provides to its retail customers. The PAP relies upon statistical scoring to determine whether any difference between CLEC and Qwest performance results is significant, that is, not attributable to simple random variation. Statistical parity shall exist when performance results for CLEC and for Qwest retail analogue result in a z-value that is no greater than the critical z-values listed in the Critical Z-Statistical Table in section 5.0

2.4 For performance measurements that have no Qwest retail analogue, agreed upon benchmarks shall be used. Benchmarks shall be evaluated using a "stare and compare" method. For example, if the benchmark is for a particular performance measurement is 95% or better, Qwest performance results must be at least 95% to meet the benchmark. Percentage benchmarks will be adjusted to round the allowable number of misses up or down to the closest integer, except when the sample size is 5 or less in which case the rounding will be up to the nearest integer.

For example, for a 90% benchmark, the number of allowable misses is 10% times the sample size, rounded to the nearest integer. If the sample size is eight observations, (10% multiplied by 8 = 0.8) is rounded to 1, one miss would be permitted, and the effective benchmark would be 88% (1 minus 1/8).

3.0 **Performance Measurements**

3.1 The performance measurements included in the PAP are set forth in Attachment 1. Each performance measurement identified is defined in the Performance Indicator Definitions ("PIDs") developed in the ROC Operational Support System ("OSS") collaborative, and which are included in the SGAT at Exhibit B. The measurements have been designated as Tier 1, Tier 2, or both Tier 1 and Tier 2 and given a High, Medium, or Low designation.

4.0 Statistical Measurement

4.1 Qwest uses a statistical test, namely the modified "z-test," for evaluating the difference between two means (i.e., Qwest and CLEC service or repair intervals) or two percentages (e.g., Qwest and CLEC proportions), to determine whether a parity condition exists between the results for Qwest and the CLEC(s). The modified z-tests shall be applicable if the number of data points are greater than 30 for a given measurement. For testing measurements for which the number of data points are 30 or less, Qwest will use a permutation test to determine the statistical significance of the difference between Qwest and CLEC.

4.2 Qwest shall be in conformance when the monthly performance results for parity measurements (whether in the form of means, percents, or proportions and at the equivalent level of disaggregation) are such that the calculated z-test statistics are not greater than the critical z-values as listed in Table 1, section 5.0.

4.3 Qwest shall be in conformance with benchmark measurements when the monthly performance result equals or exceeds the benchmark, if a higher value means better performance, and when the monthly performance result equals or is less than the benchmark if a lower value means better performance.

The formula for determining parity using the modified z-test is:

$$z = DIFF / \sigma_{DIFF}$$

Where:

 $\mathsf{DIFF} = \mathsf{M}_{\mathsf{Qwest}} - \mathsf{M}_{\mathsf{CLEC}}$

 M_{QWEST} = Qwest average or proportion

 M_{CLEC} = CLEC average or proportion

 σ_{DIFF} = square root $\Box \sigma^{\Box} \text{Qwest} (1/n_{\text{CLEC}} + 1/n_{\text{Qwest}})]$

 σ_{Qwest} = calculated variance for Qwest

n_{Qwest} = number of observations or samples used in Qwest measurement

n_{CLEC} = number of observations or samples used in CLEC measurement

The modified z-tests will be applied to reported parity measurements that contain more than 30 data points.

In calculating the difference between Qwest and CLEC performance, the above formula applies when a larger Qwest value indicates a better level of performance. In cases where a smaller Qwest value indicates a higher level of performance, the order is reversed, i.e., M_{CLEC} - M_{QWEST} .

4.3.1 For parity measurements where the number of data points is 30 or less, Qwest will apply a permutation test to test for statistical significance. Permutation analysis will be applied to calculate the z-statistic using the following logic:

Calculate the modified z-statistic for the actual arrangement of the data Pool and mix the CLEC and Qwest data sets Perform the following 1000 times:

Randomly subdivide the pooled data sets into two pools, one the same size as the original CLEC data set (n_{CLEC}) and one reflecting the remaining data points, and one reflecting the remaining data points, (which is equal to the size of the original Qwest data set or n_{QWEST}).

Compute and store the modified z-test score (Z_s) for this sample.

Count the number of times the z-statistic for a permutation of the data is greater than the actual modified z- statistic

Compute the fraction of permutations for which the statistic for the rearranged data is greater than the statistic for the actual samples

If the fraction is greater than α , the significance level of the test, the hypothesis of no difference is not rejected, and the test is passed. The α shall be .05 when the critical z value is 1.645 and .15 when the critical z value is 1.04.

Page3

5.0 Critical Z-Value

5.1 The following table shall be used to determine the critical z-value that is referred to in section 6.0. It is based on the monthly business volume of the CLEC for the particular performance measurements for which statistic testing is being performed.

CLEC volume	LIS Trunks, UDITs,	All Other
(Sample size)	Resale, UBL-DS1 and DS-	
	3	
1-10	1.04*	1.645
11-150	1.645	1.645
151-300	2.0	2.0
301-600	2.7	2.7
601-3000	3.7	3.7
3001 and above	4.3	4.3

TABLE 1: CRITICAL Z-VALUE

* The 1.04 applies for individual month testing for performance measurements involving LIS trunks and DS-1 and DS-3 that are UDITs, Resale, or Unbundled Loops. The performance measurements are OP-3d/e, OP-4d/e, OP-5a, OP-6-4/5, MR-5a/b, MR-7d/e, and MR-8.

For purposes of determining consecutive month misses, 1.645 shall be used. Where performance measurements disaggregate to zone 1 and zone 2, the zones shall be combined for purposes of statistical testing.

6.0 Tier 1 Payments to CLEC

6.1 Tier 1 payments to CLEC shall be made solely for the performance measurements designated as Tier 1 on Attachment 1. The payment amount for non-conforming service varies depending upon the designation of performance measurements as High, Medium, and Low and the duration of the non-conforming service condition as described below. Non-conforming service is defined in section 4.0.

6.1.1 Determination of Non-Conforming Measurements: The number of performance measurements that are determined to be non-conforming and, therefore, eligible for Tier 1 payments, are limited according to the critical *z*-value shown in Table 1, section 5.0. The critical *z*-values are the statistical standard that determines for each CLEC performance measurement whether Qwest has met parity. The critical *z*-value is selected from Table 1 according to the monthly CLEC volume for the performance measurement. For instance, if the CLEC sample size for that month is 100, the critical *z*-value is 1.645 for the statistical testing of that parity performance measurement.

6.2 Determination of the Amount of Payment: Tier 1 payments to CLEC, except as provided for in sections 6.3 and 10.0, are calculated and paid monthly based on the number of performance measurements exceeding the critical z-value. Payments will be made on either a per occurrence or per measurement basis, depending upon the performance measurement, using the dollar amounts specified in Table 2 below. The dollar amounts vary depending upon whether the performance measurement is designated High, Medium, or Low and escalate depending upon the number of consecutive months for which Qwest has not met the standard for the particular measurement.

6.2.1 The escalation of payments for consecutive months of non-conforming service will be matched month for month with de-escalation of payments for every month of conforming service. For example, if Qwest has four consecutive monthly "misses" it will make payments that escalate from month 1 to month 4 as shown in Table 2. If, in the next month, service meets the standard, Qwest makes no payment. A payment "indicator" de-escalates down from month 4 to month 3. If Qwest misses the following month, it will make payment at the month 3 level of Table 2 because that is where the payment "indicator" presently sits. If Qwest misses again the following month, it will make payments that escalate back to the month 4 level. The payment level will de-escalate back to the original month 1 level only upon conforming service sufficient to move the payment "indicator" back to the month 1 level.

6.2.2 For those performance measurements listed on Attachment 2 as "Performance Measurements Subject to Per Measurement Caps," payment to a CLEC in a single month shall not exceed the amount listed in Table 2 below for the "Per Measurement" category. For those performance measurements listed on Attachment 2 as "Performance Measurements Subject to Per Measurement Payments," payment to a CLEC will be the amount set forth in Table 2 below under the section labeled "per measurement."

Per Occurrence						
Measurement Group	Month 1	Month 2	Month 3	Month 4	Month 5	Month 6 and each following month
High	\$150	\$250	\$500	\$600	\$700	\$800
Medium	\$75	\$150	\$300	\$400	\$500	\$600
Low	\$ 25	\$ 50	\$100	\$200	\$300	\$400

TABLE 2: TIER-1 PAYMENTS TO CLEC

Per Measurement						
Сар						
Measurement Group	Month 1	Month 2	Month 3	Month 4	Month 5	Month 6 and each following

						month
High	\$25,000	\$50,000	\$75,000	\$100,00 0	\$125,00 0	\$150,000
Medium	\$10,000	\$20,000	\$30,000	\$ 40,000	\$ 50,000	\$ 60,000
Low	\$ 5,000	\$10,000	\$15,000	\$ 20,000	\$ 25,000	\$ 30,000

6.3 For collocation, CP-2 and CP-4 performance measurements shall be relied upon for delineation of collocation business rules. For purposes of calculating Tier 1 payments, collocation jobs and collocation feasibility studies that are later than the due date will have a per day payment applied according to Table 3. The per-day payment will be applied to any collocation job in which the feasibility study is provided or the collocation installation is completed later than the scheduled date. The calculation of the payment amount will be performed by applying the per day payment amounts as specified in Table 3. Thus, for days 1 through 10, the payment is \$150 per day. For days 11 through 20, the payment is \$300 per day and so on.

Days Late	Completion Date	Feasibility Study
1 to 10 days	\$150/day	\$45/day
11 to 20 days	\$300/day	\$90/day
21 to 30 days	\$450/day	\$135/day
31 to 40 days	\$600/day	\$180/day
More than 40 days	\$1,000/day	\$300/day

TABLE 3: TIER-1 COLLOCATION PAYMENTS TO CLECS

6.4 A minimum payment calculation shall be performed at the end of each year for each CLEC with annual order volumes of no more than 1,200. The payment shall be calculated by multiplying \$2,000 by the number of months in which at least one payment was made to the CLEC. To the extent that the actual CLEC payment for the year is less than the product of the preceding calculation, Qwest shall make an additional payment equal to the difference.

7.0 Tier 2 Payments to the State

7.1 Payments to the State shall be limited to the performance measurements designated in section 7.4 for Tier 2 per measurement payments and in Attachment 1 for per occurrence payments and which have at least 10 data points each month for the period payments are being calculated. Similar to the Tier 1 structure, Tier 2 measurements are categorized as High, Medium, and Low and the amount of payments for non-conformance varies according to this categorization.

7.2 Determination of Non-Conforming Measurements: The determination of nonconformance will be based upon the aggregate of all CLEC data for each Tier 2 performance measurement. Non-conforming service is defined in section 4.2 (for

parity measurements) and 4.3 (for benchmark measurements), except that a 1.645 critical z-value shall be used for all parity measurements but MR-2 and OP-2. The critical z-value is the statistical standard that determines for each performance measurement whether Qwest has met parity.

7.3 Determination of the Amount of Payment: Except as provided in section 7.4, Tier 2 payments are calculated and paid monthly based on the number of performance measurements for. If in any 12-month rolling period in which there have been two non-compliant months out of any three consecutive months, Tier 2 payments shall be triggered by an additional single month of non-compliance during such rolling period. Payments shall drop to zero when there has been a 12-month period without two consecutive months of non-compliance. Payment will be made on either a per occurrence or per measurement basis, whichever is applicable to the performance measurement, using the dollar amounts specified in Table 4 or Table 5 below. Except as provided in section 7.4, the dollar amounts vary depending upon whether the performance measurement is designated High, Medium, or Low.

7.3.1 For those Tier 2 measurements listed on Attachment 2 as "Performance Measurements Subject to Per Measurement Caps," payment to the State in a single month shall not exceed the amount listed in Table 4 for the "Per Measurement" category.

TABLE 4: TIER-2 PAYMENTS TO STATE FUNDS

Per Occurrence

Measurement Group	
High	
-	\$500
Medium	
	\$300
Low	
	\$200

Per Measurement/Cap

Measurement Group	
High	\$75,000
Medium	\$30,000
Low	\$20,000

7.4 <u>Performance Measurements Subject to Per Measurement Payment</u>: The following Tier 2 performance measurements shall have their performance results measured on a region-wide (14 state) basis. Failure to meet the performance standard, therefore, will result in a per measurement payment in each of the Qwest in-region 14 states adopting this PAP. The performance measurements are:

GA-1: Gateway Availability - IMA-GUI

GA-2: Gateway Availability - IMA-EDI

GA-3: Gateway Availability – EB-TA

GA-4: System Availability – EXACT
GA-6: Gateway Availability – GUI-Repair
PO-1: Pre-Order/Order Response Times
OP-2: Call Answered within Twenty Seconds – Interconnect Provisioning
Center
MR-2: Calls Answered within Twenty Seconds – Interconnect Repair Center

GA-1 has two sub-measurements: GA-1A and GA-1D. PO-1 shall have two submeasurements: PO-1A and PO-1B. PO-1A and PO-1B shall have their transaction types aggregated together.

For these measurements, Qwest will make a Tier 2 payment based upon monthly performance results according to Table 5: Tier 2 Per Measurement Payments to State Funds.

Measurement	Performance	State	14 State
		Payment	Payment
GA-1,2,3,4,6	1% or lower	\$1,000	\$14,000
	>1% to 3%	\$10,000	\$140,000
	>3% to 5%	\$20,000	\$280,000
	>5%	\$30,000	\$420,000
PO-1	2 sec. Or less	\$1,000	\$14,000
	>2 sec. to 5	\$5,000	\$70,000
	sec.		
	>5 sec. to 10	\$10,000	\$140,000
	Sec.		
	>10 sec.	\$15,000	\$210,000
OP-2/MR-2	1% or lower	\$1,000	\$14,000
	>1% to 3%	\$5,000	\$70,000
	>3% to 5%	\$10,000	\$140,000
	>5%	\$15,000	\$210,000

TABLE 5: TIER-2 PER MEASUREMENT PAYMENTS TO STATE FUNDS

7.5 Payment of Tier 2 Funds: Tier 2 payments shall be made to the Connecting Oregon Communities Fund pursuant to Oregon Revised Statues 759.445(1) or as may be otherwise provided under state law.

8.0 Step by Step Calculation of Monthly Tier 1 Payments to CLEC

8.1 Application of the Critical Z-Values: Qwest shall identify the Tier 1 parity performance measurements that measure the service provided to CLEC by Qwest for the month in question and the critical z-value from Table 1 in section 5.0 that shall be

used for purposes of statistical testing for each particular performance measurement. The statistical testing procedures described in section 4.0 shall be applied. For the purpose of determining the critical z-values, each disaggregated category of a performance measurement is treated as a separate sub-measurement. The critical z-value to be applied is determined by the CLEC volume at each level of disaggregation or sub-measurement.

- 8.2 Performance Measurements for which Tier 1 Payment is Per Occurrence:
 - 8.2.1 Performance Measurements that are Averages or Means:

8.2.1.1 Step 1: For each performance measurement, the average or the mean that would yield the critical z-value shall be calculated. The same denominator as the one used in calculating the z-statistic for the measurement shall be used. (For benchmark measurements, the benchmark value shall be used.)

8.2.1.2 Step 2: The percentage differences between the actual averages and the calculated averages shall be calculated. The calculation is % diff = (CLEC result – Calculated Value)/Calculated Value. The percent difference shall be capped at a maximum of 100%. In all calculations of percent differences in sections 8.0 and 9.0, the calculated percent differences is capped at 100%.

8.2.1.3 Step 3: For each performance measurement, the total number of data points shall be multiplied by the percentage calculated in the previous step and the per occurrence dollar amounts from the Tier 1 Payment Table shall determine the payment to the CLEC for each non-conforming performance measurement.

8.2.2 Performance Measurements that are Percentages:

8.2.2.1 Step 1: For each performance measurement, the percentage that would yield the critical z-value shall be calculated. The same denominator as the one used in calculating the z- statistic for the measurement shall be used. (For benchmark measurements, the benchmark value shall be used.)

8.2.2.2 Step 2: The difference between the actual percentages for the CLEC and the calculated percentages shall be determined.

8.2.2.3 Step 3: For each performance measurement, the total number of data points shall be multiplied by the difference in percentage calculated in the previous step, and the per occurrence dollar amount taken from the Tier 1 Payment Table, to determine the payment to the CLEC for each non-conforming performance measurement.

8.2.3 Performance Measurements that are Ratios or Proportions:

8.2.3.1 Step 1: For each performance measurement the ratio that would yield the critical z-value shall be calculated. The same denominator as the one used in calculating the z-statistic for the measurement shall be used. (For benchmark measurements, the benchmark value shall be used.)

8.2.3.2 Step 2: The absolute difference between the actual rate for the CLEC and the calculated rate shall be determined.

8.2.3.3 Step 3: For each performance measurement, the total number of data points shall be multiplied by the difference calculated in the previous step, and the per occurrence dollar amount taken from the Tier 1 Payment Table, to determine the payment to the CLEC for each non-conforming performance measurement.

8.3 Performance Measurements for which Tier 1 Payment is Per Measure:

8.3.1 For each performance measurement where Qwest fails to meet the standard, the payment to the CLEC shall be the dollar amount shown on the "per measure" portion of Table 2: Tier 1 Payments to CLEC.

9.0 Step by Step Calculation of Monthly Tier 2 Payments to State Funds

9.1.1 Application of the Critical Z-Value: Qwest shall identify the Tier 2 parity performance measurements that measure the service provided by Qwest to all CLECs for the month in question shall be determined. The statistical testing procedures described in section 4.0 shall be applied, except that a 1.645 critical z-value shall be used for all parity measurements but MR-2 and OP-2.

9.1.2 To determine if Tier 2 payments for performance measurements listed on Attachment 1 shall be made in the current month, the following shall be determined: (1) If in any 12-month rolling period in which there have been two non-compliant months out of any three consecutive months, Tier 2 payments shall be triggered by an additional single month of non-compliance during such rolling period. (2) Payments shall drop to zero when there has been a 12month period without two consecutive months of non-compliance.

- 9.2 Performance Measurements for which Tier 2 Payment is Per Occurrence:
 - 9.2.1 Performance Measurements that are Averages or Means:

9.2.1.1 Step 1: The monthly average or the mean for each performance measurement that would yield the critical z-value shall be calculated. The same denominator as the one used in calculating the z-statistic for the measurement shall be used. (For benchmark measurements, the benchmark value shall be used.)

9.2.2.2 Step 2: The percentage difference between the actual averages and the calculated averages shall be calculated. The calculation for parity measurements is % diff = (actual average – calculated average)/calculated average. The percent difference shall be capped at a maximum of 100%. In all calculations of percent differences in section 8.0 and section 9.0, the calculated percent difference is capped at 100%.

9.2.2.3 Step 3: For each performance measurement, the total number of data points each month shall be multiplied by the percentage calculated in the previous step. The result (shall be calculated and rounded to the nearest integer) is then multiplied by the result of the per occurrence dollar amount taken from the Tier 2 Payment Table to determine the payment to the State for each non-conforming performance measurement.

9.3 Performance Measurements that are Percentages:

9.3.1 Step 1: For each performance measurement, the monthly percentage that would yield the critical z-value shall be calculated. The same denominator as the one used in calculating the z-statistic for the measurement shall be used. (For benchmark measurements, the benchmark value shall be used.)

9.3.1.2 Step 2: The difference between the actual percentages and the calculated percentages shall be calculated. The calculation for parity measurement is diff = (CLEC result – calculated percentage). This formula shall be applicable where a high value is indicative of poor performance. The formula shall be reversed where high performance is indicative of good performance.

9.3.1.3 Step 3: For each performance measurement, the total number of data points for each month shall be multiplied by the difference in percentage calculated in the previous step. The result (shall be calculated and rounded to the nearest integer) is then multiplied by the result of the per occurrence dollar amounts taken from the Tier 2 Payment Table to determine the payment to the State.

9.4 Performance Measurements that are Ratios or Proportions:

9.4.1 Step 1: For each performance measurement, the ratio that would yield the critical z-value shall be calculated. The same denominator as the one used in calculating the z-statistic for the measurement shall be used. (For benchmark measurements, the benchmark value shall be used.)

9.4.1.1 Step 2: The difference between the actual rate for the CLEC and the calculated rate shall be calculated. The calculation is: diff = (CLEC rate – calculated rate). This formula shall apply where a high value is indicative of poor performance. The formula shall be reversed where high performance is indicative of good performance.

9.4.1.2 Step 3: For each performance measurement, the total number of data points shall be multiplied by the difference calculated in the previous step. The result (shall be calculated and rounded to the nearest integer) is then multiplied by the result of the per occurrence dollar amounts taken from the Tier 2 Payment Table to determine the payment to the State.

9.5 Performance Measurements for which Tier 2 Payment is Per Measure:

9.5.1 For each performance measurement where Qwest fails to meet the standard, the payment to the State Fund shall be the dollar amount shown on the "per measure" portion of the Tier 2 Payment Table.

10.0 Low Volume, Developing Markets

10.1 For certain qualifying performance standards, if the aggregate monthly volumes of CLECs participating in the PAP are more than 10, but less than 100, Qwest will make Tier 1 payments to CLECs for failure to meet the parity or benchmark standard for the qualifying performance sub-measurements. The qualifying sub-measurements are the UNE-P (POTS), megabit resale, and ADSL qualified loop product disaggregation of OP-3, OP-4, OP-5a, MR-3, MR-5, MR-7, and MR-8. If the aggregate monthly CLEC volume is greater than 100, the provisions of this section shall not apply to the qualifying performance sub-measurement.

10.2 The determination of whether Qwest has met the parity or benchmark standards will be made using aggregate volumes of CLECs participating in the PAP. In the event Qwest does not meet the applicable performance standards, a total payment to affected CLECs will be determined in accordance with the high, medium, low designation for each performance measurement (see Attachment 1) and as described in section 8.0, except that CLEC aggregate volumes will be used. In the event the calculated total payment amount to CLECs is less than \$5,000, a minimum payment of \$5,000 shall be made. The resulting total payment amount to CLECs will be apportioned to the affected CLECs based upon each CLEC's relative share of the number of total service misses.

10.3 At the six (6)-month reviews, Qwest will consider adding to the above list of qualifying performance sub-measurements, new products disaggregation representing new modes of CLEC entry into developing markets.

11.0 Payment

11.1 Payments to CLEC or the State shall be made one month following the due date of the performance measurement report for the month for which payment is being made. Qwest will pay interest on any late payment and underpayment at the prime rate as reported in the Wall Street Journal. On any overpayment, Qwest is allowed to offset future payments by the amount of the overpayment plus interest at the prime rate.

11.2 Payment to CLEC shall be made via bill credits. To the extent that a monthly payment owed to CLEC under this PAP exceeds the amount owed to Qwest by CLEC on a monthly bill, Qwest will issue a check or wire transfer to CLEC in the amount of the overage. Payment to the State shall be made via check or wire transfer.

12.0 Cap on Tier 1 and Tier 2 Payments

12.1 There shall be a cap on the total payments made by Qwest for a 12 month period beginning with the effective date of the PAP for the State of Oregon. The annual cap for the State of Oregon shall be \$48,000,000 (36% of the 1999 ARMIS Net Return), subject to any applicable adjustment permitted pursuant to section 12.2. CLEC agrees that this amount constitutes a maximum annual cap that shall apply to the aggregate total of Tier 1 liquidated damages, including any such damages paid pursuant to this Agreement, any other interconnection agreement, or any other payments made for the same underlying activity or omission under any other same underlying activity or or rule.

12.2 The 36% annual cap may be increased to 44% or decreased to 30% of 1999 ARMIS Net Return as follows:

12.2.1 An increase in the cap of a maximum of 4 percentage points at any one time (i.e., first to 40 percent) shall occur upon order by the Commission if the cap has been exceeded for any consecutive period of 24 months by that same 4 percent or more, provided that: (a) the Commission has determined that the preponderance of the evidence shows Qwest could have remained beneath the cap through reasonable and prudent effort, and (b) the Commission has made that determination after having available to it on the record the results of audits and root cause analyses, and provided an opportunity for Qwest to be heard.

12.2.2 A decrease in the cap of a maximum of 4 percentage points at any one time shall occur upon order by the Commission after performance for any consecutive period of 24 months in which total payments are 8 or more percentage points below the cap amount, provided that: (a) the Commission has determined that the preponderance of the evidence shows the performance results underlying those payments results from an adequate Qwest commitment to meeting its responsibilities to provide adequate wholesale service and to keeping open its local markets and (b) the Commission shall have made that determination after providing all interested parties an opportunity to be heard.

12.2.3 The provisions of 12.2.1 and 12.2.2 shall be in effect for the next 24 month period commencing with the end of the 24 month period upon which the Commission's order is based.

12.3 If the annual cap is reached, each CLEC shall, as of the end of the year, be entitled to receive the same percentage of its total calculated Tier 1 payments. In order to preserve the operation of the annual cap, the percentage equalization shall take place as follows:

12.3.1 The amount by which any month's total year-to-date Tier 1 and Tier 2 payments exceeds the cumulative monthly cap (defined as 1/12th of the annual cap times the cumulative number of months to date) shall be calculated and apportioned between Tier 1 and Tier 2 according to the percentage that each bore of total payments for the year-to-date. The Tier 1 apportionment resulting of this calculation shall be known as the "Tracking Account."

12.3.2 The Tier 1 apportionment shall be debited against the monthly payment due to each CLEC, by applying to the year-to-date payments received by each the percentage necessary to generate the required total Tier 1 amount.

12.3.3 The Tracking Amount shall be apportioned among all CLECs so as to provide each with payments equal in percentage of its total year to date Tier 1 payment calculations.

12.3.4 This calculation shall take place in the first month that the year-to-date total Tier 1 and Tier 2 payments are expected to exceed the cumulative monthly cap and for each month of that year thereafter. Qwest shall recover any debited amounts by reducing payments due from any CLEC for that and any succeeding months, as necessary.

13.0 Limitations

13.1 The PAP shall not become available in the State unless and until Qwest receives effective section 271 authority from the FCC for that State.

13.2 Qwest will not be liable for Tier 1 payments to CLEC in an FCC approved state until the Commission has approved an interconnection agreement between CLEC and Qwest which adopts the provisions of this PAP.

Qwest shall not be obligated to make Tier 1 or Tier 2 payments for any 13.3 measurement if and to the extent that non-conformance for that measurement was the result of any of the following: 1) a Force Majeure event, including but not limited to acts of nature, acts of civil or military authority, government regulations, embargoes, epidemics, terrorist acts, riots, insurrections, fires, explosions. earthquakes, nuclear accidents, floods, work stoppages, equipment failure, power blackouts, volcanic action, other major environmental disturbances, unusually severe weather conditions, inability to secure products or services of other persons or transportation facilities or acts or omissions of transportation carriers; 2) an act or omission by a CLEC that is contrary to any of its obligations under its interconnection agreement with Qwest or under federal or state law; an act or omission by CLEC that is in bad faith. Examples of bad faith conduct include, but are not limited to: unreasonably holding service orders and/or applications, "dumping" orders or applications in unreasonably large batches, "dumping" orders or applications at or near the close of a business day, on a Friday evening or prior to a holiday, and failing to provide timely forecasts to Qwest for services or facilities when such forecasts are required to reasonably provide services or facilities; or 3) problems associated with third-party systems or equipment, which could not have been avoided by Qwest in the exercise of reasonable diligence, provided, however, that this third party exclusion will not be raised in the State more than three times within a calendar year.

13.3.1 Qwest will not be excused from Tier 1 or Tier 2 payments for any reason except as described in Section 13.0. Qwest will have the burden of demonstrating that its non-conformance with the performance measurement was excused on one of the grounds described in this PAP.

13.4 Qwest's agreement to implement these enforcement terms, and specifically its agreement to pay any "liquidated damages" or "assessments" hereunder, will not be considered as an admission against interest or an admission of liability in any legal, regulatory, or other proceeding relating in whole or in part to the same performance.

13.4.1 CLEC may not use: 1) the existence of this enforcement plan; or 2) Qwest's payment of Tier -1 "liquidated damages" or Tier 2 "assessments" as evidence that Qwest has discriminated in the provision of any facilities or services under Sections 251 or 252, or has violated any state or federal law or regulation. Qwest's conduct underlying its performance measures, however are not made inadmissible by its terms.

13.4.2 By accepting this performance remedy plan, CLEC agrees that Qwest's performance with respect to this remedy plan may not be used as an admission of liability or culpability for a violation of any state or federal law or regulation. (Nothing herein is intended to preclude Qwest from introducing evidence of any Tier 1 "liquidated damages" under these provisions for the purpose of offsetting the payment against any other damages or payments a CLEC might recover.) The terms of this paragraph do not apply to any proceeding before the Commission or the FCC to determine whether Qwest has met or continues to meet the requirements of section 271 of the Act.

13.5 By incorporating these liquidated damages terms into the PAP, Qwest and CLEC accepting this PAP agree that proof of damages from any non-conforming performance measurement would be difficult to ascertain and, therefore, liquidated damages are a reasonable approximation of any contractual damages that may result from a non-conforming performance measurement. Qwest and CLEC further agree that Tier 1 payments made pursuant to this PAP are not intended to be a penalty. The application of the assessments and damages provided for herein is not intended to foreclose other noncontractual legal and non-contractual regulatory claims and remedies that may be available to a CLEC.

13.6 This PAP contains a comprehensive set of performance measurements, statistical methodologies, and payment mechanisms that are designed to function together, and only together, as an integrated whole. To elect the PAP, CLEC must adopt the PAP in its entirety, in its interconnection agreement with Qwest in lieu of other alternative standards or relief for the same wholesale services governed by the QPAP. Where alternative standards or remedies for Qwest wholesale services governed by the QPAP are available under rules, orders, or contracts, including interconnection agreements, CLEC will be limited to either PAP standards and remedies or the standards and remedies available under rules, orders, or contracts and CLECs choice of remedies shall be specified in its interconnection agreement.

13.7 Any liquidated damages payment by Qwest under these provisions is not hereby made inadmissible in any proceeding related to the same conduct where Qwest seeks to offset the payments against any other damages a CLEC may recover; whether or not the nature of the damages sought by the CLEC is such that an offset is appropriate will be determined in the relevant proceeding.

13.8 Qwest shall not be liable for both Tier 2 payments under the PAP and assessments, sanctions, or other payments for the same underlying activity or omission pursuant to any Commission order or service quality rules.

13.9 Whenever a Qwest Tier 1 payment to an individual CLEC exceeds \$3 million in a month, Qwest may commence a proceeding to demonstrate why it should not be required to pay any amount in excess of the \$3 million. Upon timely commencement of the proceeding, Qwest must pay the balance of payments owed in excess of \$3 million into escrow, to be held by a third-party pending the outcome of the

proceeding. To invoke these escrow provisions, Qwest must file, not later than the due date of the Tier 1 payments, its application. Qwest will have the burden of proof to demonstrate why, under the circumstances, it would be unjust to require it to make the payments in excess of \$3 million. If Qwest reports non-conforming performance to CLEC for three consecutive months on 20% or more of the measurements reported to CLEC and has incurred no more than \$1 million in liability to CLEC, then CLEC may commence a similar proceeding. In any such proceeding CLEC will have the burden of proof to demonstrate why, under the circumstances, justice requires Qwest to make payments in excess of the amount calculated pursuant to the terms of the PAP. The disputes identified in this section shall be resolved in a manner specified in the Dispute Resolution section of the SGAT or interconnection agreement with the CLEC.

14.0 Reporting

14.1 Upon receiving effective section 271 authority from the FCC for a state, Qwest will provide CLEC that has an approved interconnection agreement with Qwest, a monthly report of Qwest's performance for the measurements identified in the PAP by the last day of the month following the month for which performance results are being reported. However, Qwest shall have a grace period of five business days, so that Qwest shall not be deemed out of compliance with its reporting obligations before the expiration of the five business day grace period. Qwest will collect, analyze, and report performance data for the measurements listed on Attachment 1 in accordance with the most recent version of the PIDs. Upon CLEC's request, data files of the CLEC's raw data, or any subset thereof, will be transmitted, without charge, to CLEC in a mutually acceptable format, protocol, and transmission medium.

14.2 Qwest will also provide the Commission a monthly report of aggregate CLEC performance results pursuant to the PAP by the last day of the month following the month for which performance results are being reported. However, Qwest shall have a grace period of five business days, so that Qwest shall not be deemed out of compliance with its reporting obligations before the expiration of the five business day grace period. Solely upon the specific order of the Commission, data files of participating CLEC raw data, or any subset thereof, will be transmitted, without charge, to the Commission in a mutually acceptable format, protocol, and transmission form, provided that Qwest shall first initiate any procedures necessary to protect the confidentiality and to prevent the public release of the information pending any applicable Commission procedures. Qwest shall provide such notice as the Commission directs to the CLEC involved. By accepting this PAP, CLEC consents to Qwest providing CLEC's report and raw data to the Commission.

14.3 In the event Qwest does not provide CLEC and the Commission with a monthly report by the last day of the month following the month for which performance results are being reported, Qwest will pay to the State a total of \$500 for

each business day for which performance reports are 6 to 10 business days past the due date; \$1,000 for each business day for which performance reports are 11 to 15 business days past the due date; and \$2,000 for each business day for which performance results are more than 15 business days past the due date. If reports are on time but are missing performance results, Qwest will pay to the State a total of one-fifth of the late report amount for each missing performance measurement, subject to a cap of the full late report amount. These amounts represent the total payments for omitting performance measurements or missing any report deadlines, rather than a payment per report. Prior to the date of a payment for late reports, Qwest may file a request for a waiver of the payment, which states the reasons for the waiver. The Commission may grant the waiver, deny the waiver, or provide any other relief that may be appropriate.

14.4 To the extent that Qwest recalculates payments made under this PAP, such recalculation shall be limited to the preceding three years (measured from the later of the provision of a monthly credit statement or payment due date). Qwest shall retain sufficient records to demonstrate fully the basis for its calculations for long enough to meet this potential recalculation obligation. CLEC verification or recalculation efforts should be made reasonably contemporaneously with Qwest measurements. In any event, Qwest shall maintain the records in a readily useable form for one year. For the remaining two years, the records may be retained in archived format. Any payment adjustments shall be subject to the interest rate provisions of section 11.1.

15.0 Integrated Audit Program/Investigations of Performance Results

15.1 Audits of the PAP shall be conducted in a two-year cycle under the auspices of the participating Commissions in accordance with a detailed audit plan developed by an independent auditor retained for a two-year period. The participating Commissions shall select the independent auditor with input from Qwest and CLECs.

15.1.1 The participating Commissions shall form an oversight committee of Commissioners who will choose the independent auditor and approve the audit plan. Any disputes as to the choice of auditor or the scope of the audit shall be resolved through a vote of the chairs of the participating commissions pursuant to Section 15.1.4.

15.1.2 The audit plan shall be conducted over two years. The audit plan will identify the specific performance measurements to be audited, the specific tests to be conducted, and the entity to conduct them. The audit plan will give priority to auditing the higher risk areas identified in the OSS report. The two-year cycle will examine risks likely to exist across that period and the past history of testing, in order to determine what combination of high and more moderate areas of risk should be examined during the two-year cycle. The first year of a two-year cycle will concentrate on areas most likely to require follow-up in the second year.

15.1.3 The audit plan shall be coordinated with other audit plans that may be conducted by other state commissions so as to avoid duplication, shall not impede Qwest's ability to comply with the other provisions of the PAP and should be of a nature and scope that can be conducted in accordance with the reasonable course of Qwest's business operations.

15.1.4 Any dispute arising out of the audit plan, the conduct of the audit, or audit results shall be resolved by the oversight committee of Commissioners. Decisions of the oversight committee of Commissioners may be appealed to a committee of the chairs of the participating Commissions.

15.2 Qwest may make management processes more accurate or more efficient to perform without sacrificing accuracy. These changes are at Qwest's discretion but will be reported to the independent auditor in quarterly meetings in which the auditor may ask questions about changes made in the Qwest measurement regimen. The meetings, which will be limited to Qwest and the independent auditor, will permit an independent assessment of the materiality and propriety of any Qwest changes, including, where necessary, testing of the change details by the independent auditor. The information gathered by the independent auditor may be the basis for reports by the independent auditor to the participating Commissions and, where the commissions deem it appropriate, to other participants.

15.3 In the event of a disagreement between Qwest and CLEC as to any issue regarding the accuracy or integrity of data collected, generated, and reported pursuant to the PAP, Qwest and the CLEC shall first consult with one another and attempt in good faith to resolve the issue. If an issue is not resolved within 45 days after a request for consultation, CLEC and Qwest may, upon a demonstration of good cause, (e.g., evidence of material errors or discrepancies) request an independent audit to be conducted, at the initiating party's expense. The independent auditor will assess the need for an audit based upon whether there exists a material deficiency in the data or whether there exists an issue not otherwise addressed by the audit plan for the current cycle. The dispute resolution provision of section 18.0 is available to any party questioning the independent auditor's decision to conduct or not conduct a CLEC requested audit and the audit findings, should such an audit be conducted. An audit may not proceed until dispute resolution is completed. Audit findings will include: (a) general applicability of findings and conclusions (i.e., relevance to CLECs or jurisdictions other than the ones causing test initiation), (b) magnitude of any payment adjustments required and, (c) whether cost responsibility should be shifted based upon the materiality and clarity of any Qwest non-conformance with measurement requirements (no pre-determined variance is appropriate, but should be based on the auditor's professional judgment). CLEC may not request an audit of data more than three years from the later of the provision of a monthly credit statement or payment due date.

15.4 Qwest shall fund the state of Oregon's share of the costs of the first two-year audit cycle.

15.5 Qwest will investigate any second consecutive Tier 2 miss to determine the cause of the miss and to identify the action needed in order to meet the standard set forth in the performance measurements. To the extent an investigation determines that a CLEC was responsible in whole or in part for the Tier 2 misses, Qwest shall receive credit against future Tier 2 payments in an amount equal to the Tier 2 payments that should not have been made. The relevant portion of subsequent Tier 2 payments will not be owed until any responsible CLEC problems are corrected. For the purposes of this sub-section, Tier 1 performance measurements that have not been designated as Tier 2 will be aggregated and the aggregate results will be investigated pursuant to the terms of this Agreement.

16.0 Reviews

16.1 Every six (6) months, beginning six months after the effective date of the first Section 271 approval by the FCC of one of the states that participated in the multistate QPAP Section 271 proceeding, Qwest, CLECs, and the Commissions of those states shall participate in a common review of the performance measurements to determine whether measurements should be added, deleted, or modified; whether the applicable benchmark standards should be modified or replaced by parity standards; and whether to move a classification of a measurement to High, Medium, or Low or Tier 1 to Tier 2. The criterion for reclassification of a measurement shall be whether the actual volume of data points was less or greater than anticipated. Criteria for review of performance measurements, other than for possible reclassification, shall be whether there exists an omission or failure to capture intended performance, and whether there is duplication of another measurement. The first six-month period will begin upon the FCC's approval of Qwest's 271 application for that particular state. Changes shall not be made without Qwest's agreement, except that disputes as to whether new performance measurements should be added shall be resolved by one arbitration proceeding conducted pursuant to section 5.18.3 of the SGAT, which shall bind CLEC and Qwest and all parties to the arbitration and determine what new measures, if any, should be included in Exhibit K to the SGAT.

16.2 Two years after the effective date of the first FCC 271 approval of the PAP, the participating Commissions may conduct a joint review by a independent third party to examine the continuing effectiveness of the PAP as a means of inducing compliant performance. This review shall not be used to open the PAP generally to amendment, but would serve to assist Commissions in determining existing conditions and reporting to the FCC on the continuing adequacy of the PAP to serve its intended functions.

16.3 Qwest will make the PAP available for CLEC interconnection agreements until such time as Qwest eliminates its Section 272 affiliate. At that time, the Commission and Qwest shall review the appropriateness of the PAP and whether its continuation is necessary. However, in the event Qwest exits the interLATA market, that State PAP shall be rescinded immediately.

17.0 Voluntary Performance Assurance Plan

This PAP represents Qwest's voluntary offer to provide performance assurance. Nothing in the PAP or in any conclusion of non-conformance of Qwest's service performance with the standards defined in the PAP shall be construed to be, of itself, non-conformance with the Act.

18.0 Dispute Resolution

For the purpose of resolving disputes over the meaning of the provisions of the PAP and how they should be applied, the dispute resolution provisions of the SGAT, section 5.18, shall apply whether the CLEC uses the SGAT in its entirety or elects to make the PAP part of its interconnection agreements (i.e., the unique dispute resolution provisions of interconnection agreements should not apply).

Attachment 1: Tier 1 and Tier 2 Performance Measurements Subject to Per Occurrence Payment

Performance Measurement		Tier	1 Payn	nents		2 Payn	
		Low	Med	High	Low	Med	High
GATEWAY							
Timely Outage Resolution	GA-7						X
PRE-ORDER/ORDERS							
LSR Rejection Notice Interval	PO-3ª	Х					
Firm Order Confirmations On Time	PO-5	Х				Х	
Work Completion Notification Timeliness	PO-6 ^b	Х					
Billing Completion Notification Timeliness	PO-7⁵	Х					
Jeopardy Notice Interval	PO-8	X					
Timely Jeopardy Notices	PO-9	X					
Release Notifications	PO-16						X
(Expanded) – Manual Service Order Accuracy	PO-20 ^c		X				
ORDERING AND PROVISIONING	· · · · · · · · · · · · · · · · · · ·						
Installation Commitments Met	OP-3			X		Х	
Installation Intervals	OP-4 ^d			X		Х	
New Service Quality	OP-5a,b ^e			X		Х	1
Delayed Days	OP-6 ^t			X		Х	
Number Portability Timeliness	OP-8	1		X		X	
Coordinated Cuts On Time – Unbundled Loops	OP-13a			X		X	
LNP Disconnect Timeliness	OP-17			X		Х	
MAINTENANCE AND REPAIR							
Out of Service Cleared within 24 hours	MR-3			X			
All Troubles Cleared within 4 hours	MR-5			X			
Mean time to Restore	MR- 6a,b,c,d ^g , e ^g			X			
Repair Repeat Report Rate	MR-7			X		X	
Trouble Rate	MR-8			X		Х	
LNP Trouble Reports Cleared within 24 Hours	MR-11			X		X	
LNP Trouble Reports—Mean Time to Restore	MR-12			X		X	
BILLING							
Time to Provide Recorded Usage Records	BI-1	Х					Х
Billing Accuracy-Adjustments for Errors	BI-3	Х					
Billing Completeness	BI-4	Х				X	
NETWORK PERFORMANCE							
Trunk Blocking	NI-1			X			Х
NXX Code Activation	NP-1			X			X

				· •	
L	L		 		

a. PO-3 is limited to PO-3a-1, PO-3b-1, and PO-3c.

b. PO-6 is included with PO-7 as two "families:" PO-6a/PO-7a and PO-6b/PO-7b. Measurements within each family share a single payment opportunity with only the measurements with the highest payment being paid.

c. Low Volume Exception: In lieu of Section 2.4 for PO-20, where CLEC order volumes for a given month are less than 17 in Phase 1, less than 13 in Phase 2, and less than 10 in Phase 3 and subsequent phases, a benchmark standard of "no more than one order with PO-20 errors" is applied. Under this provision, no payment applies if there is only one order with errors.

Stabilization Period: For each phase beginning with Phase 1, there will be no more than a 3-month measurement stabilization period for all fields introduced in that phase. Performance results that include all such fields are not subject to payments during the measurement stabilization period.

d. OP-4 is included with OP-6 as five "families:" OP-4a/OP-6-1, OP-4b/OP-6-2, OP-4c/OP-6-3, OP-4d/OP-6-4, and OP-4e/OP-6-5. Measurements within each family share a single payment opportunity with only the measurement with the highest payment being paid.

e. Low volume treatment for OP-5b will apply if both (1) the CLEC volume of orders is less than or equal to 29 (the denominator of OP-5t) and (2) the number of orders with trouble in OP-5a is no more than one. When these two conditions are met, a standard of no more than one order with new service trouble applies.

f. For purposes of the PAP, OP-6a and OP-6b will be combined and treated as one. The combined OP-6 breaks down to OP-6-1 (within MSA), OP-6-2 (outside MSA), OP-6-3 (no dispatch), OP-6-4 (zone 1), and OP-6-5 (zone 2).

g. Applicable only to xDSL-I capable loops.

Attachment 2: Performance Measurements Subject to Per Measurement Caps

Billing

Time to Provide Recorded Usage Records – BI-1 (Tier 1/Tier 2) Billing Accuracy – Adjustments for Errors – BI-3 (Tier 1) Billing Completeness – BI-4 (Tier 1/Tier 2)



Service Performance Indicator Definitions (PID)

14-State 271 PID Version 8.1

QWEST'S SERVICE PERFORMANCE INDICATOR DEFINITIONS (PID)

14-State 271 PID Version 8.1

Introduction

Qwest will report performance results for the service performance indicators defined herein. Qwest will report separate performance results associated with the services it provides to Competitive Local Exchange Carriers (CLECs) in aggregate (except as noted herein), to CLECs individually and, as applicable, to Qwest's retail customers in aggregate. Within these categories, performance results related to service provisioning and repair will be reported for the products listed in each definition. Reports for CLECs individually will be subject to agreements of confidentiality and/or nondisclosure.

The definitions in this version of the PID apply in the 14 states of Qwest's local service region: Arizona, Colorado, Idaho, Iowa, Minnesota, Montana, Nebraska, New Mexico, North Dakota, Oregon, South Dakota, Utah, Washington and Wyoming. Individual state Performance Assurance Plans may specify and apply state specific variations from the Performance Measure definitions and/or standards contained herein.

Qwest's Service Performance Indicator Definitions

、

Table of Contents

ELECTRONIC GATEWAY AVAILABILITY	
GA-1 – Gateway Availability – IMA-GUI	1
GA-2 – Gateway Availability – IMA-EDI	2
GA-3 – Gateway Availability – EB-TA	3
GA-4 – System Availability – EXACT	
GA-6 – Gateway Availability – GUI Repair	
GA-7 – Timely Outage Resolution following Software Releases	
PRE-ORDER/ORDER	
PO-1 – Pre-Order/Order Response Times	
PO-2 – Electronic Flow-through	. 10
PO-3 – LSR Rejection Notice Interval	
PO-4 – LSRs Rejected	
PO-5 – Firm Order Confirmations (FOCs) On Time	
PO-6 – Work Completion Notification Timeliness	
PO-7 – Billing Completion Notification Timeliness	. 18
PO-8 – Jeopardy Notice Interval	
PO-9 – Timely Jeopardy Notices	
PO-15 – Number of Due Date Changes per Order	. 22
PO-16 – Timely Release Notifications	
PO-19 – Stand-Alone Test Environment (SATE) Accuracy	
PO-20 (Expanded) – Manual Service Order Accuracy	. 28
ORDERING AND PROVISIONING	. 35
OP-2 – Calls Answered within Twenty Seconds – Interconnect Provisioning Center	
OP-3 – Installation Commitments Met	
OP-4 – Installation Interval	
OP-5 – New Service Quality	
OP-6 – Delayed Days	
OP-7 – Coordinated "Hot Cut" Interval – Unbundled Loop	
OP-8 – Number Portability Timeliness	
OP-13 – Coordinated Cuts On Time – Unbundled Loop	
OP-15 – Interval for Pending Orders Delayed Past Due Date	. 54
OP-17 – Timeliness of Disconnects associated with LNP Orders	
MAINTENANCE AND REPAIR	
MR-2 – Calls Answered within 20 Seconds – Interconnect Repair Center	
MR-3 – Out of Service Cleared within 24 Hours	
MR-4 – All Troubles Cleared within 48 hours	
MR-5 – All Troubles Cleared within 4 hours	
MR-6 – Mean Time to Restore	
MR-7 – Repair Repeat Report Rate	
MR-8 – Trouble Rate	
MR-9 – Repair Appointments Met	
MR-10 – Customer and Non-Qwest Related Trouble Reports	
MR-11 – LNP Trouble Reports Cleared within 24 Hours	
BILLING	
BI-1 – Time to Provide Recorded Usage Records	. 8U

Table of Contents (continued)

BI-2 – Invoices Delivered within 10 Days	
BI-3 – Billing Accuracy – Adjustments for Errors	
BI-4 – Billing Completeness	
DATABASE UPDATES	
DB-1 – Time to Update Databases	
DB-2 – Accurate Database Updates	
DIRECTORY ASSISTANCE	87
DA-1 – Speed of Answer – Directory Assistance	
OPERATOR SERVICES	
OS-1 – Speed of Answer – Operator Services	
NETWORK PERFORMANCE	
NI-1 – Trunk Blocking	89
NP-1 – NXX Code Activation	
COLLOCATION	
CP-1 – Collocation Completion Interval	
CP-2 – Collocations Completed within Scheduled Intervals	
CP-3 – Collocation Feasibility Study Interval	
CP-4 – Collocation Feasibility Study Commitments Met	
DEFINITION OF TERMS	
GLOSSARY OF ACRONYMS	
APPENDIX A	
Feature Detail	

GA-1 – Gateway Availability – IMA-GUI

Purpose:				
	OUII all activities and and an a second starts that the			
Evaluates the quality of CLEC access to the IMA-GUI electronic gateway and one associated system, focusing on the extent they are actually available to CLECs.				
 focusing on the extent they are actually available to CLECs. Description: GA-1A: Measures the availability of the IMA-GUI (Interconnect Mediated Access- Graphical User Interface), and reports the percentage of Scheduled Availability Time the IMA-GUI interface is available for view and/or input. Scheduled Up Time hours for preorder, order, and provisioning transactions are based on the currently published hours of availability found on the following website: http://www.qwest.com/wholesale/cmp/ossHours.html. GA-1D: Measures the availability of the SIA system, which facilitates access for the IMA-GUI interface and the IMA-EDI interface (see GA-2), and reports the percentage of scheduled time the SIA system is available. Scheduled availability times will be no less than the same hours as listed for IMA-GUI and IMA-EDI. Time Gateway is Available to CLECs is equal to Scheduled Availability Time minus Outage Time. Scheduled Down Time is time identified and communicated that the interface is not available due to maintenance and/or upgrade work. Notification of Scheduled Down Time for routine maintenance and/or upgrade work will be provided no less than 48 hours in advance. An outage is a critical or serious loss of functionality, attributable to the specified gateway or component (i.e., IMA-GUI, SIA), affecting Qwest's ability to serve its customers. An outage is determined by Qwest technicians through the use of verifiable data, collected from the affected 				
customer(s) and/or from mechanized event n	nanagement systems.			
customer(s) and/or from mechanized event n Reporting Period: One month	nanagement systems. Unit of Measure: Percent			
Reporting Period: One month	Unit of Measure: Percent			
Reporting Period: One month Reporting Comparisons: CLEC aggregate	Unit of Measure: Percent Disaggregation Reporting: Region-wide level.			
Reporting Period: One month	Unit of Measure: Percent Disaggregation Reporting: Region-wide level. Results will be reported as follows:			
Reporting Period: One month Reporting Comparisons: CLEC aggregate	Unit of Measure: Percent Disaggregation Reporting: Region-wide level. Results will be reported as follows: GA-1A IMA Graphical User Interface Gateway			
Reporting Period: One month Reporting Comparisons: CLEC aggregate	Unit of Measure: Percent Disaggregation Reporting: Region-wide level. Results will be reported as follows:			
Reporting Period: One month Reporting Comparisons: CLEC aggregate results Formula:	Unit of Measure: Percent Disaggregation Reporting: Region-wide level. Results will be reported as follows: GA-1A IMA Graphical User Interface Gateway GA-1D SIA system			
Reporting Period: One month Reporting Comparisons: CLEC aggregate results Formula: ([Number of Hours and Minutes Gateway is Ava	Unit of Measure: Percent Disaggregation Reporting: Region-wide level. Results will be reported as follows: GA-1A IMA Graphical User Interface Gateway GA-1D SIA system			
Reporting Period: One month Reporting Comparisons: CLEC aggregate results Formula: ([Number of Hours and Minutes Gateway is Ava Hours and Minutes of Scheduled Availability Time	Unit of Measure: Percent Disaggregation Reporting: Region-wide level. Results will be reported as follows: GA-1A IMA Graphical User Interface Gateway GA-1D SIA system			
Reporting Period: One month Reporting Comparisons: CLEC aggregate results Formula: ([Number of Hours and Minutes Gateway is Ava Hours and Minutes of Scheduled Availability Time Exclusions: None	Unit of Measure: Percent Disaggregation Reporting: Region-wide level. Results will be reported as follows: GA-1A IMA Graphical User Interface Gateway GA-1D SIA system ailable to CLECs During Reporting Period] ÷ [Number of e During Reporting Period]) x 100			

GA-2 – Gateway Availability – IMA-EDI

Purpose:

Evaluates the quality of CLEC access to the IMA-EDI electronic gateway, focusing on the extent the gateway is actually available to CLECs.

Description:

Measures the availability of IMA-EDI (Interconnect Mediated Access - Electronic Data Interchange) interface and reports the percentage of scheduled availability time the IMA-EDI Interface is available for view and/or input. All times during which the interface is scheduled to be operating during the reporting period are measured.

- Scheduled Up Time hours for IMA-EDI based on the currently published hours of availability found on the following website: http://www.qwest.com/wholesale/cmp/ossHours.html. Time Gateway is Available to CLECs is equal to Scheduled Availability Time minus Outage Time.
- Scheduled Availability Time is equal to Scheduled Up Time minus Scheduled Down Time.
- Scheduled Down Time is time identified and communicated that the interface is not available due to maintenance and/or upgrade work. Notification of Scheduled Down Time for routine maintenance and/or upgrade work will be provided no less than 48 hours in advance.
- An outage is a critical or serious loss of functionality, attributable to the specified gateway or component (i.e., IMA-EDI), affecting Qwest's ability to serve its customers. An outage is determined by Qwest technicians through the use of verifiable data, collected from the affected customer(s) and/or from mechanized event management systems.

Reporting Period: One month	Unit of Measure: Percent	
Reporting Comparisons: CLEC	Disaggregation Reporting: Region-wide level.	
aggregate results	(See GA-1D for reporting of SIA system availability.)	
Formula:		
	ay is Available to CLECs During Reporting Period] + [Number	
of Hours and Minutes of Scheduled Av	/ailability Time During Reporting Period]) x 100	
of Hours and Minutes of Scheduled Av Exclusions: None Product Reporting: None	vailability Time During Reporting Period]) x 100 Standard: 99.25 percent	

GA-3 – Gateway Availability – EB-TA

Purpose:

Evaluates the quality of CLEC access to the EB-TA interface, focusing on the extent the gateway is actually available to CLECs.

Description:

Measures the availability of EB-TA (Electronic Bonding – Trouble Administration) interface and reports the percentage of scheduled availability time the EB-TA Interface is available.

- Scheduled Up Time hours are based on the currently published hours of availability found on the following website: http://www.qwest.com/wholesale/cmp/ossHours.html.
- Time Gateway is Available to CLECs is equal to Scheduled Availability Time minus Outage Time.
- Scheduled Availability Time is equal to Scheduled Up Time minus Scheduled Down Time.
- Scheduled Down Time is time identified and communicated that the interface is not available due to maintenance and/or upgrade work. Notification of Scheduled Down Time for routine maintenance and/or upgrade work will be provided no less than 48 hours in advance.
- An outage is a critical or serious loss of functionality, attributable to the specified gateway or component (i.e., EB-TA), affecting Qwest's ability to serve its customers. An outage is determined by Qwest technicians through the use of verifiable data, collected from the affected customer(s) and/or from mechanized event management systems.

Reporting Period: One month	Unit of Measure: Percent	
Reporting Comparisons: CLEC aggregate results	ults Disaggregation Reporting: Region-wide level.	
Formula: ([Number of Hours and Minutes Gateway is Available of Hours and Minutes of Scheduled Availability Durin	e to CLECs During	Reporting Period] ÷ [Number
of Fredre and Mindles of Concudica Availability Durin	ig Reporting Ferror	ij) x 100
Exclusions: None		
-	Standard:	99.25 percent

GA-4 – System Availability – EXACT

Purpose:

Evaluates the quality of CLEC batch access to the EXACT electronic access service request system, focusing on the extent the system is actually available to CLECs.

Description:

Measures the availability of EXACT system and reports the percentage of scheduled availability time the EXACT system is available.

- Scheduled Up Time hours are based on the currently published hours of availability found on the following website: <u>http://www.qwest.com/wholesale/cmp/ossHours.html</u>.
- Time System is Available to CLECs is equal to Scheduled Availability Time minus Outage Time.
- Scheduled Availability Time is equal to Scheduled Up Time minus Scheduled Down Time.
- Scheduled Down Time is time identified and communicated that the system is not available due to maintenance and/or upgrade work. Notification of Scheduled Down Time for routine maintenance and/or upgrade work will be provided no less than 48 hours in advance.
- An outage is a critical or serious loss of functionality, attributable to the specified gateway or component (i.e., EXACT), affecting Qwest's ability to serve its customers. An outage is determined by Qwest technicians through the use of verifiable data, collected from the affected customer(s) and/or from mechanized event management systems.

Reporting Period: One month	Unit of Measure	: Percent
Reporting Comparisons: CLEC aggregate results	Disaggregation	Reporting: Region-wide level.
Formula: ([Number of Hours and Minutes EXACT is Available Hours and Minutes of Scheduled Availability During R	to CLECs During F Reporting Period])	Reporting Period] ÷ [Number of x 100
Exclusions: None		
Product Reporting: None	Standard:	99.25 percent
Availability: Available	Notes:	

GA-6 – Gateway Availability – GUI -- Repair

Purpose:

Evaluates the quality of CLEC access to the GUI Repair electronic gateway, focusing on the extent the gateway is actually available to CLECs.

Description:

Measures the availability of the GUI (Graphical User Interface) repair electronic interface and reports the percentage of scheduled availability time the interface is available for view and/or input. All times during which the interface is scheduled to be operating during the reporting period are measured.

- Scheduled Up Time" hours are based on the currently published hours of availability found on the following website: http://www.qwest.com/wholesale/cmp/ossHours.html.
- Time Gateway is Available to CLECs is equal to Scheduled Availability Time minus Outage Time.
- Scheduled Availability Time is equal to Scheduled Up Time minus Scheduled Down Time.
- Scheduled Down Time is time identified and communicated that the interface is not available due to maintenance and/or upgrade work. Notification of Scheduled Down Time for routine maintenance and/or upgrade work will be provided no less than 48 hours in advance.
- An outage is a critical or serious loss of functionality, attributable to the specified gateway or component (i.e., GUI-Repair), affecting Qwest's ability to serve its customers. An outage is determined by Qwest technicians through the use of verifiable data, collected from the affected customer(s) and/or from mechanized event management systems.

Reporting Period: One month	Unit of Measure: Percent		
Reporting Comparisons: CLEC aggregate results	Disaggregation Reporting: Region-wide level.		
Formula: [Number of Hours and Minutes Gateway is A Hours and Minutes of Scheduled Availability			
Exclusions: None			
Product Reporting: None	Standard:	99.25 percent	
Availability: Available	Notes:		

GA-7 – Timely Outage Resolution following Software Releases

Purpose:

Measures the timeliness of resolution of gateway or system outages attributable to software releases for specified OSS interfaces, focusing on CLEC-affecting software releases involving the specified gateways or systems.

Description:

- Measures the percentage of gateway or system outages, which are attributable to OSS system software releases and which occur within two weeks after the implementation of the OSS system software releases, that are resolved ^{NOTE 1} within 48 hours of detection by the Qwest monitoring group or reporting by a CLEC/co-provider.
- Includes software releases associated with the following OSS interfaces in Qwest: IMA-GUI, IMA-EDI, and CEMR, Exchange Access, Control, & Tracking (EXACT)^{NOTE 2}, Electronic Bonding– Trouble Administration (EB -TA)^{NOTE 3}
- An outage for this measurement is a critical or serious loss of functionality, attributable to the specified gateway or component, affecting Qwest's ability to serve its customers or data loss ^{NOTE 4} on the Qwest side of the interface. An outage is determined by Qwest technicians through the use of verifiable data, collected from the affected customer(s) and/or from mechanized event management systems.
- The outage resolution time interval considered in this measurement starts at the time Qwest's monitoring group detects a failure, or at the date/time of the first transaction sent to Qwest that cannot be processed (i.e. lost data), and ends with the time functionality is restored or the lost data is recovered.

Reporting Period: Monthly	Unit of Measure: Percent
Reporting Comparisons: CLEC Aggregate	Disaggregation Reporting: Region-wide level.
Formula	

Formula:

[(Total outages detected within two weeks of a Software Release that are resolved within 48 hours of the time Qwest detects the outage) + (Total number of outages detected within two weeks of Software Releases resolved in the Reporting Period)] x 100

Exclusions:

- Outages in releases prior to any CLEC migrating to the release.
- Duplicate reports attributable to the same software defect.

Product Reporting: None Standards: Volume = 1-20: 1 miss		Standards:
		Volume = 1-20: 1 miss
		Volume > 20: 95%
Availability:	Notes:	
Available	experienced by 2. EXACT is a Tel Qwest for hard 3. Outages report 4. For data loss to	lecordia system. Only releases for changes initiated by ware or connectivity will be included in this measurement. ed under EB-TA are the same as outages in MEDIACC. be considered for GA-7, a functional acknowledgement in provided for the data in question (e.g., EDI 997, LSR ID

PO-1 – Pre-Order/Order Response Times

Purpose:

Evaluates the timeliness of responses to specific preordering/ordering queries for CLECs through the use of Qwest's Operational Support Systems (OSS). Qwest's OSS are accessed through the specified gateway interface.

Description:

PO-1A & PO-1B:

Measures the time interval between query and response for specified pre-order/order transactions through the electronic interface.

- Measurements are made using a system that simulates the transactions of requesting preordering/ordering information from the underlying existing OSS. These simulated transactions are made through the operational production interfaces and existing systems in a manner that reflects, in a statistically-valid manner, the transaction response times experienced by CLEC service representatives in the reporting period.
- The time interval between query and response consists of the period from the time the transaction request was "sent" to the time it is "received" via the gateway interface.
- A query is an individual request for the specified type of information.

PO-1C:

• Measures the percentage of all IRTM Queries measured by PO-1A & 1B transmitted in the reporting period that timeout before receiving a response.

PO-1D:

 Measures the average response time for a sampling of rejected queries across preorder transaction types. The response time measured is the time between the issuance of a pre-ordering transaction and the receipt of an error message associated with a "rejected query." A rejected query is a transaction that cannot be successfully processed due to the provision of incomplete or invalid information by the sender, which results in an error message back to the sender.

Reporting Period: One month	Unit of Measure:
	PO-1A, PO-1B, & PO-1D: Seconds
	PO-1C: Percent

PO-1 – Pre-Order/Order Response Times (continued)

Reporting	Disaggregation Reporting: Region-wide level. Results are reported as follows:
Comparisons:	PO-1A Pre-Order/Order Response Time for IMA-GUI
CLEC aggregate.	PO-1B Pre-Order/Order Response Time for IMA-EDI
	Results are reported separately for each of the following transaction types: NOTE 2
	1. Appointment Scheduling (Due Date Reservation, where appointment is required)
	2. Service Availability Information
	3. Facility Availability
	4. Street Address Validation
	5. Customer Service Records
	6. Telephone Number
	7. Loop Qualification Tools NOTE 3
	8. Resale of Owest DSL Qualification
	9. Connecting Facility Assignment NOTE 4
	10. Meet Point Inquiry NOTE 5
	For PO-1A (transactions via IMA-GUI), in addition to reporting total response time,
	response times for each of the above transactions will be reported in two parts: (a) time
	to access the request screen, and (b) time to receive the response for the specified
	transaction. For PO-1A 6, Telephone Number, a third part (c) accept screen, will be
	reported.
	For PO-1B (transactions via IMA-EDI), request/response will be reported as a combined
	number.
	PO-1C Results for PO-1C will be reported according to the gateway interface used:
	 Percent of Preorder Transactions that Timeout IMA-GUI
	2. Percent of Preorder Transactions that Timeout IMA-EDI
	PO-1D Results for PO-1D will be reported according to the gateway interface used:
	1. Rejected Response Times for IMA-GUI
	2. Rejected Response Times for IMA-EDI
Formula:	
	Σ [(Query Response Date & Time) – (Query Submission Date & Time)] ÷ (Number of Queries Submitted in Reporting Period)
PO-1C =	[(Number of IRTM Queries measured by PO-1A & 1B that Timeout before receiving
FU-10 =	response) ÷ (Number of IRTM Queries Transmitted in Reporting Period)] x 100
	response) ÷ (Number of IRTM Queries Transmitted in Reporting Period)] x 100
PO-1D =	Σ [(Rejected Query Response Date & Time) – (Query Submission Date & Time)] ÷
10-10 -	(Number of Rejected Query Transactions Simulated by IRTM)
- <u></u>	
Exclusions: PO-1A & PO-1B:	
	ests/errors, and timed out transactions
Rejected reque	ests and errors
PO-1D:Timed out trans	ractions

Product Reporting: None	Standards:	IMA-GUI	IMA-EDI	
	Total Response Time:			
	 Appointment Scheduling Service Availability Information Facility Availability Street Address Validation Customer Service Records Telephone Number 	<10 seconds <25 seconds <25 seconds ⁶ <10 seconds <12.5 seconds ⁶ <10 seconds	<10 seconds <25 seconds <25 seconds ⁶ <10 seconds <12.5 seconds ⁶ <10 seconds	
	7. Loop Qualification Tools	\leq 20 seconds ⁷	\leq 20 seconds	
	8. Resale of Qwest DSL Qualification	\leq 20 seconds ⁷	≤ 20 seconds	
	9. Connecting Facility Assignment	≤ 25 seconds	≤ 25 seconds	
	10. Meet Point Inquiry	≤ 30 seconds	≤ 30 seconds	
	PO-1C-1	0.5%		
	PO-1C-2			
	PO-1D-1 & 2	Diagr	nostic	
Availability: Available	 Qwest diagnostic purposes. As additional transactions, cuthey will be measured and adtransactions, as applicable. Results based on a weighted and Raw Loop Data Tool. Results based on Connecting Results based on meet Point loops. Times reflect non-complex subusiness, or POTS account. lines. 	used in PO-1D are those developed for internal poses. ions, currently done manually, are mechanized, and added to or included in the above list of cable. eighted combination of ADSL Loop Qualification ool. inecting Facility Assignment by Unit Query. et Point Query, POTS Splitter option for Shared inplex services, including residential, simple count. Does not include ADSL or accounts>25 response time only. Request time and Total		

PO-2 – Electronic Flow-through

Purpose:

Monitors the extent Qwest's processing of CLEC Local Service Requests (LSRs) is completely electronic, focusing on the degree that electronically-transmitted LSRs flow directly to the service order processor without human intervention or without manual retyping.

Description:

PO-2A - Measures the percentage of all electronic LSRs that flow from the specified electronic gateway interface to the Service Order Processor (SOP) without any human intervention.

• Includes all LSRs that are submitted electronically through the specified interface during the reporting period, subject to exclusions specified below.

PO-2B – Measures the percentage of all flow-through-eligible LSRs ^{NOTE 1} that flow from the specified electronic gateway interface to the SOP without any human intervention.

• Includes all flow-through-eligible LSRs that are submitted electronically through the specified interface during the reporting period, subject to exclusions specified below.

Reporting Period: One month	Unit of Measure: Percent
Reporting Comparisons: CLEC aggregate, individual CLEC	Disaggregation Reporting: Statewide level (per multi- state system serving the state). Results for PO-2A and PO-2B will be reported according to the gateway interface* used to submit the LSR: LSRs received via IMA-GUI LSRs received via IMA-EDI *CO also reports an aggregate of IMA-GUI and IMA-EDI results.
human intervention) ÷ (To Interface)] x 100 PO-2B = [(Number of flow-through-	SRs that pass from the Gateway Interface to the SOP without otal Number of Electronic LSRs that pass through the Gateway eligible Electronic LSRs that actually pass from the Gateway out human intervention) ÷ (Number of flow-through-eligible
Exclusions:	

- Records with invalid product codes.
- Records missing data essential to the calculation of the measurement per the PID.
- Duplicate LSR numbers. (Exclusion to be eliminated upon implementation of IMA capability to disallow duplicate LSR #'s.)
- Invalid start/stop dates/times.

PO-2 – Electronic Flow-through (continued)

 Product Reporting: Resale Unbundled Loops without Local Num Portability) Local Number Por UNE-P (POTS) and 	iber tability	Standards: <u>PO-2A</u> : CO: CO PO-2B benchmarks minus 10 percent ^{NOTE 2} All Other States: Diagnostic <u>PO-2B</u> : ^{NOTE 2}		
(Centrex 21)		Resale:	95%	
Line Sharing		Unbundled Loops:	85%	
		LNP:	95%	
		UNE-P (POTS & Centrex 21):	95%	
		Line Sharing:	Diagnostic NOTE 3	
Availability: Available (except as follows): Combined reporting of UNE-P (POTS) and UNE-P (Centrex 21) – beginning with Jul 04 data on the Aug 04 report. Line Sharing – beginning with Jul 04 data on the Aug 04 report	the "LSR availabili through 1 2. In Colora either PC benchma PO-2A-2 (i.e., the 3. The stan	of LSR types classified as eligible for fla is Eligible for Flow Through" matrix. The ty for enhancements to flow through. I the CMP process. ado the standard for PO-2 is considere D-2A or PO-2B is met. For both PO-2A ark percentages shown apply to the ag (i.e., the combined PO-2A result) and combined PO-2B result). dard and future disaggregated reportir s TBD, pending resolution of TRO issu	his matrix also includes Matrix will be distributed d met if the standard for A and PO-2B, the gregations of PO-2A-1 and of PO-2B-1 and PO-2B-2 ng of the Line Sharing	

PO-3 – LSR Rejection Notice Interval

Purpose:

Monitors the timeliness with which Qwest notifies CLECs that electronic and manual LSRs were rejected.

Description:

Measures the interval between the receipt of a Local Service Request (LSR) and the rejection of the LSR for standard categories of errors/reasons.

- Includes all LSRs submitted through the specified interface that are rejected during the reporting period.
- Standard reasons for rejections are: missing/incomplete/mismatching/unintelligible information, duplicate request or LSR/PON (purchase order number), no separate LSR for each account telephone number affected, no valid contract, no valid end user verification, account not working in Qwest territory, service-affecting order pending, request is outside established parameters for service, and lack of CLEC response to Qwest guestion for clarification about the LSR.
- Included in the interval is time required for efforts by Qwest to work with the CLEC to avoid the necessity of rejecting the LSR.
- With hours: minutes reporting, hours counted are (1) business hours for manual rejects (involving human intervention) and (2) published Gateway Availability hours for auto-rejects (involving no human intervention). Business hours are defined as time during normal business hours of the Wholesale Delivery Service Centers, except for PO-3C in which hours counted are workweek clock hours. Gateway Availability hours are based on the currently published hours of availability found on the following website: http://www.gwest.com/wholesale/cmp/ossHours.html.

Reporting Period: One month Unit of Measure: PO-3A-1, PO-3B-1 & PO-3C - Hrs: Mins. PO-3A-2 & PO-3B-2 - Mins: Secs. Reporting Comparisons: **Disaggregation Reporting:** CLEC aggregate and Results for this indicator are reported according to the gateway interface individual CLEC results used to submit the LSR: • PO-3A-1, LSRs received via IMA-GUI and rejected manually: Statewide PO-3A –2, LSRs received via IMA-GUI and auto-rejected: Region wide PO-3B-1, LSRs received via IMA-EDI and rejected manually: Statewide PO-3B -2, LSRs received via IMA-EDI and auto-rejected: Region wide PO-3C, LSRs received via facsimile: Statewide ٠ Formula:

 Σ [(Date and time of Rejection Notice transmittal) – (Date and time of LSR receipt)] ÷ (Total number of LSR Rejection Notifications)

Exclusions:

- Records with invalid product codes.
- Records missing data essential to the calculation of the measurement per the PID.
- Duplicate LSR numbers. (Exclusion to be eliminated upon implementation of IMA capability to disallow duplicate LSR #'s.)
- Invalid start/stop dates/times.

Product Reporting: Not applicable (reported by ordering interface).	Standards: • PO-3A-1 and -3B-1: ≤ 12 business hours • PO-3A -2 and -3B -2: ≤ 18 seconds • PO-3C: ≤ 24 work week clock hours
Availability: Available	Notes:

PO-4 – LSRs Rejected

Purpose:

Monitors the extent LSRs are rejected as a percentage of all LSRs to provide information to help address potential issues that might be raised by the indicator of LSR rejection notice intervals.

Description:

Measures the percentage of LSRs rejected (returned to the CLEC) for standard categories of errors/reasons.

- Includes all LSRs submitted through the specified interface that are rejected or FOC'd during the reporting period.
- Standard reasons for rejections are: missing/incomplete/mismatching/unintelligible information; duplicate request or LSR/PON (purchase order number); no separate LSR for each account telephone number affected; no valid contract; no valid end user verification; account not working in Qwest territory; service-affecting order pending; request is outside established parameters for service; and lack of CLEC response to Qwest question for clarification about the LSR.

Reporting Period: One month	Unit of Measure: Percent of LSRs
Reporting Comparisons: CLEC aggregate and	Disaggregation Reporting:
individual CLEC results	Results for this indicator are reported according to
	the gateway interface used to submit the LSR:
	PO-4A-1 LSRs received via IMA-GUI and
	rejected manually – Region wide
	PO-4A -2 LSRs received via IMA-GUI and
	auto-rejected – Region wide
	PO-4B-1 LSRs received via IMA-EDI and
	rejected manually – Region wide
	PO-4B -2 LSRs received via IMA-EDI and
	auto-rejected – Region wide
	PO-4C LSRs received via facsimile
	Statewide

Formula:

[(Total number of LSRs rejected via the specified method in the reporting period) \div (Total of all LSRs that are received via the specified interface that were rejected or FOC'd in the reporting period)] x 100

Exclusions:

- Records with invalid product codes.
- Records missing data essential to the calculation of the measurement per the PID.
- Duplicate LSR numbers. (Exclusion to be eliminated upon implementation of IMA capability to disallow duplicate LSR #'s.)
- Invalid start/stop dates/times.

Product Reporting: Not applicable (reported by ordering interface).	Standard: Diagnostic
Availability: Available	Notes:
Available	

PO-5 – Firm Order Confirmations (FOCs) On Time

Purpose:

Monitors the timeliness with which Qwest returns Firm Order Confirmations (FOCs) to CLECs in response to LSRs/ASRs received from CLECs, focusing on the degree to which FOCs are provided within specified intervals.

Description:

Measures the percentage of Firm Order Confirmations (FOCs) that are provided to CLECs within the intervals specified under "Standards" below for FOC notifications.

- Includes all LSRs/ASRs that are submitted through the specified interface or in the specified manner (i.e., facsimile) that receive an FOC during the reporting period, subject to exclusions specified below. (Acknowledgments sent separately from an FOC (e.g., EDI 997 transactions are not included.)
- For PO-5A, the interval measured is the period between the LSR received date/time (based on scheduled up time) and Qwest's response with a FOC notification (notification date and time).
- For PO-5B, 5C, and 5D, the interval measured is the period between the <u>application date and time</u>, as defined herein, and Qwest's response with a FOC notification (notification date and time).
- "Fully electronic" LSRs are those (1) that are received via IMA-GUI or IMA-EDI, (2) that involve no manual intervention, and (3) for which FOCs are provided mechanically to the CLEC. NOTE 2
- "Electronic/manual" LSRs are received electronically via IMA-GUI or IMA-EDI and involve manual processing.
- "Manual" LSRs are received manually (via facsimile) and processed manually.
- ASRs are measured only in business days.
- LSRs will be evaluated according to the FOC interval categories shown in the "Standards" section below, based on the number of lines/services requested on the LSR or, where multiple LSRs from the same CLEC are related, based on the combined number of lines/services requested on the related LSRs.

Reporting Period: One m	onth Unit of Measure: Percent
Reporting Comparisons: CLEC aggregate and individual CLEC results	 Disaggregation Reporting: Statewide level (per multi-state system serving the state). Results for this indicator are reported as follows: PO-5A:* FOCs provided for <u>fully electronic LSRs received via</u>: PO-5A-1 IMA-GUI PO-5A-2 IMA-EDI PO-5B:* FOCs provided for <u>electronic/manual LSRs received via</u>: PO-5B-1 IMA-GUI PO-5B-2 IMA-EDI PO-5C:* FOCs provided for <u>manual LSRs received via Facsimile</u>. PO-5D: FOCs provided for ASRs requesting LIS Trunks. * Each of the PO-5A, PO-5B and PO-5C measurements listed above will be further disaggregated as follows: (a) FOCs provided for Resale services and UNE-P (b) FOCs provided for Unbundled Loops and specified Unbundled Network Elements (c) FOCs provided for LNP
date/time (based FOC Notification PO-5B, 5C, & 5D = {[Cour - (Application Da	for which the original FOC's "(FOC Notification Date & Time) - (LSR received on scheduled up time))" is within 20 minutes] ÷ (Total Number of original s transmitted for the service category in the reporting period)} x 100 ht of LSRs/ASRs for which the original FOC's "(FOC Notification Date & Time) te & Time)" is within the intervals specified for the service category involved] of original FOC Notifications transmitted for the service category in the

reporting period)} x 100

PO-5 – Firm Order Confirmations (FOCs) On Time (continued)

Exclusions:

- LSRs/ASRs involving individual case basis (ICB) handling based on quantities of lines, as specified in the "Standards" section below, or service/request types, deemed to be <u>projects</u>.
- Hours on Weekends and holidays. (Except for PO-5A which only excludes hours outside the scheduled up time).
- LSRs with CLEC-requested FOC arrangements different from standard FOC arrangements.
- Records with invalid product codes.
- Records missing data essential to the calculation of the measurement per the PID.
- Duplicate LSR numbers. (Exclusion to be eliminated upon implementation of IMA capability to disallow duplicate LSR #'s.)

• Invalid start/stop dates/times.

- Additional PO-5D exclusion:
- Records with invalid application or confirmation dates.

Standards:			
	NOTE 2		
 For PO-5A (all): 	95% within 20 minutes		
For PO-5B (all):	90% within standard FOC in (specified below)	tervals	
For PO-5C (manual):	90% within standard FOC in specified below PLUS 2	ervals 24 hours ^{NOTE 3}	
For PO-5D (LIS Trunks):	85% within eight business da	ays	
Standard FOC Intervals for PO-5B and PO-5C			
Product Group NOTE 1		FOC Interval	
Resale Residence and Business POTS ISDN-Basic – Conversion As Is – Adding/Changing feature – Add primary directory I – Add call appearance Centrex Non-Design with no Common Block Centrex line feature chang LNP Unbundled Loops 2/4 Wire analog DS3 Capable Sub-loop [included in Product Report Line Sharing/Line Splitting/Loop [included in Product Report	1-10 lines ires isting to established loop 1-19 lines Configuration es/adds/removals (all) 1-24 lines 1-24 loops ting group (b)] Dop Splitting 1-24 shared loops ting group (b)] -Platform (UNE-P POTS)	24 hours	
	 For PO-5C (manual): For PO-5D (LIS Trunks): Standard FOC In Product Group NOTE 1 Resale Residence and Business POTS ISDN-Basic Conversion As Is Adding/Changing feature Add primary directory I Add call appearance Centrex Non-Design with no Common Block Centrex line feature chang LNP Unbundled Loops 2/4 Wire analog DS3 Capable Sub-loop [included in Product Report Line Sharing/Line Splitting/Loop [included in Product Report Line Splitting/Loop [included in Product Report Line Splitting/Loop	 For PO-5A (all): 95% within 20 minutes ^{NOTE 2} For PO-5B (all): 90% within standard FOC in (specified below) For PO-5C (manual): 90% within standard FOC int specified below PLUS 2 For PO-5D (LIS Trunks): 85% within eight business dates the specified below PLUS 2 For PO-5D (LIS Trunks): 85% within eight business dates the specified below PLUS 2 For PO-5D (LIS Trunks): 85% within eight business dates the specified below PLUS 2 For PO-5D (LIS Trunks): 85% within eight business dates the specified below PLUS 2 For PO-5D (LIS Trunks): 85% within eight business dates the specified below PLUS 2 For PO-5D (LIS Trunks): 85% within eight business dates the specified below PLUS 2 For PO-5D (LIS Trunks): 85% within eight business dates the specified below PLUS 2 For PO-5D (LIS Trunks): 85% within eight business dates the specified below PLUS 2 For PO-5D (LIS Trunks): 85% within eight business dates the specified below PLUS 2 For PO-5D (LIS Trunks): 85% within eight business dates the specified below PLUS 2 For PO-5D (LIS Trunks): 85% within eight business dates the specified below PLUS 2 For PO-5D (LIS Trunks): 85% within eight business dates the specified below PLUS 2 For PO-5D (LIS Trunks): 85% within eight business dates the specified below PLUS 2 For PO-5D (LIS Trunks): 85% within eight business dates the specified below PLUS 2 For PO-5D (LIS Trunks): 85% within eight business dates the specified below PLUS 2 For PO-5D (LIS Trunks): 85% within eight business dates the specified below PLUS 2 For PO-5D (LIS Trunks): 85% within eight business dates the specified below PLUS 2 Add all appearance the specified below PLUS 2 Add call appearance the specified below PLUS 2 Line feature changes/adds/removals (all) Line Sha	

PO-5 – Firm Order Confirmations (FOCs) On Time (continued)

Availability:	Available	each product type a 2. Unbundled Loop wit electronically; howe 72-hour FOC interva appear in PO-5B if r manually. 3. Unbundled Loop wit	s above the highest number sp ire considered ICB. th Facility Check can be proce- ver, because this category alw al the FOC results for this prod received electronically or PO-5 th Facility Check will not add a nour interval if the LSR is subm	ssed vays carries a luct will iC if received n additional
		Resale ISDN-PRI (Trunks) For PO-5D: LIS Trunks	1-12 trunks 1-240 trunk circuits	96 hours 8 business days
		Unbundled Loops with Facility Check ^(NOTE 2.3) 1 – 24 loops 2/4 wire Non-loaded ADSL compatible ISDN capable XDSL-I capable DS1 capable		
		 Tie lines or NARs activ Subsequent to initial C Station lines Automatic Route Se Uniform Call Distrib Additional numbers UNE-P Centrex UNE-P Centrex 21	SDN, Centrex-Plus, Primes) 1-10 lines Configuration required f Centrex CMS services vity Common Block election pution 5 1-10 lines 1-10 lines	72 hours
		Resale ISDN-Basic - Conversion As Specified - New Installs - Address Changes - Change to add Loop ISDN-PRI (Facility) PBX DS0 or Voice Grade Equival DS1 Facility DS3 Facility LNP Enhanced Extended Loops (El [included in Product Reporting gr DS1	1-3 1-24 trunks alent 1-24 1-24 1-3 25-49 lines ELs)	48 hours

PO-6 – Work Completion Notification Timeliness

Purpose:

To evaluate the timeliness of Qwest issuing electronic notification at an LSR level to CLECs that provisioning work on all service orders that comprise the CLEC LSR have been completed in the Service Order Processor and the service is available to the customer.

Description:

PO-6A & 6B:

- Includes all orders completed in the Qwest Service Order Processor that generate completion notifications in the reporting period, subject to exclusions shown below.
- The start time is the date/time when the last of the service orders that comprise the CLEC LSR is posted as completed in the Service Order Processor.
- The end time is when the electronic order completion notice is made available (IMA-GUI) ^{NOTE 1} or transmitted (IMA-EDI) to the CLEC via the ordering interface used to place the local service request. The notification is transmitted at an LSR level when all service orders that comprise the CLEC LSR are complete.
- With hours: minutes reporting, hours counted are during the published Gateway Availability hours. Gateway Availability hours are based on the currently published hours of availability found on the following website: http://www.qwest.com/wholesale/cmp/ossHours.html.

Reporting Period	:			Unit of Measure	; ;	
One month		PO-6A - 6B	:	Hrs:Mins		
Reporting	Disaggregation Reporting: Statewide level.					
Comparisons: Cl	EC					
aggregate and ind	ividual •	PO-6A Notices transmitted via IMA-GUI				
CLEC results.	•	 PO-6B Notices transmitted via IMA-EDI 				
Formula:						. <u>, , , , , , , , , , , , , , , , , , ,</u>
For completion no						
		•				C) - (Date and Time the
						Service Order Processor)) ÷
(Number of compl	etion notifica	itions ma	de available	in reporting perio	a)	
Fan annalation		د اد ما می م				
For completion no $PO = \Sigma'/Data$						(Data and Time the last of
••		•			•	· (Date and Time the last of
(Number of compl					service	e Order Processor.)) ÷
(Number of comp	ellon noullica	nons liar	Ismitted in r	eponing penod)		
Exclusions:						· · · · · · · · · · · · · · · · · · ·
PO – 6A & 6B:						
Records with	invalid comp	letion dat	tes.			
 LSRs submitte 	ed manually	(e.g., via	facsimile).			
 ASRs submitted 	ed via EXAC	Т.				
Product Reportir	a:				Stan	ndard:
	PO – 6A & 6B Aggregate reporting for all products ordered through 6 hours					
						0 110015
IMA-GUI and, se	parately, IMA	A-EDI (se		•		0 110015
IMA-GUI and, se Availability:	parately, IMA Notes:	A-EDI (se		•		

PO-7 – Billing Completion Notification Timeliness

Purpose:

To evaluate the timeliness with which electronic billing completion notifications are made available or transmitted to CLECs, focusing on the percentage of notifications that are made available or transmitted (for CLECs) or posted in the billing system (for Qwest retail) within five <u>business days</u>.

Description:

<u>PO-7A & 7B</u>:

- This measurement includes all orders posted in the CRIS billing system for which billing completion
 notices are made available or transmitted in the reporting period, subject to exclusions shown
 below.
- Intervals used in this measurement are from the time a service order is completed in the SOP to the time billing completion for the order is made available or transmitted to the CLEC.
 - The time a notice is "made available" via the IMA-GUI consists of the time Qwest stores the completion notice in the IMA Status Updates database. When this occurs, the notice can be immediately viewed by the CLEC using the Status Updates window.
 - The time a notice is "transmitted" via IMA-EDI consists of the time Qwest actually transmits the completion notice via IMA-EDI. Applicable only to those CLECs who are certified and setup to receive the notices via IMA-EDI.
- The start time is when the completion of the service order is posted in the Qwest SOP. The end time is when, confirming that the order has been posted in the CRIS billing system, the electronic billing completion notice is made available to the CLEC via the same ordering interface (IMA-GUI or IMA-EDI) as used to submit the LSR.
- Intervals counted in the numerator of these measurements are those that are five business days or less.

PO-7C:

- This measurement includes all retail orders posted in the CRIS Billing system in the reporting period, subject to exclusions shown below.
- Intervals used in this measurement are from the time an order is completed in the SOP to the time it is posted in the CRIS billing system.
- The start time is when the completion of the order is posted in the SOP. The end time is when the order is posted in the CRIS billing system.
- Intervals counted in the numerator of this measurement are those that are five business days or less.

Reporting Period: One month		Unit of Measure: Percent	
PO-7A and aggregate a results.	Comparisons: -7B: CLEC and individual CLEC	 Disaggregation Reporting: Statewide level. PO-7A Notices made available via IMA-GUI PO-7B Notices transmitted via IMA-EDI PO-7C Billing system posting completions for Qwest Retail 	
Formula: For wholes PO-7A = PO-7B =	(Number of electro within five busines billing completion (Number of electro within five busines	est generates for LSRs received via IMA: onic billing completion notices in the reporting period made available as days of posting complete in the SOP) ÷ (Total Number of electronic notices made available during the reporting period) onic billing completion notices in the reporting period transmitted as days of posting complete in the SOP) ÷ (Total Number of electronic notices transmitted during the reporting period)	
For service	orders Qwest genera	tes for retail customers (i.e., the retail analogue for PO-7A & -7B):	

For service or	ders Qwest generates for retail customers (i.e., the retail analogue for PO-7A & -7B):
PO-7C =	(Total number of retail service orders posted in the CRIS billing system in the reporting
	period that were posted within 5 business days) ÷ (Total number of retail service orders
	posted in the CRIS billing system in the reporting period)

PO-7 – Billing Completion Notification Timeliness (continued)

Exclusions: PO-7A, 7B & 7C • Services that are not billed th • Records with invalid complet PO-7A & 7B • LSRs submitted manually. • ASRs submitted via EXACT.	ion dates.	ame Relay.
Product Reporting: Aggregate reporting for all prod GUI and, separately, IMA-EDI (reporting).		Standard: PO-7A and -7B: Parity with PO-7C
Availability: Available	Notes:	- L

PO-8 – Jeopardy Notice Interval

Purpose:

Evaluates the timeliness of jeopardy notifications, focusing on how far in advance of original due dates jeopardy notifications are provided to CLECs (regardless of whether the due date was actually missed).

Description:

Measures the average time lapsed between the date the customer is first notified of an order jeopardy event and the original due date of the order.

Reporting Period: One month	Unit of Measure: Average Business days
Reporting Comparisons : CLEC aggregate, individual CLEC and Qwest Retail results	Disaggregation Reporting: Statewide level. (This measure is reported by jeopardy notification process as used for the categories shown under Product Reporting.)

Formula:

 $[\Sigma(Date of the original due date of orders completed in the reporting period that received jeopardy notification – Date of the first jeopardy notification) ÷ Total orders completed in the reporting period that received jeopardy notification]$

Exclusions:

- Jeopardies done after the original due date is past.
- Records involving official company services.
- Records with invalid due dates or application dates.
- Records with invalid completion dates.
- Records with invalid product codes.
- Records missing data essential to the calculation of the measurement per the PID.

 Records missing data essential to the calculation of the medsurement per the rise. 			
Product Reporting:	Standards:		
A Non-Designed Services	A Parity with Retail POTS		
B Unbundled Loops (with or without Number Portability)	B Parity with Retail POTS		
C LIS Trunks	C Parity with Feature Group D (FGD) services		
D UNE-P (POTS)	D Parity with Retail POTS		
Availability:	Notes:		
Available	1. For PO-8A and -D, Saturday is counted as a business day for all non-dispatched orders for Resale Residence, Resale Business, and UNE-P (POTS), as well as for the retail analogues specified above as standards. For dispatched orders for Resale Residence, Resale Business, and UNE-P (POTS) and for all other products reported under PO-8B and -8C, Saturday is counted as a business day when the service order is due on Saturday.		

PO-9 – Timely Jeopardy Notices

Purpose:

When original due dates are missed, measures the extent to which Qwest notifies customers in advance of jeopardized due dates.

Description:

Measures the percentage of late orders for which advance jeopardy notification is provided.

- Includes all inward orders (Change, New, and Transfer order types) assigned a due date by Qwest and which are completed/closed in the reporting period that missed the original due date. Change order types included in this measurement consist of all C orders representing <u>inward</u> <u>activity</u>.
- Missed due date orders with jeopardy notifications provided on or after the original due date is past will be counted in the denominator of the formula but will not be counted in the numerator.

Disaggregation Reporting: Statewide level.
(This measure is reported by jeopardy notification process as
used for the categories shown under Product Reporting.)

Unit of Measure: Percent

Formula:

[(Total missed due date orders completed in the reporting period that received jeopardy notification in advance of original due date) \div (Total number of missed due date orders completed in the reporting period)] x 100

Exclusions:

- Orders missed for customer reasons.
- Records with invalid product codes.

Reporting Period: One month

- Records involving official company services.
- Records with invalid due dates or application dates.
- Records with invalid completion dates.
- Records with invalid product codes.
- Records missing data essential to the calculation of the measurement per the PID.

Product Reporting:	Standards:
A Non-Designed Services	A Parity with Retail POTS
B Unbundled Loops (with or without Number Portability)	B Parity with Retail POTS
C LIS Trunks	C Parity with Feature Group D (FGD) Services
D UNE-P (POTS)	D Parity with Retail POTS
Availability: Available	Notes:

PO-15 – Number of Due Date Changes per Order

Purpose: To evaluate the extent to which Qwest changes due dates on orders. **Description:** Measures the average number of Qwest due date changes per order. Includes all inward orders (Change, New, and Transfer order types) that have been assigned a due date in the reporting period subject to the exclusions below. Change order types for additional lines consist of all "C" orders representing inward activity. Counts all due date changes made for Qwest reasons following assignment of the original due date. Reporting Period: One month Unit of Measure: Average Number of Due Date Changes **Reporting Comparisons:** Disaggregation Reporting: Statewide level. CLEC aggregate, individual CLEC, and Qwest retail results. Formula: Σ (Count of Qwest due date changes on all orders) ÷ (Total orders in reporting period) **Exclusions:** · Customer requested due date changes. Records involving official company services. • Records with invalid due dates or application dates. Records with invalid product codes. • ٠ Records missing data essential to the calculation of the measurement per the PID. **Product Reporting:** Standard: None Diagnostic Availability: Notes: Available

PO-16 – Timely Release Notifications

Purpose:

Measures the percent of release notifications for changes to specified OSS interfaces sent by Qwest to CLECs within the intervals and scope specified within the change management plan found on Qwest's Change Management Process, (CMP) website at http://www.qwest.com/wholesale/cmp/whatiscmp.html.

Description:

- Measures the percent of release notices that are sent by Qwest within the intervals/timeframes
 prescribed by the release notification procedure on Qwest's CMP website.
 - Release notices measured are:
 - Draft Technical Specifications (for App to App interfaces only);
 - Final Technical Specifications (for App to App interfaces only);
 - Draft Release Notices (for IMA-GUI interfaces only);
 - Final Release Notices (for IMA-GUI interfaces only); and
 - OSS Interface Retirement Notices. NOTE 2
 - For the following OSS interfaces:
 - IMA-GUI, IMA-EDI;
 - CEMR;
 - Exchange Access, Control, & Tracking (EXACT); NOTE 3
 - Electronic Bonding Trouble Administration (EB -TA); NOTE 4
 - IABS and CRIS Summary Bill Outputs: NOTE 5
 - Loss and Completion Records; Note 5
 - New OSS interfaces (for introduction notices only.)^{NOTE 6}
 - Also included are notifications for connectivity or system function changes to Resale Product Database.
 - Includes OSS interface release notifications by Qwest relating to the following products and service categories: LIS/Interconnection, Collocation, Unbundled Network Elements (UNE), Ancillary, and Resale Products and Services.
 - Includes OSS interface release notifications by Qwest to CLECs for the following OSS functions: Pre-Ordering, Ordering, Provisioning, Repair and Maintenance, and Billing.
 - Includes Types of Changes as specified in the "Qwest Wholesale Change Management Process Document" (Section 4 – Types of Changes).
 - Includes all OSS interface release notifications pertaining to the above OSS systems, subject to the exclusions specified below.
- Release Notifications sent on or before the date required by the CMP are considered timely. A
 release notification "sent date" is determined by the date of the e-mail sent by Qwest that provides the
 Release Notification.
- Release Notifications sent after the date required by the (CMP) are considered untimely. Release Notifications required but not sent are considered untimely.

Reporting Period: One month	Unit of Measure: Percent
Reporting Comparisons: CLEC Aggregate	Disaggregation Reporting: Region-wide level.
Formula:	

Formula:

[(Number of required release notifications for specified OSS interface changes made within the reporting period that are sent on or before the date required by the change management plan (CMP) ÷ Total number of required release notifications for specified OSS interface changes within reporting period)]x100

Exclusions:

- Changes to be implemented on an expedited basis (exception to OSS notification intervals) as mutually agreed upon by CLECs and Qwest through the CMP.
- Changes where Qwest and CLECs agree, through the CMP, that notification is unnecessary.

PO-16 Timely Release Notifications (continued)

Product Reporting:	None	Standards:
		Vol. 1-10: No more than one
		untimely notification
		Vol. > 10: 92.5% timely notifications
Available	otes:	
1. 2.	intervals for release notific documented in the change The documents described Interfaces" of the "Qwest"	in section "9.0 – Retirement of Existing OSS Wholesale Change Management Process Document"
3.	EXACT is a Telecordia sy	ce" and "Final Retirement Notice." stem. Only release notifications for changes initiated connectivity will be included in this measurement.
5.	CRIS, IABS, and Loss and	Completions will adhere to the notification intervals - Changes to Existing Application to Application
6.	the "Qwest Wholesale Ch Release Announcement a only), "Initial Interface Tec Interface Technical Specif (new GUI only). CMP not in this measurement even "Description" section of th not be added to the meas	in section "7.0 – Introduction of New OSS Interface" of ange Management Process Document" as "Initial nd Preliminary Implementation Plan" (new App to App hnical Specification" (new App to App only), "Final fications (new App to App only), "Release Notification" ices for "Introduction of a New OSS" are to be included though the new system is not explicitly listed in the is PID. However, once implemented, the system will urement for purposes of measuring release, change s unless specifically incorporated as an authorized
7.	The intervals used to dete	rmine timeliness are based on CMP guidelines.

PO-19 – Stand-Alone Test Environment (SATE) Accuracy

Purpose:

Evaluates Qwest's ability to provide accurate production-like tests to CLECs for testing new releases in the SATE and production environments and testing between releases in the SATE environment.

Description:

PO-19A

- Measures the percentage of test transactions that conform to the test scenarios published in the IMA EDI Data Document – for the Stand Alone Test Environment (SATE) that are successfully executed in SATE at the time a new IMA Release is deployed to SATE. In months where no release activity occurs, measures the percentage of test transactions that conform to the test scenarios published in the current IMA EDI Data Document-for the Stand Alone Test Environment (SATE) that are successfully executed in SATE during the between-releases monthly performance test.
- Includes one test transaction for each test scenario published in the IMA EDI Data Document for the Stand Alone Test Environment (SATE).
- Test transactions will be executed for each of the IMA releases supported in SATE utilizing all test scenarios for each of the current versions of the IMA EDI Data Document for the Stand Alone Test Environment (SATE).
- The successful execution of a transaction is determined by the Qwest Test Engineer according to:
 - The expected results of the test scenario as described in the IMA EDI Data Document for the Stand Alone Test Environment (SATE) and the EDI disclosure document.
 - The transactions strict adherence to business rules published in Qwest's most current IMA EDI Disclosure Documentation for each release and the associated Addenda.
- For this measurement, Qwest will execute the test transactions in the Stand-Alone Test Environment.
 - Release related test transactions will be executed when a full or point release of IMA is installed in SATE. These transactions will be executed within five <u>business days</u> of the numbered release being originally installed in SATE. This five-business day period will be referred to as the "Testing Window."
 - Mid-release monthly performance test transactions will be executed in the months when no Testing Window for a release is completed. These transactions will be executed on the 15th, or the nearest working day to the 15th of the month, in the months when no release related test transactions are executed.
- Test transaction results will be reported by release and included in the Reporting Period during which the release transactions or mid-release test transactions are completed.

PO-19B

- Validates the extent that SATE mirrors production by measuring the percentage of IMA EDI test transactions that produce comparable results in SATE and in production.
 - Transactions counted as producing comparable results are those that return correctly formatted data and fields as specified in the release's EDI disclosure document and developer worksheets related to the IMA release being tested.
 - Comparability will be determined by evaluating the data and fields in each EDI message for the test transactions against the same data and fields for Preorder queries, LSRs, and Supplementals, and returned as Query Responses, Acknowledgements, Firm Order Confirmations (FOCs) for flow-through eligible products, and rejects.
- Test transactions are executed one time for each new major IMA release within 7 days after the IMA release.
 - Test transactions consist of a defined suite of Product/Activity combinations. Qwest's three regions will be represented.
 - Pre-order, Order, and Post-order transactions (FOCs for flow-through products) are included.
- With respect to the comparability of the structure and content of results from SATE and production environments, this measurement focuses only on the validity of the structure and the validity of the content, per developer worksheets and EID mapping examples distributed as part of release notifications.

Reporting Period:	Unit of Measure:	Percent	
PO-19A One month			
PO-19B: One month (for those months in			

PO-19 Stand-Alone Test Environment (SATE) Accuracy (continued)

which release-related test transactions are completed)					
Reporting Comparisons: None	Disaggregation Reporting: PO-19A – Reported separately for each release tested in the reporting period PO-19B None				
Formula:					
between-releases performance test complete transactions executed for each Software Rel the Reporting Period)] x 100 PO-19B [(Total number of completed IMA EDI test tra produce comparable results for each new ma	ATE test transactions executed for a Software Release or ed in the Reporting Period) ÷ (Total number of SATE test ease or between-releases performance test completed ir ansactions executed in SATE and production that ajor IMA Software Release completed in the Reporting DI test transactions executed in SATE and production for pleted in the Reporting Period)] x 100				
 production environment) or a function in the validation query or CSR query) that is unsue IMA-EDI (e.g., PREMIS or SIA). Transactions that fail because of differences an IMA candidate is implemented into IMA a an IMA candidate in a SATE release: e.g., feeclusion does not apply during reporting peeches. 	ty of a content item (e.g., TN exhaustion in SATE or the SATE or production environments (e.g., address ccessful due to an outage in systems that interface with s between the production and SATE results caused when and not SATE (i.e., where CMP decides not to implement the Reject Duplicate LSR candidate in IMA 12.0). This eriods in which there are no differences between releases packaged pursuant to CMP decisions. Standard:				
	PO-19A – 95% for each release tested PO-19B – 95%				
Availability: Available	 Notes: 1. Transactions that are executed and found to have inconsistencies with the data and format rules will be corrected and rerun. Rerun volumes will not be counted in the denominator for PO-19. Such corrections and re-executions are intended to enforce strict adherence to business rules published in Qwest's most current IMA EDI Data and Disclosure Documents. 2. The product and activity combinations that make up the test decks for PO-19B will be updated after each major IMA software release and provided to CLECs with the publication of IMA EDI Draft Interface Technical Specifications for the next major IMA software release as defined in the CMP process. All combinations with EDI transaction volumes > 100 in the previous 12-month period will be included in the test deck. 75 days prior to the 				

PO-19 Stand-Alone Test Environment (SATE) Accuracy (continued)

	3. The intent of this provision is to avoid including the effects of circumstances beyond the SATE environment that could cause differences in SATE and production results that are not due to problems in mirroring production. For example, because of real-time data manipulation in production, an appointment availability query transaction in SATE will not return the same list of available appointments as in production. Available appointments in production are fully dependent on real-time activities that occur there, whereas available appointments in SATE are based on a pre- defined list that is representative of production.
--	---

PO-20 (Expanded) – Manual Service Order Accuracy

Purpose:

Evaluates the degree to which Qwest accurately processes CLECs' Local Service Requests (LSRs), which are electronically-submitted and manually processed by Qwest, into Qwest Service Orders, based on mechanized comparisons of specified LSR-Service Order fields and focusing on the percentage of manually-processed Service Orders that are accurate/error-free.

Description:

Measures the percentage of manually-processed Qwest Service Orders that are populated correctly, in specified data fields, with information obtained from CLEC LSRs.

- Includes only Service Orders created from CLEC LSRs that Qwest receives ^{NOTE 1} electronically (via IMA-GUI or IMA-EDI) and manually processes in the creation of Service Orders, regardless of flow through eligibility, subject to exclusions specified below.
- Includes only Service Orders, from the product reporting categories specified below, that request inward line or feature activity (Change, New, and Transfer order types), are assigned a due date by Qwest, and are completed/closed in the reporting period. Change Service Order types included in this measurement consist of all C orders with "I" and "T" action-coded line or feature USOCs.
- All Service Orders satisfying the above criteria and as specified in the Availability section below are evaluated in this measurement.
- An inward line Service Order will be classified as "accurate" and thus counted in the numerator in the formula below when the mechanized comparisons of this measurement determine that the fields specified in the Service Order Fields Evaluated section below (when the source fields have been properly populated on the LSR) are all accurate on the Service Order. An inward feature Service Order will be classified as "accurate" if the fields specified in the Service Order Fields Evaluated section below (when the source fields have been properly populated on the LSR) are all accurate on the Service Order and if no CLEC notifications to the call center have generated call center tickets coded to LSR/SO mismatch for that order.
 - Service Orders will be counted as being accurate if the contents of the relevant fields, as recorded in the completed Service Orders involved in provisioning the service, properly match or correspond to the information from the specified fields as provided in the latest version of associated LSRs.
 - Service orders generated from LSRs receiving a PIA (Provider Initiated Activity value will be counted as being accurate if each and every mismatch has a correct and corresponding PIA value.
 - Service Orders, including those otherwise considered accurate under the above-described mechanized field comparison, will not be counted as accurate if Qwest corrects errors in its Service Order(s) as a result of contacts received from CLECs no earlier than one business day prior to the original due date.

Reporting Period: One month, reported in arrears (i.e., results first appear in reports one month later than results for measurements that are not reported in arrears), in order to exclude Service Orders that are the subject of call center tickets counted in OP-5B and OP-5T, as having new service problems attributed to Service Order errors.	Unit of Measure: Percent
Reporting Comparisons:	Disaggregation Reporting:
CLEC Aggregate and individual CLEC	Statewide Level

[(Number of accurate, evaluated Service Orders) \div (Number of evaluated Service Orders completed in the reporting period)] x 100

			-		
Ex	clusions:				
•	Service Orders that are the subject of call center service problems attributed to Service Order erro	tickets o rs.	ount	ed in OP-5B and OP-5	Γ as having new
•	Cancelled Service Orders.				
•	Service Orders that cannot be matched to a corre				
•	Records missing data essential to the calculation	of the n	neas	urement per the PID.	
Pre	oduct Reporting:			Standard:	
•	Resale and UNE-P (POTS and Centrex 21)	Benchmarks, as follows:			
	Capable, DS3 and higher Capable, ADSL Compa- XDSL-I Capable, ISDN-BRI Capable)	tible,		Phase 1	97%
				Phase 2	96%
			ľ	Phase 3 & beyond	95%
Av	ailability:	Notes			I
•	Phase 0 – PO-20 (Old) (the first version using sampling of limited fields). (Available now) Phase 1 ^{NOTE 2} – PO-20 (Expanded) Mechanized version (as defined herein). All qualifying orders associated with initial LSRs received via IMA version 15.0 or higher beginning with May 2004 data reported in Jul 04. Phase 2 – Additional fields added. No later than Sep 04 results reported in Nov 04 Phase 3– Additional fields added. Targeted for 1 st Quarter 05	Or rec IM 2. Ph qu ca	ders ceive A-GL ase alifyii tegor	ncluded in the measure created from CLEC LS d and completed in the JI or IMA-EDI. 1: Consists of all manua ng Service Orders per p y specified above, from s 14-state local service	Rs must be same version of ally-processed, product reporting throughout
•	Phase 4 – Additional fields added. (Date TBD).				

<u>LSR-Service Order Fields Evaluated</u> Phase 1 – (Effective with LSRs received beginning May 2004)					
Form	LSR Field Code	LSR Field Name	Remarks/Service Order Field:		
LSR	CCNA	Customer Carrier Name Abbreviation	CCNA field of LSR form compared to the RSID/ZCID field identifier in the Extended ID section of the Service Order.		
	PON	Purchase Order Number	PON field of LSR form compared to the PON field in Bill Section of the Service Order.		
	D/TSENT	Date and time sent	The D/TSENT field of LSR form from the Firm Order Manager, using applied business day cut-off rules and business typing rules, and compare to the APP (Application Date) used on the Service Order.		
	CHC	Coordinated Hot Cut Requested	Applies only to Unbundled Loop. Validate that the installation USOC used on the Service Order matches the Coordinated Cut request. (Evaluated in conjunction with the TEST field to determine correct USOC.)		
	TEST	Testing required	Applies only to Unbundled Loop. Validate that the installation USOC used on the Service Order matches the TEST request. (Evaluated in conjunction with the CHC field to determine correct USOC.)		
	NC	Network Channel Code	Applies only to Unbundled Loop. NC field on the LSR form compared to provisioning USOC for CKL1 on the Service Order.		

LSR-Service Order Fields Evaluated					
	Phase 1 – (Effective with LSRs received beginning May 2004)				
	Mechani	zed comparison of	the fields from the Service Order to the LSR:		
Form	LSR Field Code	LSR Field Name	Remarks/Service Order Field:		
	NCI	Network Channel Interface Code	Applies only to Unbundled Loop NCI field on the LSR form compared to provisioning USOC for CKL1 on the Service Order.		
	SECNCI	Secondary Network Channel Interface Code	Applies only to Unbundled Loop orders. SECNCI field on the LSR form compared to the provisioning USOC for CKL2 on the Service Order.		
	PIC	InterLATA Pre- subscription Indicator Code	PIC field on Resale or Centrex form compared to PIC populated on the "I" or "T" action lines in the Service and Equipment section of the Service Order. <i>Note:</i> LSR PIC = None; S.O. PIC = None		
Resale or Centrex	LPIC	IntraLATA Pre- subscription Indicator Code	LPIC field on Resale or Centrex form compared to LPIC populated on the "I" or "T" action lines in the Service and Equipment section of the Service Order. <i>Note:</i> LSR LPIC = None; S.O. LPIC = 9199 LSR LPIC = DFLT; S.O. LPIC = 5123		
	TNS	Telephone Numbers	Validate that all telephone numbers in the TNS fields in the Service Details section on the Resale or Centrex form requiring inward activity are addressed on the Service Order.		
Resale or Centrex	FA/ FEATURE	Feature Activity/Feature Codes	When the FA = N, T, V Validate line and feature USOCs provided in the FEATURE field on the Resale or Centrex form are addressed with "I" and/or "T" action lines on the Service Order. Note: Comparison will be based on the USOCs associated with line and feature activity listed in the PO-20 USOC List posted on Qwest's public website, on the web page containing the current PID www.qwest.com/wholesale/results). Qwest may add USOCs to the list, delete grand-fathered/ discontinued or obsolete USOCs, or update USOCs assigned to listed descriptions by providing notice in the monthly Summary of Notes and updating the list.		

Phase 1 – (Effective with LSRs received beginning May 2004)			
	Mechan	zed comparison of	the fields from the Service Order to the LSR:
Form	LSR Field Code	LSR Field Name	Remarks/Service Order Field:
LS	ECCKT	Exchange Company Circuit ID	Applies to LSRs with ACT = C (only when NC code has not changed, M, or T. ECCKT field on the LS form compared to the CLS field in the Service and Equipment section of the Service Order.
LS/ LSNP	CFA	Connecting Facility Assignment	CFA field on the LS or LSNP forms compared to the CFA field used in CKL1 of the Service Order. (Verbal acceptance of CFA changes will be FOC'd and PIA'd, which will account for the mismatch and eliminate it as an error in the PO-20 calculation.
DL – Directory Listings form (Evaluated only for Local Main Listings)	LTY	Listing Type	LTY = 1 (Listed – appears in DA and the directory.) Validate that there is a LN in the List section of the Service Order. LTY = 2 (Non Listed – appears only in DA.) Validate that there is non listing instructions in the LN field in the List section of the Service Order. Central/Western Region: Validate that the left handed field is NLST and (NON-LIST) is contained in the NLST data field in the List section of the Service order. Eastern Region: Validate that the left handed field is NL and (NON LIST) is contained in the NL data field in the List section of the Service Order. LTY = 3 (Non Pub - does not appear in the directory and telephone number does not appear in DA.) Validate that there is non published instructions in the LN field in the List section of the Service Order. Central/Western Regions: Validate that the left handed field is NP and (NON-PUB) is contained in the NP data field in the List section of the Service Order. Central/Western Regions: Validate that the left handed field is NP and (NON-PUB) is contained in the NP data field in the List section of the Service Order. Eastern Region: Validate that the left handed field is NP and (NON-PUB) is contained in the NP data field in the List section of the Service Order.
	ΤΟΑ	Type of Account	 Validate TOA entries (only reviewed when BRO field on DL form is not populated): TOA valid entries are B or RP Validate that there is a semi colon (;) within the LN in the List section of the Service Order. TOA valid entries are R or BP Validate that there is a comma (,) within the LN in the List section of the Service Order. Exception: When LSR-TOS = 3, TOA review is Not Applicable. Handled by Complex Listing Group. Requires separate Service Order.
	DML NOSL	Direct Mail List No Solicitation Indicator	DML field = O on DL form; Service Order LN contains (OCLS). Arizona Only NOSL field = Y on DL form; Service Order LN contains (NSOL) (OCLS).
Qwest Ore	gon SGAT Ei	ghteenth Revised Ex	hibit B November 24, 2004 Page 31

	LSR-Service Order Fields Evaluated				
	Phase 1 – (Effective with LSRs received beginning May 2004)				
	Mechani	zed comparison of	the fields from the Service Order to the LSR:		
Form	LSR Field Code	LSR Field Name	Remarks/Service Order Field:		
	ТМКТ	Telemarketing	Colorado Only TMKT field = O on DL form; Service Order LN contains (OATD). When both the DML and the TMKT fields are populated, DML validation applies.		
	LNLN and LNFN	Listed Name	LNLN and LNFN fields on DL form compared to the LN field in the List section of the Service Order.		
	ADI	Address Indicator	ADI = O on DL form; Service Order LA contains (OAD).		
	LAPR	Listed Address Number Prefix	LAPR field of the Listing form compared to LA in the List section of the Service Order.		
	LANO	Listed Address Number	LANO field of the Listing form compared to LA in the List section of the Service Order.		
	LASF	Listed Address Number Suffix	LASF field of the Listing form compared to LA in the List section of the Service Order.		
	LASD	Listed Address Street Directional	LASD field of the Listing form compared to LA in the List section of the Service Order.		
	LASN	Listed Address Street Name	LASN field of the Listing form compared to LA in the List section of the Service Order.		
	LATH	Listed Address Street Type	LATH field of the Listing form compared to LA in the List section of the Service Order.		
	LASS	Listed Address Street Directional Suffix	LASS field of the Listing form compared to LA in the List section of the Service Order.		
	LALOC	Listed Address Locality	LALOC field of the Listing form compared to LA in the List section of the Service Order.		

	Phase 2 – No later than Sep 04 results				
	LSR-Service Order Fields Evaluated				
	Mechanized comparison of the fields from the Service Order to the LSR:				
Form	LSR Field Code	LSR Field Name	Remarks/Service Order Field:		
LSR	DSPTCH	Dispatch	Limited to Unbundled Loops where ACT = Z or V only. If DSPTCH field on the LSR form = Y, validate dispatch USOC in the Service and Equipment section of the Service Order.		
Centrex	LTC	Line Treatment Code	Applies only to Centrex 21 LTC field numeric value on the Centrex form compared to the data following the CAT field for the Line USOC on the Service Order.		
	COS	Class of Service – Qwest Specific	Applies only to Centrex 21. COS field of the Centrex form compared to the CS field in the ID section of the Service Order.		

Phase 2 – No later than Sep 04 results				
	LSR-Service Order Fields Evaluated			
	Mechan		the fields from the Service Order to the LSR:	
Form	LSR Field Code	LSR Field Name	Remarks/Service Order Field:	
Resale or Centrex	FEATURE DETAILS	Feature Details	As specified in Appendix A of the 14 State Working PID. Comparison would be based on the fields associated with the USOC list referenced under Feature Activity in Phase 1 above.	
		Phase 3 – ⁻	Targeted for 1 st Quarter 05	
			ce Order Fields Evaluated	
	Mechan	zed comparison of	the fields from the Service Order to the LSR:	
Form	LSR Field Code	LSR Field Name	Remarks/Service Order Field:	
Resale or Centrex	BLOCK (Stage 1)	Blocking Type	 For each LNUM provided in the Service Detail section of the Resale or Centrex form when BA = E: Note: The BLOCK field may have one or more alpha and/or numeric values per LNUM. This review will only validate based on BA/BLOCK fields and will not address blocking information provided in the "Remark" section on the LSR or the Feature Detail section of the LSR. The values listed below will be considered as follows: If BLOCK contains A, validate FID TBE A is present on the service order floated behind line USOC associated with the TNS for that LNUM. If BLOCK contains B, validate FID TBE B is present on the service order floated behind line USOC associated with the TNS for that LNUM. If BLOCK contains C, validate FID TBE C is present on the service order floated behind line USOC associated with the TNS for that LNUM. If BLOCK contains H, validate FID TBE C is present on the service order floated behind line USOC associated with the TNS for that LNUM. If BLOCK contains H, validate FID TBE C is present on the service order floated behind line USOC associated with the TNS for that LNUM. 	

	Phase 4 – Date TBD				
	LSR-Service Order Fields Evaluated				
	Mechanized comparison of the fields from the Service Order to the LSR:				
Form	LSR Field Code	LSR Field Name	Remarks/Service Order Field:		
LSR	DFDT	Desired Frame Due Time	Applicable only to orders for Resale and UNE-P (POTS and Centrex 21) DFDT field on the LSR form compared to the FDT field in the Extended ID section of the Service Order.		
	DDD	Desired Due Date	DDD field from the last FOC'd LSR compared to the original or last subsequent due date in the Extended ID section on the Service Order when no CFLAG/PIA is present on the FOC. (i.e. Evaluation includes recognition of valid differences between DDD and Service Order based on population of the CFLAG/PIA field on the LSRC (FOC))		
DL – Directory Listings form (Evaluated only for Local Main Listings)	LTN	Listed Telephone Number	For Resale and UNE-P (POTS and Centrex 21): LTN field on the Listing form compared to the Main Account Number of the Service Order. For Unbundled Loop: LTN field on the Listing form compared to the TN floated after the LN in the Listing section of the Service Order.		
DL - I (Ev.		Letter Name Placement	LNPL field on the Listing form = L, validate that LN on the Service Order follows letter placement versus word placement.		
Resale or Centrex	FEATURE DETAILS	Feature Details	If CLECs propose additional FIDs for review, Qwest will undertake a feasibility evaluation.		
	BLOCK (Stage 2)	Blocking Type	If CLECs identify value in additional Blocking review, Qwest will undertake development. [Requirements to be developed]		

OP-2 – Calls Answered within Twenty Seconds – Interconnect Provisioning Center

Purpose:

Evaluates the timeliness of CLEC access to Qwest's interconnection provisioning center(s) and retail customer access to the Business Office, focusing on the extent calls are answered within 20 seconds. **Description**:

Measures the percentage of (Interconnection Provisioning Center or Retail Business Office) calls that are answered by an agent within 20 seconds of the first ring.

- Includes all calls to the Interconnect Provisioning Center/Retail Business Office during the reporting period, subject to exclusions specified below.
- Abandoned calls and busy calls are counted as calls which are not answered within 20 seconds.
- First ring is defined as when the customer's call is first placed in queue by the ACD (Automatic Call Distributor).
- Answer is defined as when the call is first picked up by the Qwest agent.

Reporting Period: One month	Unit of Measure: Percent
Reporting Comparisons: CLEC aggregate and Qwest Retail results	Disaggregation Reporting: Region-wide level.
Formula:	
[(Total Calls Answered by Center within 20 seconds	s) ÷ (Total Calls received by Center)] x 100
Exclusions: Time spent in the VRU Voice Respons	se Unit is not counted.
Product Reporting: Not applicable	Standard: Parity
Availability:	Notes:
Available	

OP-3 – Installation Commitments Met

Purpose:

Evaluates the extent to which Qwest installs services for Customers by the scheduled due date.

Description:

Measures the percentage of orders for which the scheduled due date is met.

- All inward orders (Change, New, and Transfer order types) assigned a due date by Qwest and which are completed/closed during the reporting period are measured, subject to exclusions specified below. Change order types included in this measurement consist of all C orders representing <u>inward activity</u>. Also included are orders with customer-requested due dates longer than the standard interval.
- Completion date on or before the Applicable Due Date recorded by Qwest is counted as a met due
 date. The Applicable Due Date is the original due date or, if changed or delayed by the customer,
 the most recently revised due date, subject to the following: If Qwest changes a due date for Qwest
 reasons, the Applicable Due Date is the customer-initiated due date, if any, that is (a) subsequent to
 the original due date and (b) prior to a Qwest-initiated, changed due date, if any.

Reporting Period: One month		Unit of Measure: Percent	
Reporting Comparisons: CLEC aggregate, individual CLEC and Qwest Retail results	 Disaggregation" will be r OP-3A Dispatches OP-3B Dispatches OP-3C No dispatches Results for products/service 	ces listed in Product Reporting under " <u>MSA</u> -Type eported according to orders involving: within MSAs; butside MSAs; and es. vices listed in Product Reporting under "Zone-type lisaggregated according to installations: <u>one 1</u> areas; and	
	leted in the reporting period on	or before the Applicable Due Date) ÷ (Total Orders	

- Disconnect, From (another form of disconnect) and Record order types.
- Due dates missed for standard categories of customer and non-Qwest reasons. Standard categories of customer reasons are: previous service at the location did not have a customer-requested disconnect order issued, no access to customer premises, and customer hold for payment. Standard categories of non-Qwest reasons are: Weather, Disaster, and Work Stoppage.
- · Records involving official company services.
- Records with invalid due dates or <u>application dates</u>.
- Records with invalid completion dates.
- Records with invalid product codes.
- Records missing data essential to the calculation of the measurement per the PID.

OP – 3 Installation Commitments Met (continued)

Product Reporting:	Standards:
ISA-Type Disaggregation -	
Resale	
Residential single line service	Parity with retail service
Business single line service	Parity with retail service
Centrex	Parity with retail service
Centrex 21	Parity with retail service
DS0 (non-designed provisioning)	Parity with retail service
PBX Trunks (non-designed provisioning)	Parity with retail service
Primary ISDN (non-designed provisioning)	Parity with retail service
Basic ISDN (non-designed provisioning)	Parity with retail service
Qwest DSL (non-designed provisioning)	Parity with retail service
 Unbundled Network Element – Platform (UNE-P) (POTS) 	Parity with like retail service
 Unbundled Network Element – Platform (UNE-P) (Centrex 21) 	Parity with retail Centrex 21
 Unbundled Network Element – Platform (UNE-P) (Centrex) 	Parity with retail Centrex
Line Splitting	95%
Loop Splitting NOTE 1	Diagnostic
Line Sharing	95%
Sub-Loop Unbundling	CO : 90%
· · · · · · · · · · · · · · · · · · ·	All Other States: Diagnostic
Cone-Type Disaggregation -	
Resale	
Primary ISDN (designed provisioning)	Parity with retail service
Basic ISDN (designed provisioning)	Parity with retail service
DS0 (designed provisioning)	Parity with retail service
DS1	Parity with retail service
PBX Trunks (designed provisioning)	Parity with retail service
Qwest DSL (designed provisioning)	Parity with retail service
DS3 and higher bit-rate services	Parity with retail service
(aggregate)	
Frame Relay	Parity with retail service
LIS Trunks	Parity with Feature Group D (aggregate)
 Unbundled Dedicated Interoffice Transport (UD 	
UDIT – DS1 level	Parity with retail DS1 Private Line
UDIT – Above DS1 level	Parity with retail Private Lines above DS1 level
Dark Fiber – IOF	Diagnostic
Unbundled Loops:	<u> </u>
Analog Loop	90%
Non-loaded Loop (2-wire)	90%
Non-loaded Loop (2-wire)	Parity with retail DS1 Private Line
DS1-capable Loop	Parity with retail DS1 Private Line
xDSL-I capable Loop	90%
	Parity with retail ISDN BRI
ISDIN-Capable Loop	
ISDN-capable Loop ADSL-qualified Loop	90%
ADSL-qualified Loop	90% Parity with retail DS3 and higher bit-rate Private
ADSL-qualified Loop Loop types of DS3 and higher bit-rates	Parity with retail DS3 and higher bit-rate Private
ADSL-qualified Loop Loop types of DS3 and higher bit-rates (aggregate)	Parity with retail DS3 and higher bit-rate Private Line services (aggregate)
ADSL-qualified Loop Loop types of DS3 and higher bit-rates	Parity with retail DS3 and higher bit-rate Private

OP – 3 Installation Commitments Met (continued)

 Enhanced Extended Loops (EELs) – (DS0 level) 		WA : 90%	
		All Other States: Diagnostic	
 Enhanced Ex level) 	tended Loops (EELs) – (DS1	90%	
Enhanced Extended Loops (EELs) – (DS3		WA : 90%	
level)		All Other States: Diagnostic	
Availability: Available	 Notes: 1. Reporting will begin at the three consecutive monthered by the security of the sec	porting will begin at the time CLECs order the product, in any quantity, fo	

OP-4 – Installation Interval

Purpose:

Evaluates the timeliness of Qwest's installation of services for customers, focusing on the average time to install service.

Description:

Measures the average interval (in <u>business days</u>)^{NOTE 1} between the <u>application date</u> and the completion date for service orders accepted and implemented.

- Includes all inward orders (Change, New, and Transfer order types) assigned a due date by Qwest and which are completed/closed during the reporting period, subject to exclusions specified below. Change order types for additional lines consist of all C orders representing inward activity.
- Intervals for each measured event are counted in whole days: the application date is day zero (0); the day following the application date is day one (1).
- The Applicable Due Date is the original due date or, if changed or delayed by the customer, the most recently revised due date, subject to the following: If Qwest changes a due date for Qwest reasons, the Applicable Due Date is the customer-initiated due date, if any, that is (a) subsequent to the original due date and (b) prior to a Qwest-initiated, changed due date, if any.
- Time intervals associated with customer-initiated due date changes or delays occurring after the Applicable Due Date, as applied in the formula below, are calculated by subtracting the latest Qwest-initiated due date, if any, following the Applicable Due Date, from the subsequent customer-initiated due date, if any.

Reporting Period: One month		Unit of Measure: Average Business Days	
Reporting Comparisons: CLEC aggregate, individual CLEC and Qwest Retail results	Disaggregation" will be OP-4A Dispatches OP-4B Dispatches OP-4C No dispatc • Results for products/se	vices listed in Product Reporting under " <u>MSA</u> -Type reported according to orders involving: s within MSAs; s outside MSAs; and hes. ervices listed in Product Reporting under "Zone-type disaggregated according to installations: <u>Zone 1</u> areas; and	

Formula:

 Σ [(Order Completion Date) – (Order Application Date) – (Time interval between the Original Due Date and the Applicable Date) – (Time intervals associated with customer-initiated due date changes or delays occurring after the Applicable Due Date)] ÷ Total Number of Orders Completed in the reporting period

Explanation: The average installation interval is derived by dividing the sum of installation intervals for all orders (in business days)^{NOTE 1} by total number of service orders completed in the reporting period. **Exclusions:**

- Orders with customer requested due dates greater than the current standard interval.
- Disconnect, From (another form of disconnect) and Record order types.
- Records involving official company services.
- Records with invalid due dates or application dates.
- Records with invalid completion dates.
- Records with invalid product codes.
- Records missing data essential to the calculation of the measurement per the PID.

OP-4 – Installation Interval (continued)

roduct Reporting:	Standards:
ISA-Type Disaggregation -	l
Resale	I
Residential single line service	Parity with retail service
Business single line service	Parity with retail service
Centrex	Parity with retail service
Centrex 21	Parity with retail service
DS0 (non-designed provisioning)	Parity with retail service
PBX Trunks (non-designed provisioning)	Parity with retail service
Primary ISDN (non-designed provisioning)	Parity with retail service
Basic ISDN (non-designed provisioning)	Parity with retail service
Qwest DSL (non-designed provisioning)	Parity with retail service
 Unbundled Network Element – Platform (UNE-P) (POTS) 	Parity with like retail service
 Unbundled Network Element – Platform (UNE-P) (Centrex 21) 	Parity with retail Centrex 21
 Unbundled Network Element – Platform (UNE-P) (Centrex) 	Parity with retail Centrex
Line Splitting	3.3 days
 Loop Splitting NOTE 3 	Diagnostic
Line Sharing	3.3 days
Sub-Loop Unbundling	CO: 6 days
Sub-Eoop onbunding	All Other States: Diagnostic
one-Type Disaggregation -	An other otates: Diagnostic
Resale	
Primary ISDN (designed provisioning)	Parity with retail service
Basic ISDN (designed provisioning)	Parity with retail service
DS0 (designed provisioning)	Parity with retail service
DS0 (designed provisioning)	Parity with retail service
PBX Trunks (designed provisioning)	Parity with retail service
Qwest DSL (designed provisioning)	Parity with retail service
DS3 and higher bit-rate services (aggregate)	Parity with retail service
Frame Relay	Parity with retail service
LIS Trunks	Parity with Feature Group D (aggregate)
Unbundled Dedicated Interoffice Transport (UD	
UDIT – DS1 level	Parity with DS1 Private Line Service
UDIT – Above DS1 level	Parity with Private Lines above DS1 level
Dark Fiber – IOF	Diagnostic
Unbundled Loops:	• •••
Analog Loop	6 days
Non-loaded Loop (2-wire)	6 days
Non-loaded Loop (4-wire)	Parity with retail DS1 Private Line
DS1-capable Loop	Idaho, Iowa, Montana, Nebraska, North Dakota, Oregon, Wyoming: Parity with retail DS1 Private Line
	Arizona, Colorado, Minnesota, New Mexico, South Dakota, Utah, Washington: 5.5 days
xDSL-I capable Loop	6 days
ISDN-capable Loop	Parity with retail ISDN BRI
ADSL-qualified Loop	6 days
Loop types of DS3 and higher bit-rates	Parity with retail DS3 and higher bit-rate service

Qwest Oregon SGAT Eighteenth Revised Exhibit B November 24, 2004

OP-4 – Installation Interval (continued)

Dark Fiber – Loop		Diagnostic
Loops with Conditioning		15 days
 E911/911 Trunks 		Parity with retail E911/911 Trunks
 Enhanced Extended Loops (EELs) – (DS0 level) 		Diagnostic
 Enhanced Extended Loo level) 	ps (EELs) – (DS1	6 days
Enhanced Extended Loo level)	ps (EELs) – (DS3	Diagnostic
Availability: Available	Resale Resident as for the retail a other products u -4D, and -4E. S service order is of 2. According to this per successive of to the point when that point, the Ap further changes) Qwest-initiated due changes or dela subtracted as int are calculated as cases where mu stated method for of Qwest-initiate initiated due date from each pairin summed and the result of this app are counted in th on intervals are 3. Reporting will be	urday is counted as a business day for all orders for ce, Resale Business, and UNE-P (POTS), as well analogues specified above as standards. For all under OP-4C and for all products under OP-4A, -4B, aturday is counted as a business day when the due or completed on Saturday. s definition, the Applicable Due Date can change, customer-initiated due date changes or delays, up n a Qwest-initiated due date change occurs. At pplicable Due Date becomes fixed (i.e., with no) as the date on which it was set prior to the first due date change, if any. Following the first Qwest- e change, any further customer-initiated due date ys are measured as time intervals that are dicated in the formula. These delay time intervals s stated in the description. (Though infrequent, in ultiple Qwest-initiated due date changes occur, the or calculating delay intervals is applied to each pair d due date change and subsequent customer- e change or delay. The intervals thus calculated g of Qwest and customer-initiated due dates are en subtracted as indicated in the formula.) The proach is that Qwest-initiated impacts on intervals not counted in the reported interval. egin at the time CLECs order the product, in any ee consecutive months.

OP-5 – New Service Quality

Purpose:

Evaluates the quality of ordering and installing new services (inward line service orders), focusing on the percentage of newly-installed service orders that are free of CLEC/customer-initiated trouble reports during the provisioning process and within 30 calendar days following installation completion, and focusing on the quality of Qwest's resolution of such conditions with respect to multiple reports.

Description:

Measures two components of new service provisioning quality (OP-5A and -5B) and also reports a combined result (OP-5T), as described below, each as a percentage of all inward line service orders completed in the reporting period that are free of CLEC/customer-reported provisioning and repair trouble reports, as described below. Also measures the percentage of all provisioning and repair trouble reports that constitute multiple trouble reports for the affected service orders. (OP-5R)

- Orders for new services considered in calculating all components of this performance indicator are all inward line service orders completed in the reporting period, including Change (C-type) orders for additional lines/circuits, subject to exclusions shown below. Change order types considered in these measurements consist of all C orders representing <u>inward activity</u>.
- Orders for new service installations include conversions (Retail to CLEC, CLEC to CLEC, and same CLEC converting between products).
- Provisioning or repair trouble reports include both out of service and other service affecting conditions, such as features on a line that are missing or do not function properly upon conversion, subject to exclusions shown below.

OP-5A: New Service Installation Quality Reported to Repair

- Measures the percentage of inward line service orders that are free of repair trouble reports NOTE 2 within 30 calendar days of installation completion, subject to exclusions below.
- Repair trouble reports are defined as CLEC/customer notifications to Qwest of out-of-service and other service affecting conditions for which Qwest opens repair tickets in its maintenance and repair management and tracking systems^{NOTE 3} that are closed in the reporting period or the following month, ^{NOTE 4} subject to exclusions shown below.^{NOTE 5}
- Qwest is able to open repair tickets for repair trouble reports received from CLECs/customers once the service order is completed in Qwest's systems.

OP-5B: New Service Provisioning Quality

- Measures the percentage of inward line service orders that are free of provisioning trouble reports during the provisioning process and within 30 calendar days of installation completion, subject to exclusions shown below.
- Provisioning trouble reports are defined as CLEC notifications to Qwest of out of service or other service affecting conditions that are attributable to provisioning activities, including but not limited to LSR/service order mismatches and conversion outages. For provisioning trouble reports, Qwest creates call center tickets in its call center database. Subject to exclusions shown below, call center tickets closed in the reporting period or the following month ^{NOTE 4} are captured in this measurement. Call center tickets closed to Network reasons will not be counted in OP-5B when a repair trouble report for that order is captured in OP-5A.

OP-5T: New Service Installation Quality Total

 Measures the percentage of inward line service orders that are free of repair or provisioning trouble reports during the provisioning process and within 30 calendar days of installation completion, subject to exclusion shown below.

OP-5R: New Service Quality Multiple Report Rate

- Evaluates the quality of Qwest's responses to repair and provisioning trouble reports for inward line service orders completed in the reporting period. This measurement reports, for those service orders that were *not* free of repair or provisioning trouble reports in OP-5A or OP-5B, the percentage of trouble reports affecting the same service orders that were followed by additional repair and provisioning trouble reports, as specified below.
- Measures the percentage of all repair and provisioning trouble reports considered in OP-5A and OP-5B that are additional repair or provisioning trouble reports received by Qwest for the same service order during the provisioning process or within 30 calendar days following installation

OP-5 – New Service Quality (continued)

completion.

 Additional repair or provisioning trouble reports are defined as all such reports that are received following the first report (whether the first report is represented by a call center ticket or a repair ticket) relating to the same service order during the provisioning process or within 30 calendar days following installation completion. In all cases, the trouble reports counted are those that are defined for OP-5A and OP-5B above.

IOI OF-JA and OF-JB above.	
Reporting Period: <u>One month</u> , reported in arrears (i.e., results first appear in reports one month later than results for measurements that are not reported in arrears), in order to cover the 30-day period following installation.	Unit of Measure: Percent
Reporting Comparisons: CLEC aggregate,Disaggregation Reportirindividual CLEC and Qwest Retail results	ig: Statewide level
Formulas: OP-5A = (Number inward line service orders completed in the reporting perior service orders with any <u>repair trouble reports</u> as specified above) ÷ a orders completed in the reporting period) x 100	
OP-5B = (Number of inward line service orders completed in the reporting person service orders with any <u>provisioning trouble reports</u> as specified abore service orders completed in the reporting period) x 100	
OP-5T = ([Number of inward line service orders completed in the reporting perservice orders with repair or provisioning trouble reports as defined as applicable) ÷ (Number of inward line service orders completed in	above under OP-5A or OP-5B,
OP-5R = (Number of all repair and provisioning trouble reports, relating to inw the reporting period as defined above under OP-5A or OP-5B, that of provisioning trouble reports, within 30 calendar days following the in repair and provisioning trouble reports relating to inward line service period, as defined above under OP-5A or OP-5B) x 100	constitute additional repair and stallation date ÷ Number of all
Exclusions:	
Applicable to OP-5A, OP-5T and OP-5R:	6 H
 Repair trouble reports attributable to CLEC or coded to non-Qwest reason For products measured from MTAS data, repair trouble reports coded Customer Action; Non-Telco Plant; Trouble Beyond the Network I Non-Dispatch, non-Qwest (includes CPE, Customer Instruction, C Reports from other than the CLEC/customer that result in a charg For products measured from WFA (Workforce Administration) data, re Carrier Action (IEC); Customer Provided Equipment (CPE); Comr requested service order activity; and Other non-Qwest. Repair reports coded to disposition codes for referral to another depair resolutions of non-installation-related problems, except cable cuts, wh 	to disposition codes for: nterface; and Miscellaneous – Carrier, Alternate Provider); and e if dispatched. epair reports coded to codes for: nercial power failure; Customer
Applicable to OP-5B, OP-5T and OP-5R only:	
 Provisioning trouble reports attributable to CLEC or non-Qwest causes. 	
 Call center tickets relating to activities that occur as part of the normal pro Qwest is actively and properly engaged in process of converting or installi trouble reports involving service orders that, at the time of the calls, have and been disassociated from the related service order, as applicable, will normal process of conversion and will not be excluded. Applicable to OP-5A, OP-5B, OP-5T and OP-5R: 	ng the service). Provisioning fallen out for manual handling
 Repair or provisioning trouble reports related to service orders captured a 	s misses under measurements
OP-13 (Coordinated Cuts Timeliness) or OP-17 (LNP Timeliness).	
 Subsequent repair or provisioning trouble reports of any trouble on the inst 	talled service before the

- Subsequent repair or provisioning trouble reports of any trouble on the installed service before the original repair or provisioning trouble report is closed.
- Service orders closed in the reporting period with App Dates earlier than eight months prior to the

Qwest Oregon SGAT Eighteenth Revised Exhibit B November 24, 2004

OP-5 – New Service Quality (continued)

beginning of the reporting period.

- Information tickets generated for internal Qwest system/network monitoring purposes.
- Disconnect, From (another form of disconnect) and Record order types. When out of service or service affecting problems are reported to the call center on conversion and move requests, the resulting call center ticket will be included in the calculation of the numerator in association with the related inward order type even when the call center ticket reflects the problem was caused by the Disconnect or From order.
- Records involving official Qwest company services.

Records missing data essential to the calculation of the measurement as defined herein.

Product Reporting Categories:	Standards:	
 As specified below – one 	OP-5A:	Parity with retail service
percentage result reported for each bulleted category under	OP-5B:	Diagnostic for six months following first reporting. After six months Benchmark (TBD)
the sub-measurements shown.	OP-5T:	Diagnostic
	OP-5R:	Diagnostic for six months following first reporting.
		Possible standard (TBD)
		y comparisons involve multiple service varieties in a
		gory, weighting based on the retail analogue volumes may
		ecessary to create a comparison that is not affected by
	different pro	portions of wholesale and retail analogue volumes in the
	same report	ing category.)

OF Pro

OP- 5 – New Service Qua	lity (continued)
Product Reporting:	Standards:
Reported under OP-5A, OP-5B	, OP-5T and OP-5R:

	<u>OP-5A</u>	<u>OP-5B</u>	<u>OP-5T &</u> OP-5R
Resale			
Residential single line service	Parity with retail service	96.5%	Diagnosti
Business single line service	Parity with retail service	96.5%	Diagnosti
Centrex	Parity with retail service	96.5%	Diagnosti
Centrex 21	Parity with retail service	96.5%	Diagnosti
PBX Trunks	Parity with retail service	96.5%	Diagnosti
Basic ISDN	Parity with retail service	96.5%	Diagnosti
Qwest DSL	Parity with retail service	96.5%	Diagnosti
Primary ISDN	Parity with retail service	96.5%	Diagnosti
DS0	Parity with retail service	96.5%	Diagnosti
DS1	Parity with retail service	96.5%	Diagnosti
DS3 and higher bit- rate services (aggregate)	Parity with retail service	96.5%	Diagnosti
Frame Relay	Parity with retail service	Diagnostic	Diagnosti
 Unbundled Network Element – Platform (UNE-P) (POTS) 	Parity with like retail service	96.5%	Diagnosti
 Unbundled Network Element – Platform (UNE-P) (Centrex 21) 	Parity with retail Centrex 21	96.5%	Diagnosti
 Unbundled Network Element – Platform (UNE-P) (Centrex) 	Parity with retail Centrex	96.5%	Diagnosti
Line Splitting	Parity with retail Qwest DSL	96.5%	Diagnosti
Loop Splitting NOTE 8	Diagnostic	Diagnostic	Diagnosti
Line Sharing	Parity with retail RES & BUS POTS	96.5%	Diagnosti
Sub-Loop Unbundling	Diagnostic	Diagnostic	Diagnosti
Unbundled Loops:			
Analog Loop	Parity with retail Res & Bus POTS with dispatch	96.5%	Diagnosti
Non-loaded Loop (2- wire)	Parity with retail ISDN BRI	96.5%	Diagnosti
Non-loaded Loop (4- wire)	Parity with retail DS1	96.5%	Diagnosti
DS1-capable Loop	Parity with retail DS1	96.5%	Diagnosti
xDSL-I capable Loop	Parity with retail Qwest DSL	96.5%	Diagnosti
ISDN-capable Loop	Parity with retail ISDN BRI	96.5%	Diagnosti
ADSL-qualified Loop	Parity with retail Qwest DSL with dispatch	96.5%	Diagnosti
Loop types of DS3 and higher bit-rates (aggregate)	Parity with retail DS3 and higher bit-rate services (aggregate)	96.5%	Diagnosti
Dark Fiber - Loop	Diagnostic	Diagnostic	Diagnosti

OP-5 – New Service Quality (continued)

	nded Loops	Diagnostic until volume	96.5%	Diagnostic
(EELs) – (DS0 I	evel)	criteria are met		
 Enhanced Exter (EELs) – (DS1 I 		Parity with retail DS1 Private Line	96.5%	Diagnostic
 Enhanced Externation (EELs) – (above level) 		Diagnostic until volume criteria are met	96.5%	Diagnostic
Reported under OI	-5A and un	der OP-5R (per OP-5A sp	ecifications):	
		<u>OP-5A</u>	<u>OP-5R</u>	
 LIS Trunks 		Parity with Feature	Diagnostic	
	Group D (aggregate)			
Unbundled Dedicate	ed Interoffice	Transport (UDIT)		
UDIT (DS1 Le	evel)	Parity with Retail Private Lines (DS1)	Diagnostic	
UDIT (Above		Parity with Retail Private Lines (Above DS1 level)	Diagnostic	
Dark Fiber - I		Diagnostic	Diagnostic	
• E911/911 Trunk	s	Parity with Retail	Diagnostic	
Availability:	Notes:	E911/911 Trunks		
Available	2. Includin trouble preced comple was tro 3. Qwest Admini succes	that do not involve installatically this measurement doer r changes and PIC changes ing consideration of repeat related to the same newly- ing repair report is closed a setion) to complete the deterr puble free within 30 days of s repair management and t stration), MTAS (Maintenar	epair trouble reports (i.e., additi installed line/circuit that are rec nd within 30 days following inst mination of whether the newly-ir installation. racking systems consist of WFA nee Tracking and Administration as applicable to obtain the repai	nd retail results). Ing lines, such as ional reports of eived after the allation Installed line/circuit A (Work Force In System), and

OP-6 – Delayed Days

Purpose:		
Evaluates the exten	t Qwest is late in installing	services for customers, focusing on the average number of
	s are completed beyond th	
Description:		
OP 6A Mossures	the everage number of hu	siness days NOTE 1 that service is delayed beyond the
	Due Dete fammen familie	siness days inat service is delayed beyond the
	•	reasons attributed to Qwest.
Include	es all inward orders (Chan	ge, New, and Transfer order types) that are
comple	eted/closed during the rep	orting period, later, due to non-facility reasons, than the
Applica	able Due Date recorded by	y Qwest, subject to exclusions specified below.
OP-6B – Measures	the average number of bu	siness days ^{NOTE 1} that service is delayed beyond the
Applicable	Due Date for facility reaso	ons attributed to Owest
		ge, New, and Transfer order types) that are
		orting period later due to facility reasons than the original
due da	ite recorded by Qwest, su	pject to exclusions specified below.
For both OP-6A an		
 Change order ty 	pes for additional lines co	nsist of "C" orders representing inward activity.
The Applicable	Due Date is the original du	e date or, if changed or delayed by the customer, the most
		ollowing: If Qwest changes a due date for Qwest reasons,
		nitiated due date, if any, that is (a) subsequent to the
		initiated, changed due date, if any.
		nitiated due date changes or delays occurring after the
		mula below, are calculated by subtracting the latest Qwest-
initiated due dat	e, if any, following the App	blicable Due Date, from the subsequent customer-initiated
due date, if any.		
Reporting Period:	One month	Unit of Measure: Average Business Days
Reporting	Disaggregation Report	ina: Statewide level
Comparisons:		
		/services listed under Product Reporting under " <u>MSA</u> -type
CLEC aggregate,		be reported for OP-6A and OP-6B according to orders
individual CLEC	involving:	
and Qwest Retail		s within MSAs;
results	2. Dispatche	s outside MSAs; and
	3. No dispate	
 Results for products/services listed in Product Reporting under "Zone-type 		
Disaggregation" will be disaggregated according to installations:		
4. In Interval Zone 1 areas: and		
		Zone 2 areas.
Formula:	I	
	Completion Data after	
		rder for non-facility reasons) – (Applicable Due Date of late
		with customer-initiated due date changes or delays
		Date)] ÷ (Total Number of Late Orders for non-facility
	ompleted in the reporting	
	Completize Deterrite	
$OP-OB = \sum_{i \in A} (Actual)$	Completion Date of late of	rder for facility reasons) – (Applicable Due Date of late
		with customer-initiated due date changes or delays
occurring	after the Applicable Due D	Date) ÷ (Total Number of Late Orders for facility reasons
completed	I in the reporting period)	-
•		

OP-6 – **Delayed Days (continued)**

- Orders affected only by delays that are solely for customer and/or CLEC reasons.
- Disconnect, From (another form of disconnect) and Record order types.
- Records involving official company services.
- Records with invalid due dates or application dates.
- Records with invalid completion dates.
- Records with invalid product codes.
- Records missing data essential to the calculation of the measurement per the PID.
 Product Reporting:
 Standards:

	oduct Reporting:	Standards:
MS	SA-Type Disaggregation -	
٠	Resale	
	Residential single line service	Parity with retail service
	Business single line service	Parity with retail service
	Centrex	Parity with retail service
	Centrex 21	Parity with retail service
	DS0 (non-designed provisioning)	Parity with retail service
	PBX Trunks (non-designed provisioning)	Parity with retail service
	Primary ISDN (non-designed provisioning)	Parity with retail service
	Basic ISDN (non-designed provisioning)	Parity with retail service
	Qwest DSL (non-designed provisioning)	Parity with retail service
•	Unbundled Network Element – Platform (UNE-P) (POTS)	Parity with like retail service
•	Unbundled Network Element – Platform (UNE-P) (Centrex 21)	Parity with retail Centrex 21
•	Unbundled Network Element – Platform (UNE-P) (Centrex)	Parity with retail Centrex
•	Line Splitting	Parity with retail Qwest DSL
•	Loop Splitting NOTE 3	Diagnostic
•	Line Sharing	Parity with retail Qwest DSL
•	Sub-Loop Unbundling	Diagnostic
Zo	ne-type Disaggregation -	
•	Resale	ter en
	Primary ISDN (designed provisioning)	Parity with retail service
	Basic ISDN (designed provisioning)	Parity with retail service
	DS0 (designed provisioning)	Parity with retail service
	DS1	Parity with retail service
	PBX Trunks (designed provisioning)	Parity with retail service
	Qwest DSL (designed provisioning)	Parity with retail service
	DS3 and higher bit-rate services (aggregate)	Parity with retail service
	Frame Relay	Parity with retail service
•	LIS Trunks	Parity with Feature Group D (aggregate)
•	Unbundled Dedicated Interoffice Transport (UDI	Γ)
	UDIT – DS1 level	Parity with retail DS1 Private Line- Service
	UDIT – Above DS1 level	Parity with retail Private Line- Services above DS1 level
	Dark Fiber – IOF	Diagnostic
•	Unbundled Loops:	• • • • • • • • • • • • • • • • • • •
	Analog Loop	Parity with retail Res and Bus POTS with dispatch
	Non-loaded Loop (2-wire)	Parity with retail ISDN BRI
	Non-loaded Loop (4-wire)	Parity with retail DS1 Private Line
	DS1-capable Loop	Parity with retail DS1 Private Line
	xDSL-I capable Loop	Parity with retail Qwest DSL, with dispatch
	ISDN-capable Loop	Parity with retail ISDN BRI
	ADSL-qualified Loop	Parity with retail Qwest DSL, with dispatch

OP-6 – Delayed Days (continued)

OF- 0 - Delayeu Days		
Loop types of DS3 a	nd higher bit-rates	Parity with retail DS3 and higher bit-rate Private
(aggregate)		Line services (aggregate)
Dark Fiber – Loop		Diagnostic
• E911/911 Trunks		Parity with retail E911/911 Trunks
 Enhanced Extended Loc level) 	ops (EELs) – (DS0	Diagnostic
 Enhanced Extended Loc level) 	ops (EELs) – (DS1	OP-6A: Parity with retail DS1 Private Line OP-6B: Diagnostic
 Enhanced Extended Loops (EELs) – (DS3 level) 		Diagnostic
Availability: Notes:		
Available	 For OP-6A-3 and C all orders for Resal (POTS), as well as standards. For all of for all products und 6B-4, and -6B-5, Sa service order is due According to this do successive custom point when a Qwes the Applicable Due as the date on whice date change, if any change, any further measured as time i formula. These del description. (Thous initiated due date c delay intervals is ap change and subsec The intervals thus of customer-initiated of indicated in the form initiated impacts on customer-initiated in interval. 	DP-6B-3, Saturday is counted as a business day for e Residence, Resale Business, and UNE-P for the retail analogues specified above as other products under OP-6A-3 and OP-6B-3, and ler OP-6A-1, -6A-2, -6A-4, -6A-5, -6B-1, -6B-2, - aturday is counted as a business day when the e or completed on Saturday. efinition, the Applicable Due Date can change, per er-initiated due date changes or delays, up to the t-initiated due date change occurs. At that point, Date becomes fixed (i.e., with no further changes) ch it was set prior to the first Qwest-initiated due r customer-initiated due date changes or delays are ntervals that are subtracted as indicated in the lay time intervals are calculated as stated in the gh infrequent, in cases where multiple Qwest- hanges occur, the stated method for calculating oplied to each pair of Qwest-initiated due date quent customer-initiated due date change or delay. calculated from each pairing of Qwest and due dates are summed and then subtracted as nula.) The result of this approach is that Qwest- intervals are counted in the reported interval, and mpacts on intervals are not counted in the reported n at the time CLECs order the product, in any onsecutive months.

OP-7 – Coordinated "Hot Cut" Interval – Unbundled Loop

Purpose:		
	ng coordinated "h	ot cuts" of unbundled loops, focusing on the time
actually involved in disconnecting t	he loop from the	Qwest network and connecting/testing the loop.
Description:		3,
Measures the average time to combeginning with the "lift" time and er loop.	plete coordinated iding with the cor	d "hot cuts" for unbundled loops, based on intervals npletion time of Qwest's applicable tests for the
•	ts of unbundled le lusions specified	oops that are completed/closed during the below.
	ervice of existing	customers from Qwest's switch/frames to the
• "Lift" time is defined as when C	west disconnect	s the existing loop.
 "Completion time" is defined as loop to the CLEC. 		mpletes the applicable tests after connecting the
Reporting Period: One month		Unit of Measure: Hours and Minutes
Reporting Comparisons: CLEC aggregate and individual CLEC results	Pierdalicagu	on Reporting: Statewide level.
Formula: \sum [Completion time – Lift time] ÷ (To completed in the reporting period)	otal Number of ur	nbundled loops with coordinated cutovers
Exclusions:	50	
• Time intervals associated with	CLEC-caused de	lavs
	i to the calculatio	n of the measurement per the PID.
 Invalid start/stop dates/times or 	r invalid schedule	n of the measurement per the PID. ed date/times.
 Invalid start/stop dates/times or 	r invalid schedule	d date/times.
 Invalid start/stop dates/times or 	r invalid schedule	d date/times.
Invalid start/stop dates/times of Product Reporting: Coordinated L	r invalid schedule	d date/times. Standard:
Invalid start/stop dates/times of Product Reporting: Coordinated L Loops – Reported separately for:	r invalid schedule	ed date/times. Standard: CO: 1 hour
 Invalid start/stop dates/times or Product Reporting: Coordinated L Loops – Reported separately for: Analog Loops 	r invalid schedule	ed date/times. Standard: CO: 1 hour All Other States: Diagnostic in light of OP-13

OP-8 – Number Portability Timeliness

Purpose:	
Evelvetee the time lines of the fill	
Evaluates the timeliness of cutovers of local number	er portability (LNP).
LNP triggers set prior to the scheduled s	
the reporting period are measured, s	unbundled loops that are completed/closed during ubject to exclusions specified below.
OP-8C – LNP Timeliness without Loop Coordination triggers set prior to the Frame Due Time applicable.	on (percent): Measures the percentage of LNP or scheduled start time for the LNP cutover as
 All orders for LNP for which coordinated completed/closed during the reportin coordinated with other than Qwest-p standalone LNP), subject to exclusion 	tion with a loop was not requested that are g period are measured (including standalone LNP rovided Unbundled Loops and non-coordinated, ns specified below.
 For purposes of these measurements (OP-8B a unconditional trigger" or Line Side Attribute (LSA "Scheduled start time" is defined as the confirme newly negotiated time. In the case of LNP cutor used in this measurement will be no later than the set of the se	A) that is set or translated by Qwest. ed appointment time (as stated on the FOC), or a vers coordinated with loops, the scheduled time
Reporting Period: One month	Unit of Measure: Percent of triggers set on time
Reporting Comparisons: CLEC aggregate and individual CLEC results	Disaggregation Reporting: Statewide level.
(Total Number of LNP activations coording	nated with unbundled loops completed)] x 100 Frame Due Time or Scheduled Start Time) ÷ (Total
 (Total Number of LNP activations coordin OP-8C = [(Number of LNP triggers set before the Number of LNP activations without loop of Exclusions: CLEC-caused delays in trigger setting. LNP requests that do not involve automatic trig telephone numbers and Centrex 21). 	hated with unbundled loops completed)] x 100 Frame Due Time or Scheduled Start Time) ÷ (Total cutovers completed)] x 100 gers (e.g., DID lines without separate, unique urces of data for these measurements have the aber) or STATE. to switch capabilities. <u>dates</u> , or start dates.
 (Total Number of LNP activations coordin OP-8C = [(Number of LNP triggers set before the Number of LNP activations without loop of Exclusions: CLEC-caused delays in trigger setting. LNP requests that do not involve automatic trig telephone numbers and Centrex 21). LNP requests for which the records used as so following types of errors: Records with no PON (purchase order num Records with invalid due dates, <u>application</u> Records with invalid completion dates. Records missing data essential to the calculation 	Frame Due Time or Scheduled Start Time) ÷ (Total cutovers completed)] x 100 gers (e.g., DID lines without separate, unique urces of data for these measurements have the uber) or STATE. to switch capabilities. <u>dates</u> , or start dates.

OP-13 – Coordinated Cuts On Time – Unbundled Loop

Purpose:

Evaluates the percentage of coordinated cuts of unbundled loops that are completed on time, focusing on cuts completed within one hour of the committed order due time and the percent that were started without CLEC approval.

Description:

- Includes all LSRs for coordinated cuts of unbundled loops that are completed/closed during the reporting period, subject to exclusions specified below.
- OP-13A Measures the percentage of LSRs (CLEC orders) for all coordinated cuts of unbundled loops that are started and completed on time. For coordinated loop cuts to be counted as "on time" in this measurement, the CLEC must agree to the start time, and Qwest must (1) receive verbal CLEC approval before starting the cut or lifting the loop, (2) complete the physical work and appropriate tests, (3) complete the Qwest portion of any associated LNP orders and (4) call the CLEC with completion information, all within one hour of the time interval defined by the committed order due time.
- OP-13B Measures the percentage of all LSRs for coordinated cuts of unbundled loops that are actually started without CLEC approval.
- "Scheduled start time" is defined as the confirmed appointment time (as stated on the FOC), or a newly negotiated appointment time.
- The "committed order due time" is based on the number and type of loops involved in the cut and is calculated by adding the applicable time interval from the following list to the scheduled start time:
 - Analog unbundled loops:

1 to 16 lines:	1 Hour
17 to 24 lines:	2 Hours
25+ lines:	Project*

- All other unbundled loops:

	opo.
1 to 5 lines:	1 Hour
6 to 8 lines:	2 Hours
9 to 11 lines:	3 Hours
12 to 24 lines:	4 Hours
25+ lines:	Project*
	•

*For <u>Projects</u> scheduled due dates and scheduled start times will be negotiated between CLEC and Qwest, but no committed order due time is established. Therefore, projects are not included in OP-13A (see exclusion below).

- "Stop" time is defined as when Qwest notifies the CLEC that the Qwest physical work and the appropriate tests have been successfully accomplished, including the Qwest portion of any coordinated LNP orders.
- Time intervals following the scheduled start time or during the cutover process associated with customer-caused delays are subtracted from the actual cutover duration.
- Where Qwest's records of completed coordinated cut transactions are missing evidence of CLEC approval of the cutover, the cut will be counted as a miss under both OP-13A and OP-13B.

Reporting Period: One month	Unit of Measure: Percent
Reporting Comparisons: CLEC aggregate and individual CLEC results	Disaggregation Reporting: Statewide level. Results for this measurement will be reported according to: OP-13A Cuts Completed On Time OP-13B Cuts Started Without CLEC Approval

OP-13 – Coordinated Cuts On Time – Unbundled Loop (continued)

Formula:	
OP-13A = [(Count of LSRs for Coordinated Unb Number of LSRs for Coordinated Uni x 100	oundled Loop cuts completed "On Time") ÷ (Total bundled Loop Cuts completed in the reporting period)]
OP-13B = [(Count of LSRs for Coordinated Unb without CLEC approval) ÷ (Total Nun completed in the reporting period)] x	oundled Loop cuts whose actual start time occurs nber of LSRs for Coordinated Unbundled Loop Cuts 100
Exclusions:	
Applicable to OP-13A:	
 Loop cuts that involve CLEC-requested non- 	-standard methodologies, processes, or timelines.
OP-13A & OP-13B:	
01-10A & 01-10D.	
 Records with invalid completion dates 	
 Records with invalid completion dates. Records missing data essential to the calcul 	ation of the measurement per the PID which are not
Records missing data essential to the calcul	ation of the measurement per the PID which are not iss".
 Records missing data essential to the calcul otherwise designated to be "counted as a m 	iss".
Records missing data essential to the calcul	iss".
 Records missing data essential to the calcul otherwise designated to be "counted as a m Invalid start/stop dates/times or invalid scheder in	iss".
 Records missing data essential to the calcul otherwise designated to be "counted as a m Invalid start/stop dates/times or invalid schee Projects involving 25 or more lines. 	iss". duled date/times.
 Records missing data essential to the calcul otherwise designated to be "counted as a m Invalid start/stop dates/times or invalid schee Projects involving 25 or more lines. Product Reporting: Coordinated Unbundled Loops – Reported separately for: Analog Loops 	iss". duled date/times. Standards: OP-13A: AZ: 90 Percent or more
 Records missing data essential to the calcul otherwise designated to be "counted as a m Invalid start/stop dates/times or invalid schee Projects involving 25 or more lines. Product Reporting: Coordinated Unbundled Loops – Reported separately for: 	iss". duled date/times. Standards: OP-13A:
 Records missing data essential to the calcul otherwise designated to be "counted as a m Invalid start/stop dates/times or invalid schee Projects involving 25 or more lines. Product Reporting: Coordinated Unbundled Loops – Reported separately for: Analog Loops 	iss". duled date/times. Standards: OP-13A : AZ: 90 Percent or more All Other States: 95 Percent or more
 Records missing data essential to the calcul otherwise designated to be "counted as a m Invalid start/stop dates/times or invalid schee Projects involving 25 or more lines. Product Reporting: Coordinated Unbundled Loops – Reported separately for: Analog Loops 	iss". duled date/times. Standards: OP-13A: AZ: 90 Percent or more

OP-15 – Interval for Pending Orders Delayed Past Due Date

Purpose:

Evaluates the extent to which Qwest's pending orders are late, focusing on the average number of days the pending orders are delayed past the Applicable Due Date, as of the end of the reporting period.

Description:

OP-15A – Measures the average number of <u>business days</u> that pending orders are delayed beyond the Applicable Due Date for reasons attributed to Qwest.

- Includes all pending inward orders (Change, New, and Transfer order types) for which the Applicable Due Date recorded by Qwest has been missed, subject to exclusions specified below. Change order types included in this measurement consist of all "C" orders representing <u>inward activity</u>.
- The Applicable Due Date is the original due date or, if changed or delayed by the customer, the most
 recently revised due date, subject to the following: If Qwest changes a due date for Qwest reasons, the
 Applicable Due Date is the customer-initiated due date, if any, that is (a) subsequent to the original due
 date and (b) prior to a Qwest-initiated, changed due date, if any. NOTE 1
- Time intervals associated with customer-initiated due date changes or delays occurring after the Applicable Due Date, as applied in the formula below, are calculated by subtracting the latest Qwestinitiated due date, if any, following the Applicable Due Date, from the subsequent customer-initiated due date, if any.

OP-15B – Reports the number of pending orders measured in the numerator of OP-15A that were delayed for Qwest facility reasons.

Reporting Period: One month	Unit of Measure: OP-15A – Average Business Days NOTE 2
	OP-15B – Number of orders pending facilities
Reporting Comparisons:	Disaggregation Reporting:
CLEC aggregate, individual CLEC, Qwest retail	Statewide

Formula:

- OP-15A = ∑[(Last Day of Reporting Period) (Applicable Due Date of Late Pending Order) (Time intervals associated with customer-initiated due date changes or delays occurring after the Applicable Due Date)] ÷ (Total Number of Pending Orders Delayed for Qwest reasons as of the last day of Reporting Period)
- OP-15B = Count of pending orders measured in numerator of OP-15A that were delayed for Qwest facility reasons

- Disconnect, From (another form of disconnect) and Record order types.
- Records involving official company services.
- Records with invalid due dates or application dates.
- Records with invalid product codes.
- Records missing data essential to the calculation of the measurement per the PID.

Product Reporting:	Standards: OP-15B = diagnostic only For OP-15A:	
Resale		
Residential single line service	Diagnostic (Expectation: Parity with retail service)	
Business single line service	Diagnostic (Expectation: Parity with retail service)	
Centrex	Diagnostic (Expectation: Parity with retail service)	
Centex 21	Diagnostic (Expectation: Parity with retail service)	
PBX Trunk	Diagnostic (Expectation: Parity with retail service)	
Basic ISDN	Diagnostic (Expectation: Parity with retail service)	
Qwest DSL	Diagnostic (Expectation: Parity with retail service)	
Primary ISDN	Diagnostic (Expectation: Parity with retail service)	
DS0	Diagnostic (Expectation: Parity with retail service)	
DS1	Diagnostic (Expectation: Parity with retail service)	
DS3 and higher bit-rate services	Diagnostic (Expectation: Parity with retail service)	
(aggregate)	Diagnostic (Expectation: Parity with retail service)	
Frame Relay	Diagnostic (Expectation: Parity with retail service)	
 Unbundled Network Element – Platform (UNE-P) (POTS) 	Diagnostic (Expectation: Parity with retail service)	
 Unbundled Network Element – Platform (UNE-P) (Centrex 21) 	Diagnostic (Expectation: Parity with retail Centrex 21)	
 Unbundled Network Element – Platform (UNE-P) (Centrex) 	Diagnostic (Expectation: Parity with retail Centrex)	
Line Splitting	Diagnostic (Expectation: Parity with retail Qwest DSL)	
Loop Splitting NOTE 3	Diagnostic	
Line Sharing	Diagnostic (Expectation: Parity with retail Qwest DSL)	
Sub-Loop Unbundling	Diagnostic	
LIS Trunks	Diagnostic (Expectation: Parity with Feature Group D (aggregate)) (separately reported)	
Unbundled Dedicated Interoffice Transport (U		
UDIT – DS1 level	Diagnostic (Expectation: Parity with DS1 Private Line- Service)	
UDIT – Above DS1 level	Diagnostic (Expectation: Parity with Private Line- Services above DS1 level)	
Dark Fiber – IOF	Diagnostic	
Unbundled Loops:		
Analog Loop	Diagnostic (Expectation: Parity with retail Res and Bus POTS with dispatch)	
Non-loaded Loop (2-wire)	Diagnostic (Expectation: Parity with retail ISDN BRI)	
Non-loaded Loop (4-wire)	Diagnostic (Expectation: Parity with retail DS1)	
DS1-capable Loop	Diagnostic (Expectation: Parity with retail DS1)	
ISDN-capable Loop	Diagnostic (Expectation: Parity with ISDN-BRI)	
ADSL-qualified Loop	Diagnostic (Expectation: Parity with retail Qwest DSL with dispatch)	
Loop types of DS3 or higher bit rate	Diagnostic (Expectation: Parity with retail DS3 and	
(aggregate)	higher bit-rate services (aggregate)	
Dark Fiber – Loop	Diagnostic	
• E911/911 Trunks		
	Diagnostic (Expectation: Parity with retail E911/911 Trunks)	

OP-15 – Interval for Pending Orders Delayed Past Due Date (continued)

OP-15 – Interval for Pending Orders Delayed Past Due Date (continued)

Availability:	Notes:
Available	 According to this definition, the Applicable Due Date can change, per successive customer-initiated due date changes or delays, up to the point when a Qwest-initiated due date change occurs. At that point, the Applicable Due Date becomes fixed (i.e., with no further changes) as the date on which it was set prior to the first Qwest-initiated due date change, if any. Following the first Qwest-initiated due date change, any further customer-initiated due date changes or delays are measured as time intervals that are subtracted as indicated in the formula. These delay time intervals are calculated as stated in the description. (Though infrequent, in cases where multiple Qwest- initiated due date changes occur, the stated method for calculating delay intervals is applied to each pair of Qwest-initiated due date change and subsequent customer-initiated due date change or delay. The intervals thus calculated from each pairing of Qwest and customer-initiated due dates are summed and then subtracted as indicated in the formula.) The result of this approach is that Qwest-initiated impacts on intervals are not counted in the reported interval. For OP-15A, Saturday is counted as a business day for all non-dispatched orders for Resale Residence, Resale Business, and UNE-P (POTS), as well as for non-dispatched orders in the retail analogues specified above as standards. For all other non-dispatched products and for all dispatched products under OP-15A, Saturday is not counted as a business day. Reporting will begin at the time CLECs order the product, in any quantity, for three consecutive months.

OP-17 – Timeliness of Disconnects associated with LNP Orders

Purpose:

Evaluates the quality of Qwest completing LNP telephone number porting, focusing on the degree to which porting occurs without implementing associated disconnects before the scheduled time/date.

Description: OP-17A

- Measures the percentage of all LNP telephone numbers (TNs), both stand alone and associated with loops, that are ported without the incidence of disconnects being made by Qwest before the scheduled time/date, as identified by associated qualifying trouble reports.
 - Focuses on disconnects associated with timely CLEC requests for delaying the disconnects or no requests for delays.
 - The scheduled time/date is defined as 11:59 p.m. on (1) the due date of the LNP order recorded by Qwest or (2) the delayed disconnect date requested by the CLEC, where the CLEC submits a timely request for delay of disconnection.
 - A CLEC request for delay of disconnection is considered timely if received by Qwest before 8:00 p.m. MT on the current due date of the LNP order recorded by Qwest.

OP-17B

- Measures the percentage of all LNP telephone numbers (TNs), both stand alone and associated with loops, that are ported without the incidence of disconnects being made by Qwest before the scheduled time/date, as identified by associated qualifying trouble reports.
 - Includes only disconnects associated with untimely CLEC requests for delaying the disconnects.
 - A CLEC request for delay of disconnection is considered "untimely" if received by Qwest after 8:00 p.m. MT on the current due date of the LNP order recorded by Qwest and before 12:00 p.m. MT (noon) on the day after the current due date.
- Disconnects are defined as the removal of switch translations, including the 10-digit trigger.
- Disconnects that are implemented early, and thus counted as a "miss" under this measurement, are those that the CLEC identifies as such to Qwest via trouble reports, within four calendar days of the actual disconnect date, that are confirmed to be caused by disconnects being made before the scheduled time.
- Includes all CLEC orders for LNP TNs completed in the reporting period, subject to exclusions specified below.

Reporting Period: One month	Unit of Measure: Percent
Reporting Comparisons: CLEC Aggregate and Individual CLEC	Disaggregation Reporting: Statewide
Formula:	· · · · · · · · · · · · · · · · · · ·

[(Total number of LNP TNs ported pursuant to orders completed in the reporting period – Number of TNs with qualifying trouble reports notifying Qwest that disconnection before the scheduled time has occurred) ÷ Total Number of LNP TNs ported pursuant to orders completed in the reporting period] x 100

OP-17 – Timeliness of Disconnects associated with LNP Orders (continued)

Exclusions:

OP-17A only

• Trouble reports notifying Qwest of early disconnects associated with situations for which the CLEC has failed to submit timely requests to have disconnects held for later implementation.

OP-17A & B

- Trouble reports not related to valid requests (LSRs) for LNP and associated disconnects.
- LNP requests that do not involve automatic triggers (e.g., DID lines without separate, unique TNs, and Centrex 21).
- Records with invalid trouble receipt dates.
- Records with invalid cleared, closed or due dates.
- Records with invalid product codes.
- Records missing data essential to the calculation of the measurement per the PID.

OP-17B only

• Trouble reports notifying Qwest of early disconnects associated with situations for which the CLEC did not submit its untimely requests by 12:00 p.m. MT (noon) on the day after the LNP due date to have disconnects held for later implementation.

Product Reporting: LNP	Standards: OP-17A – 98.25% OP-17B – Diagnostic only, in light of its measuring only requests for delay of disconnect that are defined as untimely.
Availability: Available	Notes:

Maintenance and Repair

MR-2 – Calls Answered within 20 Seconds – Interconnect Repair Center

Purpose: Evaluates Customer access to Qwest's Interconnection and/or Retail Repair Center(s), focusing on the number of calls answered within 20 seconds. **Description:** Measures the percentage of Interconnection and/or Retail Repair Center calls answered within 20 seconds of the first ring. • Includes all calls to the Interconnect Repair Center during the reporting period, subject to exclusions specified below. • First ring is defined as when the customer's call is first placed in queue by the ACD (Automatic Call Distributor). • Answer is defined as when the call is first picked up by the Qwest agent. • Abandoned calls and busy calls are counted as calls which are not answered within 20 seconds. Reporting Period: One month Unit of Measure: Percent Reporting Comparisons: CLEC aggregate and Disaggregation Reporting: Region-wide level. Qwest Retail levels. Formula: [(Total Calls Answered by Center within 20 seconds) ÷ (Total Calls received by Center)] x 100 Exclusions: Time spent in the VRU (Voice Response Unit) is not counted. Product Reporting: None Standard: Parity Availability: Notes: Available

MR-3 – Out of Service Cleared within 24 Hours

Purpose:

Evaluates timeliness of repair for specified services, focusing on trouble reports where the out-ofservice trouble reports were cleared within the standard estimate for specified services (i.e., 24 hours for out-of-service conditions).

Description:

Measures the percentage of out of service trouble reports, involving specified services, that are cleared within 24 hours of receipt of trouble reports from CLECs or from retail customers.

- Includes all trouble reports, closed during the reporting period, which involve a specified service that is out-of-service (i.e., unable to place or receive calls), subject to exclusions specified below.
- Time measured is from date and time that Qwest is first notified of the trouble by CLEC to date and time trouble is cleared.

Reporting Period: One month	Unit of Measure: Percent
Comparisons: CLEC aggregate, individual CLEC and Qwest Retail results	Reporting: Statewide level. roduct/services listed in Product Reporting under " <u>MSA</u> -Type on" will be disaggregated and reported according to trouble /ing: Dispatches within MSAs; Dispatches outside MSAs; and No dispatches. roducts/services listed in Product Reporting under "Zone-type on" will be disaggregated according to trouble reports involving: n <u>Interval Zone 1</u> areas; and n <u>Interval Zone 2</u> areas.

Formula:

[(Number of Out of Service Trouble Reports closed in the reporting period that are cleared within 24 hours) ÷ (Total Number of Out of Service Trouble Reports closed in the reporting period)] x 100

- Trouble reports coded as follows:
 - For products measured from MTAS data (products listed for MSA-type disaggregation), trouble reports coded to disposition codes for: Customer Action; Non-Telco Plant; Trouble Beyond the Network Interface; and Miscellaneous – Non-Dispatch, non-Qwest (includes CPE, Customer Instruction, Carrier, Alternate Provider).
 - For products measured from WFA (Workforce Administration) data (products listed for Zonetype disaggregation) trouble reports coded to trouble codes for Carrier Action (IEC) and Customer Provided Equipment (CPE).
- Subsequent trouble reports of any trouble before the original trouble report is closed.
- Information tickets generated for internal Qwest system/network monitoring purposes.
- Time delays due to "no access" are excluded from repair time for products/services listed in Product Reporting under "Zone-type Disaggregation".
- For products measured from MTAS data (products listed for MSA-type disaggregation), trouble reports involving a "no access" delay.
- Trouble reports on the day of installation before the installation work is reported by the technician/installer as complete.
- Records involving official company services.
- · Records with invalid trouble receipt dates.
- Records with invalid cleared or closed dates.
- Records with invalid product codes.
- Records missing data essential to the calculation of the measurement per the PID.

MR-3 – Out of Service Cleared within 24 Hours (Continued)

Product Reporting:	Standards:	
MSA-Type Disaggregation -		
Resale		
Residential single line service	Parity with retail service	
Business single line service	Parity with retail service	
Centrex	Parity with retail service	
Centrex 21	Parity with retail service	
PBX Trunks	Parity with retail service	
Basic ISDN	Parity with retail service	
 Unbundled Network Element – Platform (UNE-P) (POTS) 	Parity with appropriate retail service	
 Unbundled Network Element – Platform (UNE-P) (Centrex 21) 	Parity with retail Centrex 21	
 Unbundled Network Element – Platform (UNE-P) (Centrex) 	Parity with retail Centrex	
Line Splitting	Parity with retail Qwest DSL	
Loop Splitting NOTE 1	Diagnostic	
Line Sharing	CO: Parity with Qwest DSL	
	All Other States: Parity with RES and BUS POTS	
Sub-Loop Unbundling	CO: Parity with retail ISDN-BRI	
-	All Other States: Diagnostic	
Zone-type Disaggregation -		
Resale		
Qwest DSL	Parity with retail service	
Unbundled Loops		
Analog Loop	Parity with retail Res and Bus POTS	
Non-loaded Loop (2 wire)	Parity with retail ISDN-BRI	
xDSL-I capable Loop	Parity with retail Qwest IDSL	
ISDN-capable Loop	Parity with ISDN-BRI	
ADSL-qualified Loop	Parity with retail Qwest DSL	
Availability:	Notes:	
Available	 Reporting will begin at the time CLECs order the product, in any quantity, for three consecutive months. 	

MR-4 – All Troubles Cleared within 48 hours

Purpose:

Evaluates timeliness of repair for specified services, focusing on trouble reports of all types (both out of service and service affecting) and on the number of such trouble reports cleared within the standard estimate for specified services (i.e., 48 hours for service-affecting conditions).

Description:

Measures the percentage of trouble reports, for specified services, that are cleared within 48 hours of receipt of trouble reports from CLECs or from retail customers.

- Includes all trouble reports, closed during the reporting period, which involve a specified service, subject to exclusions specified below.
- Time measured is from date and time that Qwest is first notified of the trouble by CLEC to date and time trouble is cleared.

Reporting Period: (One month	Unit of Measure: Percent
Reporting Comparisons: CLEC aggregate, individual CLEC and Qwest Retail results	 Disaggregation" will b reports involving: MR-4A Dispatch MR-4B Dispatch MR-4C No dispate Results for products/ Disaggregation" will b 	ervices listed in Product Reporting under " <u>MSA</u> -Type be disaggregated and reported according to trouble es within MSAs; es outside MSAs; and tches. services listed in Product Reporting under "Zone-type be disaggregated according to trouble reports involving: <u>al Zone 1</u> areas; and

Formula:

[(Total Trouble Reports closed in the reporting period that are cleared within 48 hours) \div (Total Trouble Reports closed in the reporting period)] x 100

- Trouble reports coded as follows:
 - For products measured from MTAS data (products listed for MSA-type disaggregation), trouble reports coded to disposition codes for: Customer Action; Non-Telco Plant; Trouble Beyond the Network Interface; and Miscellaneous – Non-Dispatch, non-Qwest (includes CPE, Customer Instruction, Carrier, Alternate Provider).
 - For products measured from WFA (Workforce Administration) data (products listed for Zonetype disaggregation) trouble reports coded to trouble codes for Carrier Action (IEC) and Customer Provided Equipment (CPE).
- Subsequent trouble reports of any trouble before the original trouble report is closed.
- Information tickets generated for internal Qwest system/network monitoring purposes.
- Time delays due to "no access" are excluded from repair time for products/services listed in Product Reporting under "Zone-type Disaggregation".
- For products measured from MTAS data (products listed for MSA-type disaggregation), trouble reports involving a "no access" delay.
- Trouble reports on the day of installation before the installation work is reported by the technician/installer as complete.
- Records involving official company services.
- Records with invalid trouble receipt dates.
- Records with invalid cleared or closed dates.
- Records with invalid product codes.
- Records missing data essential to the calculation of the measurement per the PID.

MR-4 – All Troubles Cleared within 48 Hours (Continued)

Product Reporting:	Standards:	
MSA-Type Disaggregation -		
Resale		
Residential single line service	Parity with retail service	
Business single line service	Parity with retail service	
Centrex	Parity with retail service	
Centrex 21	Parity with retail service	
PBX Trunks	Parity with retail service	
Basic ISDN	Parity with retail service	
 Unbundled Network Element – Platform (UNE-P) (POTS) 	Parity with appropriate retail service	
 Unbundled Network Element – Platform (UNE-P) (Centrex 21) 	Parity with retail Centrex 21	
 Unbundled Network Element – Platform (UNE-P) (Centrex) 	Parity with retail Centrex	
Line Splitting	Parity with retail Qwest DSL	
Loop Splitting NOTE 1	Diagnostic	
Line Sharing	Parity with RES and BUS POTS	
Sub-Loop Unbundling	Diagnostic	
Zone-Type Disaggregation -		
Resale	antan fan ditta de la companya de la	
Qwest DSL	Parity with retail service	
Unbundled Loops:		
Analog Loop	Parity with retail Res and Bus POTS	
Non-loaded Loop (2 wire)	Parity with retail ISDN-BRI	
xDSL-I capable Loop	Parity with retail Qwest IDSL	
ISDN-capable Loop	Parity with retail ISDN-BRI	
ADSL-qualified Loop	Parity with retail Qwest DSL	
Availability:	Notes:	
Available	1. Reporting will begin at the time CLECs order the product, in any quantity, for three consecutive months.	

MR-5 – All Troubles Cleared within 4 hours

Purpose:

Evaluates timeliness of repair for specified services, focusing on all trouble reports of all types (including out of service and service affecting troubles) and on the number of such trouble reports cleared within the standard estimate for specified services (i.e., 4 hours).

Description:

Measures the percentage of trouble reports for specified services that are cleared within 4 hours of receipt of trouble reports from CLECs or from retail customers.

- Includes all trouble reports, closed during the reporting period, which involve a specified service, subject to exclusions specified below.
- Time measured is from date and time that Qwest is first notified of the trouble by CLEC to date and time trouble is cleared.

Reporting Period: One month	Unit of Measure: Percent	
Reporting Comparisons: CLEC aggregate, individual CLEC and Qwest Retail results	Disaggregation Reporting: Statewide level.Results for listed products will be disaggregated according to troublereports:MR-5AIn Interval Zone 1 areas; andMR-5BIn Interval Zone 2 areas.	

Formula:

[(Number of Trouble Reports closed in the reporting period that are cleared within 4 hours) \div (Total Trouble Reports closed in the reporting period)] x 100

- Trouble reports coded as follows:
 - For products measured using WFA (Workforce Administration) data (products listed for Zonetype disaggregation) trouble reports coded to trouble codes for Carrier Action (IEC) and Customer Provided Equipment (CPE).
- Subsequent trouble reports of any trouble before the original trouble report is closed.
- Information tickets generated for internal Qwest system/network monitoring purposes.
- Time delays due to "no access" are excluded from repair time.
- Trouble reports on the day of installation before the installation work is reported by the technician/installer as complete.
- Records involving official company services.
- Records with invalid trouble receipt dates.
- Records with invalid cleared or closed dates.
- Records with invalid product codes.
- Records missing data essential to the calculation of the measurement per the PID.

MR-5 – All Troubles Cleared within 4 hours (continued)

Product Reporting:	Standards:
Zone-Type Disaggregation -	_
Resale	
Primary ISDN	Parity with retail service
DS0	Parity with retail service
DS1	Parity with retail service
DS3 and higher bit-rate services (aggregate)	Parity with retail service
Frame Relay	Parity with retail service
LIS Trunks	Parity with Feature Group D (aggregate)
 Unbundled Dedicated Interoffice Transport (UD 	IT)
UDIT – DS1 level	Parity with DS1 Private Line Service
UDIT – Above DS1 level	Parity with Private Line Services above DS1 level
Unbundled Loops:	
Non-loaded Loop (4-wire)	Parity with retail DS1
DS1-capable Loop	Parity with retail DS1
Loop types of DS3 and higher bit-rates (aggregate)	Parity with retail DS3 and higher bit-rate services (aggregate)
• E911/911 Trunks	Parity with retail E911/911 Trunks
 Enhanced Extended Loops (EELs) – (DS0 level) 	Diagnostic
 Enhanced Extended Loops (EELs) – (DS1 level) 	Parity with retail DS1 Private Line
 Enhanced Extended Loops (EELs) – (DS3 level) 	Diagnostic
Availability: Available	Notes:

MR-6 – Mean Time to Restore

Purpose:

Evaluates timeliness of repair, focusing how long it takes to restore services to proper operation. **Description:**

Measures the time actually taken to clear trouble reports.

- Includes all trouble reports closed during the reporting period, subject to exclusions specified below.
- Includes customer direct reports, customer-relayed reports, and test assist reports that result in a ٠ trouble report.
- Time measured is from date and time that Qwest is first notified of the trouble by CLEC to date and • time trouble is cleared.

Reporting Period: (One month	Unit of Measure: Hours and Minutes
Reporting Comparisons: CLEC aggregate, individual CLEC and Qwest Retail results	 Disaggregation Reporting: Statewide level. Results for product/services listed in Product Reporting under "<u>MSA</u>-Type Disaggregation" will be reported according to trouble reports involving: MR-6A Dispatches within MSAs; MR-6B Dispatches outside MSAs; and MR-6C No dispatches. Results for products/services listed in Product Reporting under "Zone-type Disaggregation" will be disaggregated according to trouble reports involving: MR-6D In <u>Interval Zone 1</u> areas; and MR-6E In Interval Zone 2 areas. 	
Formula: ∑[(Date & Time Tro∟ Trouble Reports clos Exclusions:		Time Trouble Report Opened)] ÷ (Total number of
 For products reports code Network Inter Instruction, C For products type disaggr Customer Pr Subsequent trou 	d to disposition codes for: Cu rface; and Miscellaneous – No Carrier, Alternate Provider). measured from WFA (Workfor egation) trouble reports codec ovided Equipment (CPE). ble reports of any trouble befor	products listed for MSA-type disaggregation), trouble istomer Action; Non-Telco Plant; Trouble Beyond the on-Dispatch, non-Qwest (includes CPE, Customer prce Administration) data (products listed for Zone- to trouble codes for Carrier Action (IEC) and ore the original trouble report is closed. st system/network monitoring purposes.
 Time delays due Reporting under For products mean reports involving Trouble reports of technician/install Records involvinant Records with involvinant Records with involvinant 	to "no access" are excluded f "Zone-type Disaggregation". asured from MTAS data (prod a "no access" delay. on the day of installation before	rom repair time for products/services listed in Product ucts listed for MSA-type disaggregation), trouble e the installation work is reported by the

- Records with invalid product codes.
- Records missing data essential to the calculation of the measurement per the PID.

MR-6 – Mean Time to Restore (Continued)

Product Reporting:	Standards:
MSA-Type Disaggregation -	
Resale	
Residential single line service	Parity with retail service
Business single line service	Parity with retail service
Centrex	Parity with retail service
Centrex 21	Parity with retail service
PBX Trunks	Parity with retail service
Basic ISDN	Parity with retail service
 Unbundled Network Element – Platform (UNE-P) (POTS) 	Parity with like retail service
 Unbundled Network Element – Platform (UNE-P) (Centrex 21) 	Parity with retail Centrex 21
 Unbundled Network Element – Platform (UNE-P) (Centrex) 	Parity with retail Centrex
Line Splitting	Parity with retail Qwest DSL
Loop Splitting NOTE 1	Diagnostic
Line Sharing	CO: Parity with Qwest DSL
	All Other States: Parity with RES and BUS POTS
Sub-Loop Unbundling	CO: Parity with retail ISDN-BRI
eas Loop onsanding	All Other States: Diagnostic
Zone-Type Disaggregation -	An other States. Diagnostic
Resale	
Qwest DSL	Devite with retail and inc
	Parity with retail service
Primary ISDN	Parity with retail service
DS0	Parity with retail service
DS1	Parity with retail service
DS3 and higher bit-rate services	Parity with retail service
(aggregate)	
Frame Relay	Parity with retail service
LIS Trunks	Parity with Feature Group D (aggregate)
 Unbundled Dedicated Interoffice Transport (UE 	
UDIT – DS1 level	Parity with retail DS1 Private Line
UDIT – Above DS1 level	Parity with retail Private Lines above DS1 level
Dark Fiber – IOF	Diagnostic
 Unbundled Loops: 	
Analog Loop	Parity with retail Res and Bus POTS
Non-loaded Loop (2-wire)	Parity with retail ISDN BRI
Non-loaded Loop (4-wire)	Parity with retail DS1 Private Line
DS1-capable Loop	Parity with retail DS1 Private Line
xDSL-I capable Loop	Parity with retail Qwest IDSL
ISDN-capable Loop	Parity with retail ISDN BRI
ADSL-qualified Loop	Parity with retail Qwest DSL
Loop types of DS3 and higher bit-rates	Parity with retail DS3 and higher bit-rate Private
(aggregate)	Line services (aggregate)
Dark Fiber – Loop	Diagnostic
• E911/911 Trunks	Parity with retail E911/911 Trunks
 Enhanced Extended Loops (EELs) – (DS0 level) 	Diagnostic
 Enhanced Extended Loops (EELs) – (DS1 level) 	Parity with retail DS1 Private Line
 Enhanced Extended Loops (EELs) – (DS3 level) 	Diagnostic

Qwest Oregon SGAT Eighteenth Revised Exhibit B November 24, 2004

.

Availability:	Notes:
Available	 Reporting will begin at the time CLECs order the product, in any quantity, for three consecutive months.

MR-6 – Mean Time to Restore (Continued)

MR-7 – Repair Repeat Report Rate

Purpose:

Evaluates the accuracy of repair actions, focusing on the number of repeated trouble reports received for the same line/circuit within a specified period (30 calendar days).

Description:

Measures the percentage of trouble reports that are repeated within 30 days on end user lines and circuits.

- Includes all trouble reports closed during the reporting period that have a repeated trouble report received within thirty (30) days of the initial trouble report for the same service (regardless of whether the report is about the same type of trouble for that service), subject to exclusions specified below.
- · In determining same service Qwest will compare the end user telephone number or circuit access code of the initial trouble reports closed during the reporting period with reports received within 30 days of when the initial trouble report closed.
- Includes reports due to Qwest network or system causes, customer-direct and customer-relayed reports.
- The 30-day period applied in the numerator of the formula below is from the date and time that the initial trouble report is closed to the date and time that the next, or "repeat" trouble report is received (i.e., opened).

Reporting Period: One month, reported in		Unit of Measure: Percent
arrears (i.e., results first appear in reports one		
month later than	results for measurements that	
are not reported	in arrears), in order to cover the	
30-day period fol	lowing the initial trouble report.	
Reporting	Disaggregation Reporting: Statewide level.	
Comparisons:	Results for product/services listed in Product Reporting under "MSA-Type	
CLEC	Disaggregation" will be reported according to trouble reports involving:	
aggregate,	MR-7A Dispatches within MSAs;	
individual	MR-7B Dispatches outside MSAs; and	
CLEC and	MR-7C No dispatches.	
Qwest Retail	Results for products/services listed in Product Reporting under "Zone-type	
results	Disaggregation" will be disaggregated according to trouble reports involving:	
	MR-7D In Interval Zone 1 areas; and	
	MR-7E In Interval Zone 2 areas.	
Formula:		

[(Total trouble reports closed within the reporting period that had a repeated trouble report received within 30 calendar days of when the initial trouble report closed) + (Total number of Trouble Reports Closed in the reporting period)] x 100

- Trouble reports coded as follows:
 - For products measured from MTAS data (products listed for MSA-type disaggregation), trouble reports coded to disposition codes for: Customer Action; Non-Telco Plant; Trouble Beyond the Network Interface; and Miscellaneous – Non-Dispatch, non-Qwest (includes CPE, Customer Instruction, Carrier, Alternate Provider).
 - For products measured from WFA (Workforce Administration) data (products listed for Zonetype disaggregation) trouble reports coded to trouble codes for Carrier Action (IEC) and Customer Provided Equipment (CPE).
- Subsequent trouble reports of any trouble before the original trouble report is closed.
- Information tickets generated for internal Qwest system/network monitoring purposes.
- Trouble reports on the day of installation before the installation work is reported by the technician/installer as complete.
- Records involving official company services.
- Records with invalid trouble receipt dates.

MR-7 – Repair Repeat Report Rate (Continued)

- Records with invalid cleared or closed dates.
- Records with invalid product codes.
- Records missing data essential to the calculation of the measurement per the PID.

Records missing data essential to the calculation	Standards:
Product Reporting:	Stanuarus:
MSA-Type Disaggregation -	
Resale	
Residential single line service	Parity with retail service
Business single line service	Parity with retail service
Centrex	Parity with retail service
Centrex 21	Parity with retail service
PBX Trunks	Parity with retail service
Basic ISDN	Parity with retail service
 Unbundled Network Element – Platform (UNE-P) (POTS) 	Parity with like retail service
 Unbundled Network Element – Platform (UNE-P) (Centrex 21) 	Parity with retail Centrex 21
 Unbundled Network Element – Platform (UNE- P) (Centrex) 	Parity with retail Centrex
Line Splitting	Parity with Qwest Retail DSL
Loop Splitting NOTE 1	Diagnostic
Line Sharing	AZ & CO: Parity with Qwest Retail DSL
	All Other States: Diagnostic Comparison with Qwest Retail DSL
Sub-Loop Unbundling	CO: Parity with Retail ISDN-BRI
	All Other States: Diagnostic
Zone-Type Disaggregation -	
Resale	
Qwest DSL	Parity with retail service
Primary ISDN	Parity with retail service
DS0	Parity with retail service
DS1	Parity with retail service
DS3 and higher bit-rate services	Parity with retail service
(aggregate)	······
Frame Relay	Parity with retail service
LIS Trunks	Parity with Feature Group D (aggregate)
 Unbundled Dedicated Interoffice Transport (UDI 	
UDIT – DS1 level	Parity with retail DS1 Private Line
UDIT – Above DS1 level	Parity with retail Private Lines above DS1 level
Dark Fiber – IOF	Diagnostic
Unbundled Loops:	=
Analog Loop	Parity with retail Res and Bus POTS
Non-loaded Loop (2-wire)	Parity with retail ISDN BRI
Non-loaded Loop (2-wire)	Parity with retail DS1 Private Line
DS1-capable Loop	Parity with retail DS1 Private Line
xDSL-I capable Loop	Parity with retail Qwest IDSL
ISDN-capable Loop	Parity with retail ISDN BRI
ADSL-qualified Loop	Parity with retail Qwest DSL
	Parity with retail DS3 and higher bit-rate Private
Loop types of DS3 and higher bit-rates	
(aggregate) Dark Fiber – Loop	Line services (aggregate) Diagnostic

MR-7 – Repair Repeat Report Rate (Continued)

 Enhanced Extended Loops (EELs) – (DS0 level) 	Diagnostic
 Enhanced Extended Loops (EELs) – (DS1 level) 	Parity with retail DS1 Private Line
 Enhanced Extended Loops (EELs) – (DS3 level) 	Diagnostic
Availability: Targeted availability with July 2004	Notes: 1. Reporting will begin at the time CLECs order
results reported in September 2004	the product, in any quantity, for three consecutive months.

MR-8 – Trouble Rate

Purpose:

Evaluates the overall rate of trouble reports as a percentage of the total installed base of the service or element.

Description:

Measures trouble reports by product and compares them to the number of lines in service.

- Includes all trouble reports closed during the reporting period, subject to exclusions specified below.
- Includes all applicable trouble reports, including those that are out of service and those that are only service-affecting.

Reporting Period: One month	Unit of Measure: Percent
Reporting Comparisons: CLEC aggregate,	Disaggregation Reporting: Statewide level.
individual CLEC and Qwest Retail results	

Formula:

[(Total number of trouble reports closed in the reporting period involving the specified service grouping) ÷ (Total number of the specified services that are in service in the reporting period)] x 100

Exclusions:

- Trouble reports coded as follows:
 - For products measured from MTAS data, trouble reports coded to disposition codes for: Customer Action; Non-Telco Plant; Trouble Beyond the Network Interface; and Miscellaneous
 Non-Dispatch, non-Qwest (includes CPE, Customer Instruction, Carrier, Alternate Provider).
 - For products measured from WFA data trouble reports coded to trouble codes for Carrier Action (IEC) and Customer Provided Equipment (CPE).
- Subsequent trouble reports of any trouble before the original trouble report is closed.
- Information tickets generated for internal Qwest system/network monitoring purposes.
- Trouble reports on the day of installation before the installation work is reported by the technician/installer as complete.
- Records involving official company services.
- Records with invalid trouble receipt dates.
- Records with invalid cleared or closed dates.
- Records with invalid product codes.
- Records missing data essential to the calculation of the measurement per the PID.

MR-8 – Trouble Rate (continued)

Product Reporting:	luct Reporting: Standards:		
Resale	· · · · · · · · · · · · · · · · ·	-1	
Residential single	e line service	Parity with retail service	
Business single I		Parity with retail service	
Centrex		Parity with retail service	
Centrex 21		Parity with retail service	
PBX Trunks		Parity with retail service	
Basic ISDN		Parity with retail service	
Qwest DSL		Parity with Qwest DSL service	
Primary ISDN		Parity with retail service	
DS0		Parity with retail service	
		Parity with retail service	
DS3 and higher b	oit-rate services	Parity with retail service	
(aggregate)			
Frame Relay			
 Unbundled Network E (UNE-P) (POTS) 	lement – Platform	Parity with like retail service	
 Unbundled Network E (UNE-P) (Centrex 21) 		Parity with retail Centrex 21	
 Unbundled Network E Platform(UNE-P) (Cer 	lement –	Parity with retail Centrex	
Line Splitting		Parity with retail Qwest DSL	
Loop Splitting NOTE 1		Diagnostic	
Line Sharing	10 - 10	CO: Parity with Qwest DSL	
		All Other States: Parity with RES and BUS POTS	
 Sub-Loop Unbundling 		CO: Parity with retail ISDN-BRI	
-		All Other States: Diagnostic	
LIS Trunks		Parity with Feature Group D (aggregate)	
 Unbundled Dedicated 	Interoffice Transport (UE	DIT)	
UDIT – DS1 leve		Parity with retail DS1 Private Line Service	
UDIT – Above D			
Dark Fiber – IOF			
Unbundled Loops:			
Analog Loop		Parity with retail Res and Bus POTS	
Non-loaded Loop	(2-wire)	Parity with retail ISDN BRI	
Non-loaded Loop		Parity with retail DS1 Private Line	
DS1-capable Loc		Parity with retail DS1 Private Line	
xDSL-I capable L		Parity with retail Qwest IDSL	
ISDN-capable Lo	· · · · · · · · · · · · · · · · · · ·	Parity with retail ISDN BRI	
ADSL-qualified L		Parity with retail Qwest DSL	
	3 and higher bit-rates	Parity with retail DS3 and higher bit-rate services	
(aggregate)		(aggregate)	
Dark Fiber – Loo	p	Diagnostic	
 E911/911 Trunks 	<u>I., , , , , , , , , , , , , , , , , , , </u>	Parity with retail E911/911 Trunks	
 Enhanced Extended L level) 	oops (EELs) – (DS0	Diagnostic	
 Enhanced Extended L level) 	.oops (EELs) – (DS1	Parity with retail DS1 Private Line	
 Enhanced Extended L level) 	oops (EELs) – (DS3	Diagnostic	

MR-8 – Trouble Rate (continued)

Availability:	Notes:
Available	 Reporting will begin at the time CLECs order the product, in any quantity, for three consecutive months.

MR-9 – Repair Appointments Met

Purpose:

Evaluates the extent to which Qwest repairs services for Customers by the appointment date and time. **Description**:

Measures the percentage of trouble reports for which the appointment date and time is met.

- Includes all trouble reports closed during the reporting period, subject to exclusions specified below.
- Time measured is from date and time that Qwest is first notified of the trouble by CLEC to date and time trouble is cleared.

Comparisons: CLEC aggregate, individual CLEC and Qwest Retail results Formula: [(Total Trouble Reports Cleared Reporting Period)] x 100 Exclusions: • Trouble reports coded as fo – For products measured Customer Action; Non– – Non-Dispatch, non-Q	saggregation Repor Results for listed se according to trouble MR-9A Dispatc MR-9B Dispatc MR-9C No disp d by appointment dat follows: d from MTAS data, tr -Telco Plant; Trouble west (includes CPE, s of any trouble befor	thes within <u>MSAs;</u> thes outside MSAs; and batches. te and time) ÷ (Total Trouble Reports Closed in the rouble reports coded to disposition codes for: Beyond the Network Interface; and Miscellaneous , Customer Instruction, Carrier, Alternate Provider). re the original trouble report is closed.
Comparisons: CLEC aggregate, individual CLEC and Qwest Retail results Formula: [(Total Trouble Reports Cleared Reporting Period)] x 100 Exclusions: • Trouble reports coded as fo – For products measured Customer Action; Non– – Non-Dispatch, non-Q	Results for listed se according to trouble MR-9A Dispato MR-9B Dispato MR-9C No disp d by appointment dat collows: d from MTAS data, tr -Telco Plant; Trouble Qwest (includes CPE, s of any trouble befor	ervices will be disaggregated and reported e reports involving: thes within <u>MSAs;</u> thes outside MSAs; and batches. te and time) ÷ (Total Trouble Reports Closed in the rouble reports coded to disposition codes for: Beyond the Network Interface; and Miscellaneous , Customer Instruction, Carrier, Alternate Provider). re the original trouble report is closed.
Comparisons: CLEC aggregate, individual CLEC and Qwest Retail results Formula: [(Total Trouble Reports Cleared Reporting Period)] x 100 Exclusions: • Trouble reports coded as fo – For products measured Customer Action; Non– – Non-Dispatch, non-Q	Results for listed se according to trouble MR-9A Dispato MR-9B Dispato MR-9C No disp d by appointment dat collows: d from MTAS data, tr -Telco Plant; Trouble Qwest (includes CPE, s of any trouble befor	ervices will be disaggregated and reported e reports involving: thes within <u>MSAs;</u> thes outside MSAs; and batches. te and time) ÷ (Total Trouble Reports Closed in the rouble reports coded to disposition codes for: Beyond the Network Interface; and Miscellaneous , Customer Instruction, Carrier, Alternate Provider). re the original trouble report is closed.
aggregate, individual CLEC and Qwest Retail results Formula: [(Total Trouble Reports Cleared Reporting Period)] x 100 Exclusions: • Trouble reports coded as fo – For products measured Customer Action; Non- – Non-Dispatch, non-Q	according to trouble MR-9A Dispatc MR-9B Dispatc MR-9C No disp d by appointment dat follows: d from MTAS data, tr -Telco Plant; Trouble Qwest (includes CPE, s of any trouble befor	e reports involving: thes within <u>MSAs;</u> thes outside MSAs; and patches. te and time) ÷ (Total Trouble Reports Closed in the rouble reports coded to disposition codes for: Beyond the Network Interface; and Miscellaneous , Customer Instruction, Carrier, Alternate Provider). re the original trouble report is closed.
CLEC and Qwest Retail results Formula: [(Total Trouble Reports Cleared Reporting Period)] x 100 Exclusions: • Trouble reports coded as for – For products measured Customer Action; Non– – Non-Dispatch, non-Q	MR-9A Dispatc MR-9B Dispatc MR-9C No disp d by appointment dat follows: d from MTAS data, tr -Telco Plant; Trouble Qwest (includes CPE, s of any trouble befor	thes within <u>MSAs;</u> thes outside MSAs; and batches. te and time) ÷ (Total Trouble Reports Closed in the rouble reports coded to disposition codes for: Beyond the Network Interface; and Miscellaneous , Customer Instruction, Carrier, Alternate Provider). re the original trouble report is closed.
results Formula: [(Total Trouble Reports Cleared Reporting Period)] x 100 Exclusions: • Trouble reports coded as for - For products measured Customer Action; Non- - Non-Dispatch, non-Q	MR-9B Dispatc MR-9C No disp d by appointment dat ollows: d from MTAS data, tr -Telco Plant; Trouble Qwest (includes CPE, s of any trouble befor	thes outside MSAs; and batches. te and time) ÷ (Total Trouble Reports Closed in the rouble reports coded to disposition codes for: Beyond the Network Interface; and Miscellaneous , Customer Instruction, Carrier, Alternate Provider). re the original trouble report is closed.
Formula: [(Total Trouble Reports Cleared Reporting Period)] x 100 Exclusions: • Trouble reports coded as for – For products measured Customer Action; Non- – Non-Dispatch, non-Q	MR-9C No disp d by appointment dat ollows: d from MTAS data, tr -Telco Plant; Trouble Qwest (includes CPE, s of any trouble befor	te and time) ÷ (Total Trouble Reports Closed in the rouble reports coded to disposition codes for: Beyond the Network Interface; and Miscellaneous , Customer Instruction, Carrier, Alternate Provider). re the original trouble report is closed.
[(Total Trouble Reports Cleared Reporting Period)] x 100 Exclusions: • Trouble reports coded as fo – For products measured Customer Action; Non- – Non-Dispatch, non-Q	d by appointment dat ollows: d from MTAS data, tr -Telco Plant; Trouble Qwest (includes CPE, s of any trouble befor	te and time) ÷ (Total Trouble Reports Closed in the rouble reports coded to disposition codes for: Beyond the Network Interface; and Miscellaneous , Customer Instruction, Carrier, Alternate Provider). re the original trouble report is closed.
[(Total Trouble Reports Cleared Reporting Period)] x 100 Exclusions: • Trouble reports coded as fo – For products measured Customer Action; Non- – Non-Dispatch, non-Q	ollows: d from MTAS data, tr -Telco Plant; Trouble Qwest (includes CPE, s of any trouble befor	ouble reports coded to disposition codes for: Beyond the Network Interface; and Miscellaneous , Customer Instruction, Carrier, Alternate Provider). re the original trouble report is closed.
 Trouble reports coded as for – For products measured Customer Action; Non- – Non-Dispatch, non-Q 	d from MTAS data, tr -Telco Plant; Trouble Qwest (includes CPE, s of any trouble befor	Beyond the Network Interface; and Miscellaneous, Customer Instruction, Carrier, Alternate Provider). re the original trouble report is closed.
 Information tickets generate Time delays due to "no acc appointment time to determ Trouble reports on the day technician/installer as comp Records involving official content Records with invalid trouble Records with invalid cleare Records with invalid product 	cess" are excluded from nine if the repair apport of installation before plete. company services. e receipt dates. ed or closed dates. not codes.	t system/network monitoring purposes. om repair time by using the rescheduled ointment is met. The installation work is reported by the on of the measurement per the PID.
	ential to the calculation	Standard: Parity
Product Reporting: Resale:		Stanuaru. Fanty
Residential single line	service	
Business single line se		
Centrex		
Centrex 21		
PBX Trunks		
Basic ISDN		
Unbundled Elements –	- Platform (LINE-P)	
(POTS)		
Availability:		Notes:
Available		
, (Valiable		

MR-10 - Customer and Non-Qwest Related Trouble Reports

Purpose:

Evaluates the extent that trouble reports were customer related, and provides diagnostic information to help address potential issues that might be raised by the core maintenance and repair performance indicators.

Description:

Measures the percentage of all trouble reports that are attributed to the customer as a percentage of all trouble reports resolved during the reporting period, subject to exclusions specified below. Includes trouble reports closed during the reporting period coded as follows:

- For products measured from MTAS data, trouble reports coded to disposition codes for: Customer Action; Non-Telco Plant, Trouble Beyond the Network Interface; and Miscellaneous Non-Dispatch, non-Qwest (includes CPE, Customer Instruction, Carrier, Alternate Provider) and trouble reports involving a "no access" delay for <u>MSA</u> type disaggregated products.
- For products measured from WFA (Workforce Administration) data trouble reports coded to trouble codes for Carrier Action (IEC) and Customer Provided Equipment (CPE).

Reporting Period: One month	Unit of Measure: Percent
Reporting Comparisons: CLEC aggregate, individual CLEC and Qwest Retail results	Disaggregation Reporting: Statewide level.

Formula:

[(Number of Trouble Reports coded to disposition codes specified above) ÷ (Total Number of Trouble Reports Closed in the Reporting Period)] x 100

Exclusions:

- Subsequent trouble reports of any trouble before the original trouble report is closed
- Information tickets generated for internal Qwest system/network monitoring purposes.
- Records involving official company services.
- Records with invalid trouble receipt dates.
- Records with invalid cleared or closed dates.
- Records with invalid product codes.
- Records missing data essential to the calculation of the measurement per the PID.
- Trouble reports on the day of installation before the installation work is reported by the technician/installer as complete.

MR-10 Customer and Non-Qwest Related Trouble Reports (continued)

Product Reporting:	Standards:
Resale	
Residential single line service	Diagnostic
Business single line service	Diagnostic
Centrex	Diagnostic
Centrex 21	Diagnostic
PBX Trunks	Diagnostic
Basic ISDN	Diagnostic
Qwest DSL	Diagnostic
 Unbundled Network Element – Platform (UNE-P) (POTS) 	Diagnostic
 Unbundled Network Element – Platform (UNE-P) (Centrex 21) 	Diagnostic
 Unbundled Network Element – Platform (UNE-P) (Centrex) 	Diagnostic
Resale	
Primary ISDN	Diagnostic
DS0	Diagnostic
DS1	Diagnostic
DS3 and higher bit-rate services (aggregate)	Diagnostic
Frame Relay	Diagnostic
LIS Trunks	Diagnostic
Unbundled Dedicated Interoffice Transport (UD	IT)
UDIT – DS1 level	Diagnostic
UDIT – Above DS1 level	Diagnostic
Unbundled Loops:	
Analog Loop	Diagnostic
Non-loaded Loop (2-wire)	Diagnostic
Non-loaded Loop (4-wire)	Diagnostic
DS1-capable Loop	Diagnostic
xDSL-I capable Loop	Diagnostic
ISDN-capable Loop	Diagnostic
ADSL-qualified Loop	Diagnostic
Loop types of DS3 and higher bit-rates (aggregate)	Diagnostic
• E911/911 Trunks	Diagnostic
Availability: Available	Notes:

MR-11 – LNP Trouble Reports Cleared within 24 Hours

Purpose:

Evaluates timeliness of clearing LNP trouble reports, focusing on the degree to which residence and business, disconnect-related, out-of-service trouble reports are cleared within four business hours and all LNP-related trouble reports are cleared within 48 hours.

Description:

- MR-11A: Measures the percentage of specified LNP-only (i.e., not unbundled-loop), residence and business, out-of-service trouble reports that are cleared within four business hours of Qwest receiving these trouble reports from CLECs.
 - Includes only trouble reports that are received on or before the currently-scheduled due date
 of the actual LNP-related disconnect time/date, or the next <u>business day</u>, that are confirmed
 to be caused by disconnects being made before the scheduled time, and that are closed
 during the reporting period, subject to exclusions specified below.
- MR-11B: Measures the percentage of specified LNP-only trouble reports that are cleared within 48 hours of Qwest receiving these trouble reports from CLECs.
 - Includes all LNP-only trouble reports, received within four calendar days of the actual LNPrelated disconnect date and closed during the reporting period.
- The "currently-scheduled due date/time" is the original due date/time established by Qwest in
 response to CLEC/customer request for disconnection of service ported via LNP or, if CLEC submits
 to Qwest a timely or untimely request for delay of disconnection, it is the CLEC/customer-requested
 later date/time.
- A request for delay of disconnection is considered timely if received by Qwest before 8:00 p.m. MT on the due date that Qwest has on record at the time of the request.
- A request for delay of disconnection is considered untimely if received by Qwest after 8:00 p.m. MT on the due date and before 12:00 p.m. MT (noon) on the day after the due date
- Time measured is from the date and time Qwest receives the trouble report to the date and time trouble is cleared.

Reporting Period: One month	Unit of Measure: Percent
Reporting Comparisons: CLEC Aggregate and Individual CLEC	Disaggregation Reporting: Statewide level (all are "non-dispatched").
due date/time, that were closed in the re hours) ÷ (Total Number of specified out troubles confirmed to be caused by disc	, that Qwest executed before the currently-scheduled eporting period and cleared within four business of service LNP-only Trouble Reports for LNP-related connects that Qwest executed before the currently-
scheduled due date/time, that were clos	sed in the reporting period)] x 100

MR-11 – LNP Trouble Reports Cleared within 24 Hours (Continued)

Exclusions:

- Trouble reports attributed to customer or non-Qwest reasons
- Trouble reports not related to valid requests (LSRs) for LNP and associated disconnects.
- Subsequent trouble reports of LNP trouble before the original trouble report is closed.
- For MR-11B only: Trouble reports involving a "no access" delay.
- Information tickets generated for internal Qwest system/network monitoring purposes.
- Records involving official company services.
- · Records with invalid trouble receipt dates.
- Records with invalid cleared or closed dates.
- Records with invalid product codes.
- Records missing data essential to the calculation of the measurement per the PID.

	sential to the calculation of the measurement per the PID.
Product Reporting: LNP	 Standards: <u>MR-11A</u>: If OP-17 result meets its standard, the MR-11A standard is Diagnostic. If OP-17 result does not meet its standard, the MR-11A standard is as follows: For 0-20 trouble reports*: No more than 1 ticket cleared in > four business hours For > 20 trouble reports*: The lesser of 95% or Parity with MR-3C results for Retail Residence and Business MR-11B: For 0-20 trouble reports**: No more than 1 ticket cleared > 48 hours For > 20 trouble reports**: The lesser of 95% or Parity with MR-4C results for Retail Residence and Business MR-11B: For > 20 trouble reports**: The lesser of 95% or Parity with MR-4C results for Retail Residence and Business MR-11B: For > 20 trouble reports**: The lesser of 95% or Parity with MR-4C results for Retail Residence and Business
Availability: Available	Notes:

BI-1 – Time to Provide Recorded Usage Records

D -			se:
гι	41 N	υ.	JC .

Evaluates the timeliness with which Qwest provides recorded daily usage records to CLECs.

Description:

Measures the average time interval from date of recorded daily usage to date usage records are transmitted or made available to CLECs as applicable.

- BI-1A Measures recorded daily usage for UNEs and Resale and includes industry standard electronically transmitted usage records for feature group switched access,^{NOTE 1} local measured usage, local message usage, toll usage, and local exchange service components priced on a per-use basis, subject to exclusions specified below.
- BI-1B Measures the percent of recorded daily usage for Jointly provided switched access provided within four days. This includes usage created by the CLEC and Qwest or IXC providing access, usually via 2-way Feature Group X trunk groups for Feature Group A, Feature Group B, Feature Group D, Phone to Phone IP Telephony, 8XX access, and 900 access and their successors or similar Switched Access services.
- BI-1C Provides separate reporting for two elements captured in BI-1A above, as follows:
 - BI-1C-1 Measures recorded daily usage for UNEs and Resale and includes industry standard electronically transmitted usage records for feature group switched access, ^{NOTE1} subject to exclusions specified below.
 - BI-1C-2 Measures recorded daily usage for UNEs and Resale and includes industry standard electronically transmitted usage records for local measured usage, local message usage, toll usage, and local exchange service components priced on a per-use basis, subject to exclusions specified below.

Reporting Period: One month	Unit of Measure:
	BI-1A, BI-1C-1, BI-1C-2: Average Business Days
	BI-1B: Percent
Reporting Comparisons: CLEC aggregate,	Disaggregation Reporting: State level.
individual CLECs, and Qwest Retail results	
Formula:	
BI-1A, BI-1C-1, BI-1C-2 (for specified products & r	ecords) = \sum (Date Record Transmitted or made
available – Date Usage Recorded) ÷ (Tota	I number of records)
BI-1B = [(# of daily usage records for Jointly provid	led switched access sent within four days) ÷ (Total
daily usage records for Jointly provided sw	vitched access in the report period)] x 100
	· · ·
Exclusions:	
 Instances where the CLEC requests other that 	n daily usage transmission or availability.
 Duplicate records. 	
Product Reporting:	Standards:
 UNEs and Resale 	BI-1A: Parity with Qwest retail.
 Jointly-provided Switched Access 	BI-1B: 95% within 4 business days
	BI-1C-1, BI-1C-2: Diagnostic Comparison with the
	Qwest Retail results used in standard for
	BI-1A
Availability:	Notes:
Available	1. "Feature group switched access" includes all
	type 110XXX detail records for Feature
	Groups A, B, C, and D.

BI-2 - Invoices Delivered within 10 Days

Purpose:

Evaluates the timeliness with which Qwest delivers industry standard electronically transmitted bills to CLECs, focusing on the percent delivered within ten calendar days.

Description:

Measures the percentage of invoices that are delivered within ten days, based on the number of days between the bill date and bill delivery.

• Includes all industry standard electronically transmitted invoices for local exchange services and toll, subject to exclusions specified below.

Reporting Period: One month	Unit of Measure: Percent
Reporting Comparisons: Combined Qwest Retail/CLEC results (Parity by design)	Disaggregation Reporting: State level

Formula:

[(Count of Invoices for which Bill Transmission Date to Bill Date is ten calendar days or less) ÷ (Total Number of Invoices)] x 100

Exclusions:

- Bills transmitted via paper, magnetic tape, CD-ROM, diskette.
- Records with missing data essential to the calculation of the measurement per the PID.

Product Reporting:UNEs and Resale	Standard: Parity by design.
Availability: Available	Notes:

BI-3 – Billing Accuracy – Adjustments for Errors

Bro Blinng Roourdoy Rajaotinonto R				
Purpose: Evaluates the accuracy with which Qwest bills CLECs, focusing on the percentage of billed revenue				
adjusted due to errors.				
Description:				
Measures the billed revenue minus amounts adjust	ed off bills due to errors, as a percentage of total			
billed revenue.				
Both the billed revenue and amounts adjusted	off bills due to error are calculated from bills			
rendered in the reporting period.				
	sum of all bill adjustments made in the reporting			
period that involve, either in part or in total, adju	stment codes related to billing errors. (Each			
adjustment thus qualifying is added to the sum				
Reporting Period: One month	Unit of Measure: Percent			
Reperting Ferreur enernient				
Reporting Comparisons: CLEC aggregate,	Disaggregation Reporting: State level.			
individual CLECs, and Qwest Retail results				
Formula:				
	American Adjusted Off Dills Due to Errore) . (Total			
	- Amounts Adjusted Off Bills Due to Errors) ÷ (Total			
Billed Revenue billed in Reporting Period)] x 100				
Exclusions:				
 BI-3A - UNEs and Resale – None 				
• BI-3B - Reciprocal Compensation Minutes of Use	 Billing adjustments as a result of CLEC-caused 			
errors in return of minutes of use				
endis in return of minutes of use				
Draduat Danarting	Standards:			
Product Reporting:				
 BI-3A - UNEs and Resale 	 BI-3A – UNEs and Resale: Parity with Qwest 			
 BI-3B - Reciprocal Compensation Minutes of 	retail bills.			
Use (MOU)	 BI-3B – Reciprocal Compensation (MOU) – 			
	95%			
Availability:	Notes:			
Available				

BI-4 – Billing Completeness

Purpose:

- UNEs and Resale Evaluates the completeness with which Qwest reflects non-recurring and recurring charges associated with completed service orders on the bills.
- Reciprocal Compensation Minutes of Use (MOU) Evaluates the completeness with which Qwest reflects the revenue for Local Minutes of Use associated with CLEC local traffic over Qwest's network on the bills.

Description:

BI-4A – UNEs and Resale: Measures the percentage of non-recurring and recurring charges associated with completed service orders appear on the correct bill.*

BI-4B – Reciprocal Compensation (MOU): Measures the percentage of revenue associated with local minutes of use appearing on the correct (current) bill.*

* Correct bill = next available bill

Reporting Period: One month	Unit of Measure: Percent
Reporting Comparisons: CLEC aggregate, individual CLECs, and Qwest Retail results	Disaggregation Reporting: Statewide level.

Formula:

- BI-4A UNEs and Resale = [∑(Count of service orders with non-recurring and recurring charges associated with completed service orders on the bills that are billed on the correct bill ÷ total count of service orders with non-recurring and recurring charges associated with completed service orders billed on the bill)] x 100
- BI-4B Reciprocal Compensation MOU = [∑(Revenue for Local Minutes of Use billed on the correct* bill ÷ Total revenue for Local Minutes of Use collected during the month)] x 100

Exclusions: None	
 Product Reporting: UNEs and Resale Reciprocal Compensation (MOU) 	Standards: BI-4A - UNEs and Resale: Parity with Qwest Retail bills. BI-4B - Reciprocal Compensation (MOU): 95%
Availability: Available	Notes:

DB-1 – Time to Update Databases

Purpose:

Evaluates the time required for updates to the databases of E911, LIDB, and Directory Builder. **Description:**

- Measures the average time required to update the databases of E911, LIDB, and Directory Builder.
- Includes all database updates as specified under Disaggregation Reporting completed during the reporting period.
- For DB-1A the time to update the E911 database is provided by the third party vendor that performs the update. The elapsed time is captured automatically by the database system. There are no "individual E911 database update records" provided with which to measure the database update process.
- The numerator of DB-1A is calculated by multiplying the vendor-calculated results (Average Minutes in Process Time) by the denominator (Count of records Processed). This method produces a result from the vendor data that is the same as that which would be produced by totalling the update times from individual E911 database update records.

Reporting Period: One month	Unit of M	leasure:
	E911 – H	rs: Mins.
	LIDB & D	irectory Listings – Seconds
Reporting Comparisons:	Disaggre	egation Reporting:
DB-1A - E911: Combined results for Qwest Retail	DB-1A:	E911 for Qwest Retail and Reseller
and Reseller CLEC Aggregate;		CLEC–State level
DB-1B - LIDB: Combined results for all Qwest	DB-1B:	LIDB for Qwest Retail, Reseller CLEC
Retail, Reseller CLEC and Facilities Based CLEC		and Facilities Based CLEC – Multi
updates;		state region-wide level
DB-1C-1 - Listings: Combined results for all	DB-1C-1:	Listings for all Provider types including
Provider types including Qwest Retail, Reseller		Qwest Retail, Reseller CLEC, and
CLEC, and Facilities Based CLEC, ILEC and		Facilities Based CLEC, ILEC and
Unknown Provider, Electronically Submitted,		Unknown Provider, Electronically
Electronically Processed updates. NOTE 1		Submitted, Electronically Processed-
		Sub-region applicable to state
Formula:	·	

 Σ [(Date and Time of database update for each database update as specified under Disaggregation Reporting in the reporting period) – (Date and Time of submissions of data for entry into the database for each database update as specified under Disaggregation Reporting in the reporting period)] ÷ Total database updates as specified under Disaggregation Reporting completed in the reporting period

Exclusion:

• Invalid start/stop dates/times.

DB-1 – Time to Update Databases (continued)

Product Reporting: Not applicable (Reported	ed by database type)	Standards: DB-1A-E911: Parity by design DB-1B-LIDB: Parity by design DB-1C-1 - Listings: Parity by design
Availability: Available	CLEC, Facilities	annot be separated, results for Qwest Retail, Reseller s-based CLECs, ILEC and Unknown Provider updates mbined within these disaggregations.

DB-2 – Accurate Database Updates

Purpose:

Evaluates the accuracy of database updates completed without errors in the reporting period. **Description:**

- Measures the percentage of database updates completed without errors in the reporting period.
- Includes all database updates as specified under Disaggregation Reporting completed during the reporting period.

reporting period.		
Reporting Period: One month		Unit of Measure: Percent
Reporting Comparisons:		Disaggregation Reporting:
DB-2C-1 Listings - Combin	ned results for all	DB-2C-1, Listings for Qwest Retail, Reseller
Qwest Retail, Reseller CLI		CLEC, and Facilities-Based CLEC Electronically
Based CLEC Electronically		Submitted, Electronically Processed updates:
Electronically Processed u	odates	Statewide
Formula:	specified under Disago	regation Reporting completed without errors in the
		fied under Disaggregation Reporting completed in
Exclusions:		
Invalid start/stop dates/tim	es.	
Product Reporting:		Standards:
Not applicable (Reported by database type)		
Not applicable (Reported b	y database type)	DB-2C-1 – Listings: Parity by design ^{NOTE 1}
Not applicable (Reported b Availability:	y database type)	DB-2C-1 – Listings: Parity by design NOTE 1
·· · ·	Notes:	DB-2C-1 – Listings: Parity by design NOTE 1 Reseller CLECs are parity by design. Because
Availability:	Notes: 1. Qwest retail and	
Availability:	Notes: 1. Qwest retail and Facilities-based	Reseller CLECs are parity by design. Because

Directory Assistance

DA-1 – Speed of Answer – Directory Assistance

Purpose:

Evaluates timeliness of customer access to Qwest's Directory Assistance operators, focusing on how long it takes for calls to be answered.

Description:

Measures the average time following first ring until a call is first picked up by the Qwest agent/system to answer Directory Assistance calls.

- Includes all calls to Qwest directory assistance during the reporting period.
- Because a system (electronic voice) prompts for city, state, and listing requested before the actual operator comes on the line, the first ring is defined as when the voice response unit places the call into queue.
- Measurements are taken by sampling calls from the network queue at 10-second intervals. A count of calls in the queue is taken for every sampling event (10-second snapshot), and this count is multiplied by 10 to get a measurement of waiting intervals.
- Using this method, calls that enter the queue after a sample is taken but exit before the next sample is taken are not counted, i.e., are effectively counted as a zero interval. However, this situation is offset by calls that enter just prior to a sampling time, but exit before the next sampling time, and which are counted as 10 seconds. The call intervals shorter than 10 seconds that are counted as 10 seconds are offset by those calls shorter than 10 seconds that are not counted.

Reporting Period: One month	Unit of Measure: Seconds
Reporting Comparisons: Results for Qwest and all CLECs are combined.	Disaggregation Reporting: Sub-region applicable to state
Formula: Σ [(Date and Time of Call Answer) – (Date and Time Exclusions: Abandoned Calls are not included in t	e of First Ring)] ÷ (Total Calls Answered by Center)
Product Reporting: None	Standard: Parity by design
Availability: Available	Notes:

Operator Services

OS-1 – Speed of Answer – Operator Services

Purpose:

Evaluates timeliness of customer access to Qwest's operators, focusing on how long it takes for calls to be answered.

Description:

Measures the time following first ring until a call is answered by the Qwest agent.

- Includes all calls to Qwest's operator services during the reporting period, subject to exclusions specified below.
- Measurements are taken by sampling calls from the network queue at 10-second intervals. A count of calls in the queue is taken for every sampling event (10-second snapshot), and this count is multiplied by 10 to get a measurement of waiting intervals.
- Using this method, calls that enter the queue after a sample is taken but exit before the next sample is taken are not counted, i.e., are effectively counted as a zero interval. However, this situation is offset by calls that enter just prior to a sampling time, but exit before the next sampling time, and which are counted as 10 seconds. The call intervals shorter than 10 seconds that are counted as 10 seconds are offset by those calls shorter than 10 seconds that are not counted.

Reporting Period: One month	Unit of Measure: Seconds
Reporting Comparisons: Qwest and all CLECs are aggregated in a single measure.	Disaggregation Reporting: Sub-region applicable to state
Formula: Σ [(Date and Time of Call Answer) – (Date and Time	of First Ring)] ÷ (Total Calls Answered by Center)
Exclusions: Abandoned Calls are not included in t	he total number of calls answered by the center.
Product Reporting: None	Standard: Parity by design
Availability: Available	Notes:

NI-1 – Trunk Blocking

Purpose:

Evaluates factors affecting completion of calls from Qwest end offices to CLEC end offices, compared with the completion of calls from Qwest end offices to other Qwest end offices, focusing on average busy-hour blocking percentages in interconnection or interoffice final trunks.

Description:

Measures the percentage of trunks blocking in interconnection and interoffice final trunks.

Includes blocking percentages on all direct final and alternate final interconnection and interoffice trunk groups that are in service during the reporting period, subject to exclusions specified below.

Reporting Period: One mo	nth		Unit of Measure: Pe	rcent Blockage
Reporting Comparisons:			ng: Statewide level.	
CLEC aggregate, individual CLEC, and	Reports the reported by		of trunks blocking in int	terconnection final trunks,
Qwest Interoffice trunk blocking results.	NI-1A Interconnection (LIS) trunks to Qwest tandem offices, with TGSR- related exclusions applied as specified below;			
	NI-1B LIS trunks to Qwest end offices, with TGSR-related exclusions applied as specified below;			
	NI-1C	LIS trunks to exclusions;	Qwest tandem office	s, without TGSR-related
	NI-1D LIS trunks to other Qwest end offices, without TGSR-related exclusions.			

Formula:

 $\{\sum (Blockage in Final Trunk Group of Specified Type)x(Number of Circuits in Trunk Group)\} + (Total Number)$ of Final Trunk Circuits in all Final Trunk Groups) x 100

Explanation: Actual average percentage of trunk blockage is calculated by dividing the equivalent average number of trunk circuits blocking by the total number of trunk circuits in final trunks of the type being measured.

Exclusions:

For NI-1A and NI-1B only:

- Trunk groups, blocking in excess of one percent in the reporting period, for which: A Trunk Group Service Request (TGSR)^{NOTES 1 & 2} has been issued in the reporting period; or
 - CLECs do not submit, within 20 calendar days of receiving a TGSR: ---
 - a) Responsive ASRs (or have ASRs pending that are delayed for CLEC reasons NOTE 3);
 - b) Trouble Reports; or
 - c) Notification of traffic re-routing (as described in Note 1 below).

For NI-1A, NI-1B, NI-1C, and NI-1D:

- Trunk groups, blocking in excess of one percent in the reporting period, for which Qwest can identify, in time to incorporate in the regular reporting of this measurement, the cause as being attributable to:
 - Trunk group out-of-service conditions arising from cable cuts, severe weather, or force majeure circumstances:
 - The CLEC placing trunks in a "busy" condition;
 - Lack of interconnection facilities to fulfill LIS requests for which the CLEC did not provide a timely forecast to Qwest. (This portion of the exclusion is limited to being applied in (a) the month the LIS requests could not be fulfilled, due to lack of facilities, and (b) each month thereafter up to the month following facility availability OR up to five months after the month the LIS requests could not be fulfilled, whichever is sooner ^{NOTE 4}); or
 - Isolated incidences of blocking, about which Qwest provides notification to the CLEC, that (a) are not recurring or persistent (affecting the same trunk groups), (b) do not warrant corrective action by CLEC or Qwest, and (c) thus, do not require an actionable TGSR.

NI-1 – Trunk Blocking (Continued)

- Trunk groups recently activated that have not been in service for a full "20-high-day, busy hour" review period.
- Toll trunks, non-final trunks, and trunks that are not connected to the public switched network.
- One-way trunks originating at CLEC end offices.
- Qwest official services trunks, local interoffice operator and directory assistance trunks, and local interoffice 911/E911 trunks.
- Records with invalid product codes.

	vith invalid produ			
	cords missing data essential to the calculation of the measurement per the PID.			
Product Repo	orting:	Standards:		
LIS Trunks		Where NI-1A \leq 1%:	1 %	
		Where NI-1A > 1%:	Parity with Qwest Interoffice Trunks to tandems	
		Where NI-1B \leq 1%:	1 %	
		Where NI-1B > 1%:	Parity with Qwest Interoffice Trunks to end offices	
		NI-1C and NI-1D:	Diagnostic NOTE 5	
Availability:	Notes:		·····	
Available	 Qwest uses determined t within 20 da (b) notify Qw routing prob the CLEC w The TGSR-r the month in group exclud 20-day periot to the next n issuing a sul that, for its o CLEC delay: later. Qwest-ini requests measurer Qwest-ini not be co mutually a CLEC del contribute CLEC del contribute available The limitation provide fa forecasts. standard This limita with issue 	o be persistent. To re- yest within 20 days that ems are causing the b II undertake its own re- elated exclusion is app which the above-spec- led in one month will r d following a TGSR en- nonth for the same true bequent TGSR, when wn reasons, it plans to s are reflected by CLE tiated due date delays to delay due dates, sh- nent. tiated due date change unted as a CLEC dela agreed-upon. ays (e.g., "customer n e to a Qwest-establishe ay in this measuremen n on part (3) of this ex- reats the unforecasted ded. t forecast advance inter to apply for no longer ess, this limitation to t sooner and, if so, redu- recognizes that, abser cilities for the ASR, al NI-1C and NI-1D will to be applied. ation may change dep s of interconnection for	clusion is intended to bound its applicability to a period d ASR as if it were, in effect, the first forecast for the ervals are currently six months, this provision allows the than that period of time. he exclusion also recognizes that facilities may become uces the limitation accordingly. In that context, this ht a CLEC forecast, Qwest still retains a responsibility to though in a longer timeframe than for ASRs covered by be reported for information purposes only, with no ending on the outcome of separate workshops dealing	

NP-1 – NXX Code Activation

Purpose:

Evaluates the timeliness of Qwest's NXX code activation prior to the LERG effective date or by the "revised" effective date, as set forth herein.

Description:

- NP-1A: Measures the percentage of NXX codes activated in the reporting period that are actually loaded and tested prior to the LERG effective date or the "revised" date, subject to exclusions shown below.
- NP-1B: Measures the percentage of NXX codes activated in the reporting period that are delayed beyond the LERG date or "revised" date due to Qwest-caused Interconnection facility delays, subject to exclusions shown below. Included among activations counted as a Qwest delay in this sub-measurement are cases in which "2-6 codes" ^{NOTE 1} associated with the Qwest interconnection facilities are provided late by Qwest to the CLEC.
- Qwest must receive complete and accurate routing information required for code activation, which includes but is not limited to "2-6 codes" for all interconnection trunk groups associated with the activation no less than 25 days prior to the LERG Due Date or Revised Due Date.
- The "revised" date, for purposes of this measurement, is a CLEC-initiated renegotiation of the activation effective date that is no less than 25 days after Qwest receives complete and accurate routing information required for code activation, which includes but is not limited to "2-6 codes" for all interconnection trunk groups associated with the activation.
- The NXX code activation notice is provided by the LERG (Local Exchange Routing Guide) to Qwest.
- NXX code activation is defined as complete when all translations associated with the new NXX are complete by 11:59 p.m. of the day prior to the date identified in the LERG or the "revised" date (if different than the LERG date).
- The NXX code activation completion process includes testing, including calls to the test number when provided.

Reporting Period: One month	Unit of Measure: Percent
Reporting Comparisons: CLEC aggregate, individual CLEC and Qwest Retail results.	Disaggregation Reporting: Statewide.

Formula:

NP-1A = [(Number of NXX codes loaded and tested in the reporting period prior to the LERG effective date or the "revised" date) ÷ (Number of NXX codes loaded and tested in the reporting period)] x 100

NP-1B = [(Number of NXX codes loaded and tested in the reporting period that were delayed past the LERG effective date or "revised" date affected by Qwest Interconnection Facility Delays) ÷ (Number of NXX codes loaded and tested in the reporting period, including NXX codes loaded and tested in the reporting period that were delayed past the LERG effective date or the "revised" date due to Interconnection Facility Delays)] x 100

Exclusions:

NP-1A:

• NXX code activations completed after the LERG date or "revised" date due to delays in the installation of Qwest provided interconnection facilities associated with the activations.

NP-1A and NP-1B:

- NXX codes with LERG dates or "revised" dates resulting in loading intervals shorter than industry standard (currently 45 calendar days).
- NXX codes where QWEST received complete and accurate routing information required for code activations less than 25 days prior to the LERG due date or Revised due date.

NP-1 – NXX Code Activation (continued)

Product Reporting: None	Standards:
	NP-1A: Parity
	NP-1B: Diagnostic
Availability:	Notes:
Available	 "2-6 codes" are industry-standard designators for local interconnection trunk groups, consisting of 2 alpha letters and six numeric digits. Only Qwest-provided interconnection facilities are noted in this exclusion, because delays related to facilities provided by CLECs or others are accounted for by revising the due date.

Collocation

CP-1 – Collocation Completion Interval

Purpose:

Evaluates the timeliness of Qwest's installation of collocation arrangements for CLECs, focusing on the average time to complete such arrangements.

Description:

Measures the interval between the Collocation Application Date and Qwest's completion of the collocation installation.

- Includes all collocations of types specified herein that are assigned a <u>Ready for Service (RFS) date</u> by Qwest and completed during the reporting period, subject to exclusions specified below.
- Collocation types included are: physical cageless, physical caged, shared physical caged, physicalline sharing, cageless-line sharing, and virtual.
- The Collocation Application Date is the date Qwest receives from the CLEC a complete and valid application for collocation. In cases where the CLEC's collocation application is received by Qwest on a weekend or holiday, the Collocation Application Date is the next <u>business day</u> following the weekend or holiday.
- Major Infrastructure Modifications include conditioning the collocation space, obtaining permits, and installing DC power plant, standby generators, heating, venting or air conditioning equipment.
- Completion of the collocation installation is the date on which the requested collocation arrangement is "<u>Ready For Service</u>" as defined in the Definition of Terms section herein.
- <u>Establishment of RFS Dates</u>: RFS dates are established according to intervals specified in interconnection agreements. Where an interconnection agreement does not specify intervals, or where the CLEC requests, RFS dates are established as follows:
 - Collocation Applications with Timely Quote Acceptance and, for Virtual Collocations, also with Timely Equipment Ready for collocation applications where the CLEC accepts the quote in seven or fewer calendar days after the quote date and, for virtual collocations, where the CLEC provides the equipment to be collocated to Qwest 53 calendar days or less after the Collocation Application Date, the RFS date shall be:
 - Forecasted Collocations: 90 calendar days after the Collocation Application Date for collocations for which the CLEC provides a complete forecast to Qwest 60 or more calendar days in advance of the Collocation Application Date.
 - <u>Unforecasted Collocations</u>: 120 calendar days after the Collocation Application Date for collocations for which the CLEC does not provide a forecast to Qwest 60 or more calendar days in advance of the Collocation Application Date.
 - Collocation Applications with Late Quote Acceptance and, for Virtual Collocations, also with Timely Equipment Ready for collocation applications where the CLEC accepts the quote in eight or more calendar days after the quote date and, for virtual collocations, where the CLEC provides the equipment to be collocated to Qwest 53 calendar days or less after the Collocation Application Date, the RFS date shall be:
 - Forecasted Collocations: 90 calendar days after the quote acceptance date for collocations for which the CLEC provides a complete forecast to Qwest 60 or more calendar days in advance of the Collocation Application Date.
 - <u>Unforecasted Collocations</u>: 120 calendar days after the quote acceptance date for collocations for which the CLEC does not provide a forecast to Qwest 60 or more calendar days in advance of the Collocation Application Date.
 - Virtual Collocation Applications with Timely Quote Acceptance and Late Equipment Ready

 for virtual collocation applications where the CLEC (1) accepts the quote in seven or fewer calendar days after the quote date and (2) provides the equipment to be collocated to Qwest more than 53 calendar days after the Collocation Application Date, the RFS date shall be:
 - Forecasted Collocations: 45 calendar days after the equipment is provided to Qwest, for collocations for which the CLEC provides a complete forecast to Qwest 60 or more calendar days in advance of the Collocation Application Date.
 - Unforecasted Collocations: 75 calendar days after the equipment is provided to Qwest, for

CP-1 – Collocation Completion Interval (continued)

collocations for which the CLEC does not provide a forecast to Qwest 60 or more calendar days in advance of the Collocation Application Date.

- Virtual Collocation Applications with Late Quote Acceptance and Late Equipment Ready for virtual collocation applications where the CLEC (1) accepts the quote in eight or more calendar days after the quote date and (2) provides the equipment to be collocated to Qwest more than 53 calendar days after the Collocation Application Date, the RFS date shall be:
 - Forecasted Collocations: 45 calendar days after the equipment is provided to Qwest, for collocations for which the CLEC provides a complete forecast to Qwest 60 or more calendar days in advance of the Collocation Application Date.
 - Unforecasted Collocations: 75 calendar days after the equipment is provided to Qwest, for collocations for which the CLEC does not provide a forecast to Qwest 60 or more calendar days in advance of the Collocation Application Date.
- <u>All Collocations (physical, virtual, forecasted, or unforecasted) requiring Major</u> <u>Infrastructure Modifications</u>: the later of (1) up to 150 calendar days (as specified in the quote) after the Collocation Application Date, or (2) for virtual collocations, 45 days following the date equipment to be collocated is provided to Qwest for collocations in which Major Infrastructure Modifications are required. Qwest will provide to the CLEC, as part of the quotation, the need for, and the duration of, such extended intervals.
- When a CLEC submits six (6) or more Collocation applications in a one-week period in any state, completion intervals will be individually negotiated. These collocation arrangements will be included in CP-1A, -1B, or -1C according to the interval criteria specified below for these measurements.
- Where there is a CLEC-caused delay, the RFS Date is rescheduled
- RFS dates may be extended beyond the above intervals for CLEC reasons, or for reasons beyond Qwest's control, but not for Qwest reasons.
- Where CLECs do not accept the quote within thirty days of the quote date, the application is considered expired.
- **CP-1A** Measures collocation installations for which the scheduled interval from Collocation Application Date to RFS date is 90 calendar days or less.
- **CP-1B** Measures collocation installations for which the scheduled interval from Collocation Application Date to RFS date is 91 to 120 calendar days.
- **CP-1C** Measures collocation installations for which the scheduled interval from Collocation Application Date to RFS date is 121 to 150 calendar days.

Reporting Period: One month	Unit of Measure: Calendar Days
Reporting Comparisons: CLEC aggregate and individual CLEC results	Disaggregation Reporting: Statewide.
Formula: (for CP 1A, CP 1B and CP 1C)	
Formula: (for CP-1A, CP-1B and CP-1C) Σ [(Collocation Completion Date) – (Complete Applie Completed in Reporting Period)	cation Date)] ÷ (Total Number of Collocations

CP-1 – Collocation Completion Interval (continued)

Exclusions:

- CP-1A: CLEC collocation applications with RFS dates yielding scheduled intervals longer than 90 calendar days from Collocation Application Date to RFS date.
- CP-1B: CLEC collocation applications with RFS dates yielding scheduled intervals shorter than 91 calendar days or longer than 120 calendar days from Collocation Application Date to RFS date.
- CP-1C: CLEC collocation applications with RFS dates yielding scheduled intervals shorter than 121 calendar days or longer than 150 calendar days from Collocation Application Date to RFS date.

 Cancelled or expir 	red applications.	
Product Reporting: N	None Standards: CP-1A: 90 calendar days CP-1B: 120 calendar days CP-1C: 150 calendar days	
Availability: Available	 Notes: 1. Collocations covered by this measurement are central office related additional types of central office collocation are defined and offered, will be included in this measurement. Non-central office-based type collocation (such as remote collocation and field connection points) considered for either inclusion in this measurement, or in new, sepa measurements, after the terms, conditions, and processes for such collocation types become finalized, accepted, mature (i.e., six mont experience from first installations), and ordered in volumes warranti reporting (i.e., consistently more than two per month in any state). 	, they es of will be arate hs of

CP-2 – Collocations Completed within Scheduled Intervals

Purpose:

Evaluates the extent to which Qwest completes collocation arrangements for CLECs within the standard intervals or intervals established in interconnection agreements.

Description:

Measures the percentage of collocation applications that are completed within standard intervals, including intervals set forth in interconnection agreements.

- Includes all collocations of types specified herein that are assigned a <u>Ready for Service Date RFS date</u> by Qwest and that are completed within the reporting period, including those with CLEC-requested RFS dates longer than the standard interval and those with extended RFS dates negotiated with the CLEC (including supplemented collocation orders that extend the RFS date) subject to exclusions specified below. Collocation types included are: physical cageless, physical caged, shared physical caged, physical-line sharing, cageless-line sharing, and virtual.
- The Collocation Application Date is the date Qwest receives from the CLEC a complete and valid application for collocation. In cases where the CLEC's collocation application is received by Qwest on a weekend or holiday, the Collocation Application Date is the next <u>business day</u> following the weekend or holiday.
- Major Infrastructure Modifications are defined as conditioning the collocation space, obtaining permits, and installing DC power plant, standby generators, heating, venting or air conditioning equipment.
- A collocation arrangement is counted as met under this measurement if its RFS date is met.
- <u>Establishment of RFS Dates</u>: RFS dates are established as follows, except where interconnection agreements require different intervals, in which case the intervals specified in the interconnection agreements apply:
 - Collocation Applications with Timely Quote Acceptance and, for Virtual Collocations, also with Timely Equipment Ready for collocation applications where the CLEC accepts the quote in seven or fewer calendar days after the quote date and, for virtual collocations, where the CLEC provides the equipment to be collocated to Qwest 53 calendar days or less after the Collocation Application Date, the RFS date shall be:
 - Forecasted Collocations: 90 calendar days after the Collocation Application Date for physical collocations for which the CLEC provides a complete forecast to Qwest 60 or more calendar days in advance of the Collocation Application Date.
 - <u>Unforecasted Collocations</u>: 120 calendar days after the Collocation Application Date for physical collocations for which the CLEC does not provide a forecast to Qwest 60 or more calendar days in advance of the Collocation Application Date.
 - Collocation Applications with Late Quote Acceptance and, for Virtual Collocations, also with Timely Equipment Ready – for collocation applications where the CLEC accepts the quote in eight or more calendar days after the quote date and, for virtual collocations, where the CLEC provides the equipment to be collocated to Qwest 53 calendar days or less after the Collocation Application Date, the RFS date shall be:
 - Forecasted Collocations: 90 calendar days after the quote acceptance date for collocations for which the CLEC provides a complete forecast to Qwest 60 or more calendar days in advance of the Collocation Application Date.
 - <u>Unforecasted Collocations</u>: 120 calendar days after the quote acceptance date for collocations for which the CLEC does not provide a forecast to Qwest 60 or more calendar days in advance of the Collocation Application Date.
 - Virtual Collocation Applications with Timely Quote Acceptance and Late Equipment Ready for virtual collocation applications where the CLEC (1) accepts the quote in seven or fewer calendar days after the quote date and (2) provides the equipment to be collocated to Qwest more than 53 calendar days after the Collocation Application Date, the RFS date shall be:
 - Forecasted Collocations: 45 calendar days after the equipment is provided to Qwest, for collocations for which the CLEC provides a complete forecast to Qwest 60 or more calendar days in advance of the Collocation Application Date.
 - <u>Unforecasted Collocations</u>: 75 calendar days after the equipment is provided to Qwest, for collocations for which the CLEC does not provide a forecast to Qwest 60 or more calendar days in advance of the Collocation Application Date.
 - Virtual Collocation Applications with Late Quote Acceptance and Late Equipment Ready for

CP-2 – Collocations Completed within Scheduled Intervals (continued)

····	
 after the quote date and (2) provides the eq days after the Collocation Application Date, Forecasted Collocations: 45 calendar of collocations for which the CLEC provides in advance of the Collocation Application Unforecasted Collocations: 75 calendar collocations for which the CLEC does no advance of the Collocation Application D All Collocations (physical, virtual, foreca Modifications: the later of (1) up to 150 cal Application Date, or (2) for virtual collocation collocated is provided to Qwest for collocation required. Qwest will provide to the CLEC, a such extended intervals. When a CLEC submits six (6) or more Collocation 	days after the equipment is provided to Qwest, for s a complete forecast to Qwest 60 or more calendar days n Date. ar days after the equipment is provided to Qwest, for it provide a forecast to Qwest 60 or more calendar days in tate. sted, or unforecasted) requiring Major Infrastructure endar days (as specified in the quote) after the Collocation ns, 45 calendar days following the date equipment to be ons in which Major Infrastructure Modifications are as part of the quotation, the need for, and the duration of, bocation applications in a one-week period in any state,
completion intervals will be individually nego	otiated. These collocation arrangements will be included in
CP-2A, -2B, or -2C according to the criteria	specified below for these measurements.
 Where there is a CLEC-caused delay, the R Where CLECs do not accept the quote within th 	irty calendar days of the quote date, the application is
considered expired.	inty calendar days of the quote date, the application is
	ollocation installations for which CLEC provides a forecast dvance of the Collocation Application Date.
	I Collocations : Measures collocation installations for t to Qwest 60 or more calendar days in advance of the
intervals longer than 120 days: Measure	structure Modifications and Collocations with ures all collocation installations requiring Major tions for which the RFS date is more than 120 calendar ate.
Reporting Period: One month	Unit of Measure: Percent
-	
Reporting Comparisons: CLEC aggregate and individual CLEC results	Disaggregation Reporting: Statewide level.
Formula: (for CP-2A, CP-2B and CP-2C)	
[(Count of Collocations for which the RFS is met) ÷ (Period)] x 100	Total Number of Collocations Completed in the Reporting
Exclusions:	
RFS dates missed for reasons beyond Qwest's	control.
 Cancelled or expired requests. 	
7.111/2	
Product Reporting: None	Standards:
	CP-2A & -2B: 90%

CP-2C:

90%

CP-2 – Collocations Completed within Scheduled Intervals (continued)

Availability:	Notes:
Available	 Collocations covered by this measurement are central office related. As additional types of central office collocation are defined and offered, they will be included in this measurement. Non-central office-based types of collocation (such as remote collocation and field connection points) will be considered for either inclusion in this measurement, or in new, separate measurements, after the terms, conditions, and processes for such collocation types become finalized, accepted, mature (i.e., six months of experience from first installations), and ordered in volumes warranting reporting (i.e., consistently more than two per month in any state).

CP-3 – Collocation Feasibility Study Interval

Purpose:

Evaluates the timeliness of the Qwest sub-process function of providing a collocation feasibility study to the CLEC.

Description:

Measures average interval to respond to collocation studies for feasibility of installation.

- Includes feasibility studies, for collocations of types specified herein that are completed in the reporting period, subject to exclusions specified below. Collocation types included are: physical cageless, physical caged, shared physical caged, physical-line sharing, cageless-line sharing, and virtual.^{NOTE 1}
- Interval begins with the Collocation Application Date and ends with the date Qwest completes the Feasibility Study and provides it to the CLEC.
- The Collocation Application Date is the date Qwest receives from the CLEC a complete application for collocation. In cases where the CLEC's application for collocation is received by Qwest on a weekend or holiday, the Collocation Application Date is the next <u>business day</u> following the weekend or holiday.

Tollowing the weekend of holiday.	
Reporting Period: One month	Unit of Measure: Calendar Days
Reporting Comparisons: CLEC aggregate and individual CLEC results	Disaggregation Reporting: Statewide level.

Formula:

 Σ [(Date Feasibility Study provided to CLEC) – (Date Qwest receives CLEC request for Feasibility Study)] ÷ (Total Feasibility Studies Completed in the Reporting Period)

Exclusions:

 CLEC-caused delays of, or CLEC requests for feasibility study completions resulting in greater than ten calendar days from Collocation Application Date to scheduled feasibility study completion date.

Product Reporting: No	one	Standard:	10 calendar days or less
Availability : Available	As additional t offered, they v office-based ty field connection measurement, conditions, and finalized, acce installations), a	ypes of central of vill be included in ypes of collocation on points) will be of or in new, separa d processes for sighted, mature (i.e. and ordered in vo	easurement are central office related. fice collocation are defined and this measurement. Non-central n (such as remote collocation and considered for either inclusion in this ate measurements, after the terms, uch collocation types become , six months of experience from first lumes warranting reporting (i.e., month in any state).

CP-4 – Collocation Feasibility Study Commitments Met

Purpose:

Evaluates the degree that Qwest completes the sub-process function of providing a collocation feasibility study to the CLEC as committed.

Description:

Measures the percentage of collocation feasibility studies for installations that are completed within the Scheduled Interval

- The Scheduled Interval is ten calendar days from the Collocation Application Date or, if
 interconnection agreements call for different intervals, within intervals specified in the agreements,
 or if otherwise delayed by the CLEC, the interval resulting from the delay.
- Includes all feasibility studies for collocations of types specified herein, that are completed in the reporting period. Collocation types included are: physical cageless, physical caged, shared physical caged, physical-line sharing, cageless-line sharing, and virtual.
- Considers the interval from the Collocation Application Date to the date Qwest completes the Feasibility Study and provides it to the CLEC.
- The Collocation Application Date is the date Qwest receives from the CLEC a complete application for collocation. In cases where the CLEC's application for collocation is received by Qwest on a weekend or holiday, the Collocation Application Date is the next <u>business day</u> following the weekend or holiday.
- Subject to superceding terms in the CLEC's interconnection agreement, when a CLEC submits six

 (6) or more Collocation applications in a one-week period in any state, feasibility study intervals
 will be individually negotiated and the resulting intervals used instead of ten calendar days in this
 measurement.

Reporting Period: One month	Unit of Measure: Percent
Reporting Comparisons: CLEC aggregate and individual CLEC results	Disaggregation Reporting: Statewide level
Formula:	

[(Total Applicable Collocation Feasibility studies completed within Scheduled Intervals) \div (Total applicable Collocation Feasibility studies completed in the reporting period)] x 100

Excl	usio	ns:	None	

Product Reporting: None		Standard:	90 percent or more
Availability: Available	related. defined Non-cer collocati either in measure such col six mon volumes	As additional types and offered, they wil atral office-based typ on and field connect clusion in this measu ements, after the terr location types becor ths of experience fro	measurement are central office of central office collocation are Il be included in this measurement. es of collocation (such as remote tion points) will be considered for urement, or in new, separate ms, conditions, and processes for me finalized, accepted, mature (i.e., m first installations), and ordered in g (i.e., consistently more than two

DEFINITION OF TERMS

Application Date (and Time) – The date (and time) on which Qwest receives from the CLEC a complete and accurate local service request (LSR) or access service request (ASR) or retail order, subject to the following:

- For the following types of requests/orders, the application date (and time) is the start of the next business day:
 - (1) LSRs and ASRs received after 3:00PM MT for Designed Services and Local Number Portability (except non-designed, flow-through LNP).
 - (2) Retail orders received after 3:00 PM local time for Designed Services.
 - (3) LSRs received after 7:00PM MT for POTS Resale (Residence and Business), Non-Design Resale Centrex, non-designed UNE-P, Unbundled Loops, and non-designed, flow-through LNP.
 - (4) Retail orders for comparable non-designed services cannot be received after closing time, so the cutoff time is essentially the business office closing time.
- For all types of orders that are received from Friday at 7:00 PM MT through Sunday, or on holidays, and do not flow through, the application date (and time) is the next, non-weekend business day.

Automatic Location Information (ALI) – The feature of E911 that displays at the Public Safety Answering Point (PSAP) the street address of the calling telephone number. This feature requires a data storage and retrieval system for translating telephone numbers to the associated address. ALI may include Emergency Service Number (ESN), street address, room or floor, and names of the enforcement, fire and medical agencies with jurisdictional responsibility for the address. The Management System (E911) database is used to update the Automatic E911 Location Information databases.

Bill Date – The date shown at the top of the bill, representing the date on which Qwest begins to close the bill.

Blocking – Condition on a telecommunications network where, due to a maintenance problem or an traffic volumes exceeding trunking capacity in a part of the network, some or all originating or terminating calls cannot reach their final destinations. Depending on the condition and the part of the network affected, the network may make subsequent attempts to complete the call or the call may be completely blocked. If the call is completely blocked, the calling party will have to re-initiate the call attempt.

Business Day – Workdays that Qwest is normally open for business. Business Day = Monday through Friday, excluding weekends and Qwest published Holidays including New Year's Day, Memorial Day, July 4th, Labor Day, Thanksgiving and Christmas. Individual measurement definitions may modify (typically expanding) this definition as described in the Notes section of the measurement definition.

Cleared Trouble Report – A trouble report for which the trouble has been cleared, meaning the customer is "back in service".

Closed Trouble Report – A trouble report that has been closed out from a maintenance center perspective, meaning the ticket is closed in the trouble reporting system following repair of the trouble.

Code Activation (Opening) – Process by which new NPA/NXXs (area code/prefix) is defined, through software translations to network databases and switches, in telephone networks. Code activation (openings) allow for new groups of telephone numbers (usually in blocks of 10,000) to be made available for assignment to an ILEC's or CLEC's customers, and for calls to those numbers to be passed between carriers.

Common Channel Signaling System 7 (CCSS7) – A network architecture used to for the exchange of signaling information between telecommunications nodes and networks on an out-of-band basis. Information exchanged provides for call set-up and supports services and features such as CLASS and database query and response.

Common Transport – Trunk groups between tandem and end office switches that are shared by more than one carrier, often including the traffic of both the ILEC and several CLECs.

Completion – The time in the order process when the service has been provisioned and service is available.

Completion Notice – A notification the ILEC provides to the CLEC to inform the CLEC that the requested service order activity is complete.

Coordinated Customer Conversion -- Orders that have a due date negotiated between the ILEC, the CLEC, and the customer so that work activities can be performed on a coordinated basis under the direction of the receiving carrier.

Customer Requested Due Date – A specific due date requested by the customer which is either shorter or longer than the standard interval or the interval offered by the ILEC.

Customer Trouble Reports – A report that the carrier providing the underlying service opens when notified that a customer has a problem with their service. Once resolved, the disposition of the trouble is changed to closed.

Dedicated Transport – A network facility reserved to the exclusive use of a single customer, carrier or pair of carriers used to exchange switched or special, local exchange, or exchange access traffic.

Delayed Order – An order which has been completed after the scheduled due date and/or time.

Directory Assistance Database – A database that contains subscriber records used to provide live or automated operator-assisted directory assistance. Including 411, 555-1212, NPA-555-1212.

Directory Listings – Subscriber information used for DA and/or telephone directory publishing, including name and telephone number, and optionally, the customer's address.

DS-0 – Digital Service Level 0. Service provided at a digital signal speed commonly at 64 kbps, but occasionally at 56 kbps.

DS-1 – Digital Service Level 1. Service provided at a digital signal speed of 1.544 Mbps.

DS-3 – Digital Service Level 3. Service provided at a digital signal speed of 44.736 Mbps.

Due Date – The date provided on the Firm Order Confirmation (FOC) the ILEC sends the CLEC identifying the planned completion date for the order.

End Office Switch – A switch from which an end users' exchange services are directly connected and offered.

Final Trunk Groups – Interconnection and interoffice trunk groups that do not overflow traffic to other trunk groups when busy.

Firm Order Confirmation (FOC) – Notice the ILEC sends to the CLEC to notify the CLEC that it has received the CLECs service request, created a service order, and assigned it a due date.

Flow-Through –The term used to describe whether a LSR electronically is passed from the OSS interface system to the ILEC legacy system to automatically create a service order. LSRs that do not flow through require manual intervention for the service order to be created in the ILEC legacy system.

Interval Zone 1/Zone 2 – Interval Zone 1 areas are wire centers for which Qwest specifies shorter standard service intervals than for Interval Zone 2 areas.

Installation – The activity performed to activate a service.

Installation Troubles – A trouble, which is identified after service order activity and installation, has completed on a customer's line. It is likely attributable to the service activity (within a defined time period).

Interconnection Trunks – A network facility that is used to interconnect two switches generally of different local exchange carriers

Inward Activity – Refers to all orders for new or additional lines/circuits. For change order types, additional lines/circuits consist of all C orders with "I" and "T" action coded line/circuit USOCs that represent new or additional lines/circuits, including conversions from retail to CLEC and CLEC to CLEC.

Jeopardy – A condition experienced in the service provisioning process which results potentially in the inability of a carrier to meet the committed due date on a service order

Jeopardy Notice – The actual notice that the ILEC sends to the CLEC when a jeopardy has been identified.

Lack of Facilities – A shortage of cable facilities identified after a due date has been committed to a customer, including the CLEC. The facilities shortage may be identified during the inventory assignment process or during the service installation process, and typically triggers a jeopardy.

Local Exchange Routing Guide (LERG) – A Bellcore master file that is used by the telecom industry to identify NPA-NXX routing and homing information, as well as network element and equipment designations. The file also includes scheduled network changes associated with activity within the North American Numbering Plan (NANP).

Local Exchange Traffic – Traffic originated on the network of a LEC in a local calling area that terminates to another LEC in a local calling area.

DEFINITION OF TERMS (continued)

Local Number Portability (formerly defined under Permanent Number Portability and also known as – Long Term Number Portability) – A network technology which allows end user customers to retain their telephone number when moving their service between local service providers. This technology does not employ remote call forwarding, but actually allows the customer's telephone number to be moved and redefined in the network of the new service provider. The activity to move the telephone number is called "porting."

Local Service Request (LSR) – Transaction sent from the CLEC to the ILEC to order services or to request a change(s) be made to existing services.

MSA/Non-MSA – Metropolitan Statistical Area is a government defined geographic area with a population of 50,000 or greater. Non-Metropolitan Statistical Area is a government defined geographic area with population of less than 50,000. Qwest depicts MSA Non-MSA based on NPA NXX. Where a wire center is predominantly within an MSA, all lines are counted within the MSA.

Mechanized Bill – A bill that is delivered via electronic transmission.

NXX, NXX Code or Central Office Code – The three digit switch entity indicator that is defined by the "D", "E", and "F" digits of a 10-digit telephone number within the NANP. Each NXX Code contains 10,000 station numbers.

Plain Old Telephone Service (POTS) – Refers to basic 2-wire, non-complex analog residential and business services. Can include feature capabilities (e.g., CLASS features).

Projects – Service requests that exceed the line size and/or level of complexity which would allow for the use of standard ordering and provisioning processes. Generally, due dates for projects are negotiated, coordination of service installations/changes is required and automated provisioning may not be practical.

Query Types – Pre-ordering information that is available to a CLEC that is categorized according to standards issued by OBF and/or the FCC.

Ready For Service (RFS) – The status achieved in the installation of a collocation arrangement when all "operational" work has been completed. Operational work consists of the following as applicable to the particular type of collocation:

- Cage enclosure complete;
- DC power is active (including fuses available, BDFB [Battery Distribution Fuse Board] in place, and cables between the CLEC and power terminated);
- Primary AC outlet in place;
- Cable racking and circuit terminations are complete (e.g. fiber jumpers placed between the Outside Plant Fiber Distribution Panel and the Central Office Fiber Distribution Panel serving the CLEC). and
- The following items complete, subject to the CLEC having made required payments to Qwest (e.g., final payment): (If the required CLEC payments have not been made, the following items are not required for RFS):
 - Key turnover made available to CLEC.
 - APOT/CFA complete, as defined/required in the CLEC's interconnection agreement and
 - Basic telephone service and other services and facilities complete, if ordered by CLEC in time to be provided on the scheduled RFS date (per Qwest's published standard installation intervals for such telephone service).

Ready for Service Date (RFS date) – The due date assigned to a collocation order (typically determined by regulatory rulings, contract terms, or negotiations with CLEC) to indicate when collocation installation is scheduled to be ready for service, as defined above.

Reject – A status that can occur to a CLEC submitted local service request (LSR) when it does not meet certain criteria. There are two types of rejects: (1) syntax, which occur if required fields are not included in the LSR; and (2) content, which occur if invalid data is provided in a field. A rejected service request must be corrected and re-submitted before provisioning can begin.

Repeat Report – Any trouble report that is a second (or greater) report on the same telephone number/circuit ID and at the same premises address within 30 days. The original report can be any category, including excluded reports, and can carry any disposition code.

Service Group Type – The designation used to identify a category of similar services, .e.g., UNE loops.

Service Order – The work order created and distributed in ILECs systems and to ILEC work groups in response to a complete, valid local service request.

Service Order Type – The designation used to identify the major types of provisioning activities associated with a local service request.

Standard Interval – The interval that the ILEC publishes as a guideline for establishing due dates for provisioning a service request. Typically, due dates will not be assigned with intervals shorter than the standard. These intervals are specified by service type and type of service modification requested. ILECs publish these standard intervals in documents used by their own service representatives as well as ordering instructions provided to CLECs in the Qwest Standard Interval Guidelines.

Subsequent Reports – A trouble report that is taken in relation to a previously-reported trouble prior to the date and time the initial report has a status of "closed."

Tandem Switch – Switch used to connect and switch trunk circuits between and among Central Office switches.

Time to Restore – The time interval from the receipt, by the ILEC, of a trouble report on a customer's service to the time service is fully restored to the customer.

Unbundled Network Element – Platform (UNE-P) – Combinations of network elements, including both new and conversions, involving POTS (i.e., basic services providing dial tone).

Unbundled Loop - The Unbundled Loop is a transmission path between a Qwest Central Office Distribution Frame, or equivalent, and the Loop Demarcation Point at an end user premises. Loop Demarcation Point is defined as the point where Qwest owned or controlled facilities cease, and CLEC, end user, owner or landlord ownership of facilities begins.

Usage Data – Data generated in network nodes to identify switched call data on a detailed or summarized basis. Usage data is used to create customer invoices for the calls.

GLOSSARY OF ACRONYMS

ACRONYM	DESCRIPTION
ACD	Automatic Call Distributor
ADSL	Asymmetric Digital Subscriber Line
ALI	Automatic Line Information (for 911/E911 systems)
ASR	Service Request (processed via Exact system)
BRI	Basic Rate Interface (type of ISDN service)
CABS	Carrier Access Billing System
СКТ	Circuit
CLEC	Competitive Local Exchange Carrier
СО	Central Office
CPE	Customer Premises Equipment
CRIS	Customer Record Information System
CSR	Customer Service Record
DA	Directory Assistance
DB	Decibel
DB	Database
DS0	Digital Service 0
DS1	Digital Service 1
DS3	Digital Service 3
E911 MS	E911 Management System
EAS	Extended Area Service
EB-TA	Electronic Bonding – Trouble Administration
EDI	Electronic Donaing – Trouble Administration
EELS	Enhanced Extended Loops
ES	Emergency Services (for 911/E911)
FOC	Firm Order Confirmation
GUI	
HDSL	Graphical User Interface
HICAP	High-Bit-Rate Digital Subscriber Line
IEC	High Capacity Digital Service
ILEC	Interexchange Carrier
INP	Incumbent Local Exchange Carrier
IOF	Interim Number Portability
	Interoffice Facilities (refers to trunk facilities located between Qwest central offices)
ISDN	Integrated Services Digital Network
IMA	Interconnect Mediated Access
LATA LERG	Local Access Transport Area
	Local Exchange Routing Guide
LIDB	Line Identification Database
LIS	Local Interconnection Service Trunks
LNP	Long Term Number Portability
LSR	Local Service Request
N, T, C	Service Order Types N (new), T (to or transfer), C (change)
NANP	North American Numbering Plan
NDM	Network Data Mover
NPAC	Number Portability Administration Center
NXX	Telephone number prefix
OBF	Ordering and Billing Forum

GLOSSARY OF ACRONYMS (continued)

ACRONYM	DESCRIPTION
OOS	Out of service (type of trouble condition)
OSS	Operations Support Systems
PBX	Private Branch Exchange
PON	Purchase Order Number
POTS	Plain Old Telephone Service
PRI	Primary Rate Interface (type of ISDN service)
RFS	Ready for Service (refers to collocation installations)
SIA	SAAFE (Strategic Application Architecture Framework and
	Environment) Information Access
SOP	Service Order Processor
SOT	Service Order Type
SS7	Signaling System 7
STP	Signaling Transfer Point
TN	Telephone Number
UDIT	Unbundled Dedicated Interoffice Transport
UNE	Unbundled Network Element
UNE-P	Unbundled Network Element – Platform
VRU	Voice Response Unit
WFA	Work Force Administration
XDSL	(x) Digital Subscriber Line. (The "x" prefix refers to DSL
	generically. An "x" replaced by an "A" refers to Asymmetric
	DSL, and by an "H" refers to High-bit-rate DSL.)

APPENDIX A

PO-20 Feature Detail Fields

Feature Detail

Resale and UNE-P (POTS and Centrex 21):

CFN

Validate the call forwarding TN

CFNB

Validate the call forwarding TN

CFND

Validate the call forwarding TN

RCYC

FID associated with a call forwarding don't answer USOC that determines how many rings before the call forwards to the TN provided with the CFN or CFND FIDs.

HLN (HLA Hot Line)

FID associated with the USOC HLA (which is on our USOC list to validate.) The Hot Line feature call forwards automatically to a pre-programmed number. This TN is provided following the HLN FID. The data provided in the Feature Detail section on the LSR will be validated against the HLN FID on the service order to determine whether the FID is present and the TN provided on the LSR with the FID is correct on the service order.

LINK (HME CALL FORWARDING TO CELLULAR)

FID associated with the USOC HME (which is on our USOC list to validate.) The HME feature call forwards a call from the landline telephone number to a cellular telephone number. The LINK FID, along with the PCS telephone number provided in the Feature Detail section on the LSR, will be validated against the LINK FID on the service order to determine whether the FID is present and the telephone number provided on the LSR matches the telephone number on the service order.

DES on DID MBB

If the CLEC requests a DID voice mailbox the DID number will follow the FID DES on the LSR in the Feature Detail section and on the service order. The DES FID along with the DID telephone number provided in the Feature Detail section on the LSR will be validated against the DES FID on the service order to determine whether the FID is present and the DID telephone number provided on the matches the telephone number on the service order.

TN on Custom Ring USOC (RGG1A etc.)

We currently have 9 custom ring USOCs on our PO-20 USOC list. Along with the custom ring USOC is the TN FID. The TN FID along with the custom ring telephone number provided in the Feature Detail section on the LSR will be validated against the TN FID on the service order to determine whether the FID is present and the custom ring telephone provided on the LSR with the FID is correct on the service order. (The validation would only apply if the USOC and FID were present in the Feature Detail section of the LSR.)

CAS (If provided on LSR for SEA)

Call Screening Code Assignment is a FID associated with the selective class of call feature (which is on our USOC list to validate.) Along with the CAS FID is a two-digit number that indicates what type of screening is being requested. The CAS FID along with a two-digit number is provided in the Feature Detail section on the LSR. The PO-20 review will validate that the FID is floated on the service order behind the feature USOC and that the two-digit number matches the two-digit number provided on the LSR.

WW (if provided on LSR for TFM)

Working With is a FID associated with the transfer mailbox feature (which is on our USOC list to validate.) Along with the WW FID is a ten-digit number that indicates where the voice mailbox is located. The WW FID along with the ten-digit number is provided in the Feature Detail section on the LSR. The PO-20 review will validate that the FID is floated on the service order behind the feature USOC and that the tendigit number matches the ten-digit number provided on the LSR.

MBOA (if provided on LSR for VFN)

Mailbox out-dial notification is a FID associated with the message notification feature (which is on our USOC list to validate.) Along with the MBOA FID is a two-digit alphanumeric combination that indicates where the notification will be sent (i.e., identifies pager type.) The MBOA FID along with the two-digit alphanumeric combination is provided in the Feature Detail section on the LSR. The PO-20 review will validate that the FID is floated on the service order behind the feature USOC and that the two-digit alphanumeric matches the two-digit alphanumeric provided on the LSR.

DES on VGT (if provided on LSR)

Description is a FID associated with the scheduled greeting feature (which is on our USOC list to validate.) Along with the DES FID is a ten-digit telephone number that reflects the DID mailbox number. The DES FID along with the ten-digit telephone number is provided in the Feature Detail section on the LSR. The PO-20 review will validate that the FID is floated on the service order behind the feature USOC and that the ten-digit telephone number the ten-digit telephone number for the ten-digit telephone.

WLT (WLS Warm Line)

Warm line timeout is a FID associated with the warm line feature. Along with the WLT FID is a one or two numeric value that indicates the number of seconds that must elapse before the DMS-100 switch sets up the connection for a warm line service number. The WLT FID along with the one or two numeric value is provided in the Feature Detail section on the LSR. The PO-20 review will validate that the FID is floated on the service order behind the feature USOC and that the one or two numeric value matches the one or two numeric value provided on the LSR.

FIDs associated with WFA (800 service line feature which is on our USOC list to validate):

SIT (if provided on LSR for WFA)

Special identifying telephone number is a FID associated with the 800 service line feature. Along with the SIT FID is a ten-digit telephone number that reflects the 800, 888, 877, or 866 service line feature. The SIT FID along with the ten-digit telephone number is provided in the Feature Detail section on the LSR. The PO-20 review will validate that the FID is floated on the service order behind the feature USOC and that the ten-digit telephone number matches the ten-digit telephone number provided on the LSR.

SIS (if provided on LSR for WFA)

Special Identifying Telephone Number Supplemental is a FID associated with the 800 service line feature. The SIS FID along with a one-digit number is provided in the Feature Detail section on the LSR. The PO-20 review will validate that the FID is floated on the service order behind the feature USOC and that the one-digit number matches the one-digit number provided on the LSR.

ELN (if provided on LSR for WFA)

800 Service listed name is a FID associated with the 800 service line feature. Along with the ELN FID is a listed name, which follows the format of a business name. The ELN FID along with the name is provided in the Feature Detail section on the LSR. The PO-20 review will validate that the FID is floated on the service order behind the feature USOC and that the name matches the name provided on the LSR.

ELA (if provided on LSR for WFA)

800 listed address is a FID associated with the 800 service line feature. Along with the ELA FID is an address, which follows the format of a listed address plus LATA, State, and ZIP code. The ELA FID along with the address is provided in the Feature Detail section on the LSR. The PO-20 review will validate that the FID is floated on the service order behind the feature USOC and that the address matches the address provided on the LSR.

AOS (if provided on LSR for WFA)

Area of service is a FID associated with the 800 service line feature. Along with the AOS FID are one to two alphanumeric characters and three numeric characters which represents LATA and AC of the address. The AOS FID along with the additional characters are provided in the Feature Detail section on the LSR. The PO-20 review will validate that the FID is floated on the service order behind the feature USOC and that the additional characters match the additional characters provided on the LSR.

ALC (if provided on LSR for WFA)

IntraLATA carrier is a FID associated with the 800 service line feature. It indicates the IntraLATA carrier for the 800 service. Along with the ALC FID is the three-digit code (OTC) for the IntraLATA carrier. The ALC FID along with the three-digit code is provided in the Feature Detail section on the LSR. The PO-20 review will validate that the FID is floated on the service order behind the feature USOC and that the three-digit code matches the three-digit code provided on the LSR.

Resale and UNE-P Centrex 21

FIDs associated with SO3, SO5, SFB, C2TAX (Electronic Business Set USOCs which are on our USOC list to validate):

KEY (If provided on LSR for Electronic Business Set EBS USOCs)

Key Designation (KEY number) is a FID associated with the Electronic Business Set feature. Along with the KEY FID is a numeric value that indicates the key designated for different features or lines on the EBS. The KEY FID along with the numeric value is provided in the Feature Detail section on the LSR. The PO-20 review will validate that the FID is floated on the service order behind the feature USOC and that the numeric value matches the numeric value provided on the LSR.

MADN (If provided on LSR for Electronic Business Set EBS USOCs)

Multiple Appearance Directory Number Call Arrangement is a FID associated with the Electronic Business Set feature. Along with the MADN FID is a set of alpha values that indicate the type, appearance and ring status desired for different features or lines on the EBS. The KEY FID along with the alpha values is provided in the Feature Detail section on the LSR. The PO-20 review will validate that the FID is floated on the service order behind the feature USOC and that the alpha values match the alpha values provided on the LSR.

ROL (If provided on LSR for Electronic Business Set EBS USOCs)

Ring On Line is a FID associated with the Electronic Business Set feature. Along with the ROL FID is an alpha value that indicates if the line will ring (Y or N). The ROL FID along with the alpha value is provided in the Feature Detail section on the LSR. The PO-20 review will validate that the FID is floated on the service order behind the feature USOC and that the alpha value matches the alpha value provided on the LSR.

TTYD (If provided on LSR for C2TAX)

Terminal Type is a FID associated with the adjunct module feature. Along with the TTYD FID is a 4 character alpha value based on customer equipment. The TTYD FID along with the 4 character alpha value is provided in the Feature Detail section on the LSR. The PO-20 review will validate that the FID is floated on the service order behind the feature USOC and that the 4 character alpha value matches the 4 character alpha value provided on the LSR.

FIDs associated with E3PPK (CALL PICK-UP feature which is on our USOC list to validate):

CPG (If provided on LSR for E3PPK)

Call Pickup Group is a FID associated with the CALL PICK-UP feature. Along with the CPG FID is a 1-3 digit numeric value that identifies the call pickup group. The CPG FID along with the 1-3 digit numeric value is provided in the Feature Detail section on the LSR. The PO-20 review will validate that the FID is floated on the service order behind the feature USOC and that the 1-3 digit numeric value matches the 1-3 digit numeric value provided on the LSR.

CPUO (If provided on LSR for E3PPK)

Call Pickup-Originating is a FID associated with the CALL PICK-UP feature. Along with the CPUO FID is an alphanumeric value that identifies the call pickup group. The CPUO FID along with the alphanumeric value is provided in the Feature Detail section on the LSR. The PO-20 review will validate that the FID is floated on the service order behind the feature USOC and that the alphanumeric value matches alphanumeric value provided on the LSR.

CPUT (If provided on LSR for E3PPK)

Call Pickup-Terminating is a FID associated with the CALL PICK-UP feature. Along with the CPUT FID is an alphanumeric value that identifies the call pickup group. The CPUT FID along with the alphanumeric value is provided in the Feature Detail section on the LSR. The PO-20 review will validate that the FID is floated on the service order behind the feature USOC and that the alphanumeric value matches alphanumeric value provided on the LSR.

FIDs associated with GVJ, EZJ, GVZ, GV2, EVH, GVV (Speed Call feature USOCs that are on our USOC list to validate):

SCG (If provided on LSR for Speed call USOCs)

Speed Call Group is a FID associated with the Speed call feature. Along with the SCG FID is a 7 digit numeric value that identifies the controller of the group. The SCG FID along with the 7 digit numeric value is provided in the Feature Detail section on the LSR. The PO-20 review will validate that the FID is floated on the service order behind the feature USOC and that the 7 digit numeric value matches 7 digit numeric value provided on the LSR.

CSL (If provided on LSR for Speed call USOCs)

Change Speed Calling Group List is a FID associated with the Speed call feature. Along with the CSL FID is a 2 digit numeric value that identifies the size of the group list. The SCG FID along with the 7 digit numeric value is provided in the Feature Detail section on the LSR. The PO-20 review will validate that the FID is floated on the service order behind the feature USOC and that the 2 digit numeric value matches 2 digit numeric value provided on the LSR.

SCF (If provided on LSR for Speed call USOCs)

Speed Calling Feature Name is a FID associated with the Speed call feature. Along with the SCF FID is an alphanumeric value that identifies the controller of the shared list. The SCF FID along with the alphanumeric value is provided in the Feature Detail section on the LSR. The PO-20 review will validate that the FID is floated on the service order behind the feature USOC and that the alphanumeric value matches alphanumeric value provided on the LSR.