

CARRIER-TO-CARRIER AGREEMENT CHECKLIST

INSTRUCTIONS: Please complete all applicable parts of this form and submit it with related materials when filing a carrier-to-carrier agreement pursuant to 47 U.S.C. 252 and OAR 860-016-0000 et al. The Commission will utilize the information contained in this form to determine how to process the filing.

1. PARTIES	<i>Requesting Carrier</i>	<i>Affected Carrier</i>
Name:	<u>ATTN: Michael A. Beach</u>	<u>Qwest Corporation Don Mason</u>
Address:	<u>MCI WorldCom Michael.A.Beach@wcom.com</u> <u>6352 Fiddlers Green Circle, Ste 600 East</u> <u>Englewood, CO 80111 (303)217-4011</u>	<u>Director-Interconnect Qwest Corporation</u> <u>1801 California St., Ste. 2401 421 S.W. Oak, Ste. 810</u> <u>Denver, CO 80202 Portland, OR 97204</u>

2. PRIMARY CONTACT PERSON FOR PROCESSING INFORMATION:

Name:	<u>Jamaica L. Wilson</u>	Phone:	<u>(503) 727-2081</u>
Address:	<u>Perkins Coie LLP</u> <u>1211 S.W. Fifth Avenue, Suite 1500</u> <u>Portland, OR 97204</u>	Fax:	<u>(503) 727-2222</u>
		E-Mail:	<u>jamaicawilson@perkinscoie.com</u>

3. TYPE OF FILING (Check all that apply. For example, parties seeking to adopt a previously approved agreement with new negotiated amendments should check both "Adoption" and "Amendment" categories.)

- Adoption:** Adopts interconnection agreement previously approved by the Commission.
 Parties to prior agreement _____ & _____
 Approved in Docket ARB _____, Order No(s) _____
 Does filing adopt amendments to base agreement previously approved by the Commission?
 NO
 YES, approved in Docket ARB _____, Order No(s) _____
- New Agreement:** Seeks approval of new negotiated agreement.
 Does this filing replace an agreement between the same parties that was previously approved by the Commission?
 NO
 YES, approved in Docket ARB _____, Order No(s) _____
- Amendment:** Amends an existing carrier-to-carrier agreement.
 If the original agreement was negotiated, has it been approved by Commission?
 NO, decision pending in Docket ARB _____
 YES, approved in Docket ARB 6,(1),(2),(3&4),(5), Order No(s) 97-341,00-104,01-442,01-935,01-1031
 If original agreement was an adoption, what was its docket number? Docket ARB _____
- Other:** Please explain.

**Coordinated Installation With Cooperative Testing Amendment to the
Interconnection Agreement
Between
MCImetro Access Transmission Services, LLC
and
Qwest Corporation
Oregon**

This Amendment to the Interconnection Agreement ("Amendment") is made and entered into by and between Qwest Corporation ("Qwest") and MCImetro Access Transmission Services, LLC ("CLEC"). Qwest and CLEC may be referred to collectively as the "Parties."

Recitals

WHEREAS, CLEC and Qwest entered into an Interconnection Agreement (the "Agreement") for service in the state of Oregon that was approved by the Oregon Public Utility Commission ("Commission"); and

WHEREAS, the Parties wish to amend the Agreement further under the terms and conditions contained herein.

NOW THEREFORE, in consideration of the mutual terms, covenants and conditions contained in this Amendment and other good and valuable consideration, the receipt and sufficiency which is hereby acknowledged, the Parties agree as follows:

Amendment Terms.

The Agreement is hereby amended by adding terms, conditions and rates for Coordinated Installation With Cooperative Testing as set forth in Attachment 1 and Exhibit A, attached hereto and incorporated herein by this reference.

Effective Date

This Amendment shall be deemed effective upon approval by the Commission; however, the Parties may agree to implement the provisions of this Amendment upon execution. To accommodate this need, CLEC must generate, if necessary, an updated Customer Questionnaire. In addition to the Customer Questionnaire, all system updates will need to be completed by Qwest. CLEC will be notified when all system changes have been made. Actual order processing may begin once these requirements have been met.

Further Amendments

Except as modified herein, the provisions of the Agreement shall remain in full force and effect. The provisions of this Amendment, including the provisions of this sentence, may not be amended, modified or supplemented, and waivers or consents to departures from the provisions of this Amendment may not be given without the written consent thereto by both Parties' authorized representative. No waiver by any party of any default, misrepresentation, or breach of warranty or covenant hereunder, whether intentional or not, will be deemed to extend to any prior or subsequent default, misrepresentation, or

breach of warranty or covenant hereunder or affect in any way any rights arising by virtue of any prior or subsequent such occurrence.

Entire Agreement

This Amendment (including the documents referred to herein) constitutes the full and entire understanding and agreement between the Parties with regard to the subjects of this Amendment and supersedes any prior understandings, agreements, or representations by or between the Parties, written or oral, to the extent they relate in any way to the subjects of this Amendment. Except as modified herein, the provisions of the Agreement shall remain in full force and effect. Neither the Agreement nor this Amendment may be further amended or altered except by written instrument executed by an authorized representative of both Parties.

Reservation of Rights

Nothing in this Agreement shall be deemed an admission by Qwest or CLEC concerning the interpretation or effect of the rates, terms or conditions for the subject matter contained in this Amendment or an admission by Qwest or CLEC that the rates, terms or conditions should not be changed, vacated, dismissed, stayed or modified. Nothing in this Amendment shall preclude or estop Qwest or CLEC from taking any position in any forum concerning the proper rates, terms or conditions or concerning whether the rates, terms or conditions should be changed, vacated, dismissed, stayed or modified.

IN WITNESS WHEREOF, the Parties intending to be legally bound, have executed this Amendment as of the dates set forth below.

**MCImetro Access Transmission
Services, LLC**




Authorized Signature

Marcel Henry
Name Printed/Typed

Vice-Pres.-National Carrier Agreements
Title

9/11/02
Date

Qwest Corporation



Authorized Signature

L. T. Christensen
Name Printed/Typed

Director – Business Policy
Title

9/17/02
Date

ATTACHMENT 1**Coordinated Installation With Cooperative Testing**

9.2.2.9.3 Coordinated Installation with Cooperative Testing. Coordinated installation with cooperative testing may be ordered for new or existing service. For both new and existing service, CLEC must designate a specific "Appointment Time" when it submits the LSR. On the Due Date (DD), at the CLEC designated "Appointment Time", the Qwest Implementor/Tester contacts CLEC to ensure CLEC is ready for installation. If CLEC is not ready within thirty (30) minutes of the scheduled appointment time, then CLEC must reschedule the installation by submitting a supplemental LSR for a new Due Date and appointment time. If Qwest is not ready within thirty (30) minutes of the scheduled appointment time, Qwest will waive the nonrecurring charge for the installation option. If Qwest fails to perform cooperative testing due to Qwest's fault, Qwest will waive the nonrecurring charge for the installation option. If CLEC still desires cooperative testing, the Parties will attempt to set a new appointment time on the same Day and, if unable to do so, Qwest will issue a jeopardy notice and a FOC with a new Due Date.

9.2.2.9.3.1 For an existing end user, Coordinated Installation with Cooperative Testing is a "lift and lay" procedure with cooperative testing. The COT completes the installation in the Central Office and performs testing that CLEC requests. Upon completion of Qwest performance testing, the Qwest Implementor/Tester will contact CLEC, read the Qwest test results, and begin CLEC cooperative testing. Within two (2) business days, Qwest will email the Qwest test results to a single, designated CLEC office email address. CLEC will be charged for any Provisioning test CLEC requests that is not defined in the Qwest Technical Publication 77384.

9.2.2.9.3.2 For new end user service, Coordinated Installation with Cooperative Testing may require a dispatch of a technician to the end user premises. The COT and Field Technician complete circuit wiring and perform the required performance tests to ensure that the new circuit meets required parameter limits. Upon completion of Qwest performance testing, the Qwest Implementor/Tester will contact CLEC, read the Qwest test results, and begin CLEC cooperative testing. Within two (2) business days, Qwest will email the Qwest test results to a single, designated CLEC office email address. CLEC will be charged for any Provisioning test not defined in the Qwest Technical Publication 77384.

**Exhibit A
Oregon**

		Recurring	Non-Recurring	Notes
9.4 Line Sharing				
9.4.1	Shared Loop, per Loop	\$5.00	\$71.80	2 & 1
9.4.2	OSS, per Order	Under Development		
9.4.3	Reclassification Charge		ICB	3
9.4.4	Splitter Shelf Charge	\$6.06	\$513.69	1
9.4.5	Splitter Options			
	Splitter in the Common Area - Data to 410 block	\$6.28	\$2,744.18	1
	Splitter in the Common Area - Data direct to CLEC	\$6.67	\$2,916.98	1
	Splitter on the MDF - Data to 410 block	\$1.98	\$863.59	1
	Splitter on the MDF - Data direct to CLEC	\$4.46	\$1,948.78	1
	Splitter on the IDF - Data to 410 block	\$1.91	\$834.67	1
	Splitter on the IDF - Data direct to CLEC	\$3.76	\$1,643.31	1
9.4.6	Engineering		\$1,272.30	1
9.23 UNE Combinations				
9.23.1	UNE - P Line Splitting			
	Basic Installation Charge for UNE-P Line Splitting		\$71.80	1
9.24 Unbundled Packet Switching				
9.24.1	Unbundled Packet Switch Customer Channel Without Subloop		\$59.09	1
	Unbundled Packet Switch Customer Channel with Subloop		\$124.97	1
	Unbundled Packet Switch Customer Channel with Shared Subloop		\$59.09	1
	DSLAM	\$21.11	Special Request	12
	Virtual Transport	\$3.56		1
9.24.2	Unbundled Packet Switch Interface Port			
	DS1	\$144.89	\$223.56	1
	DS3	\$223.12	\$223.56	1
9.25 Loop Splitting				
9.25.1	Interconnection TIE Pairs (ITP)	\$0.92		
9.25.2	OSS Charges	Under Development		
9.25.3	Basic Installation Charge for Loop Splitting		\$71.80	1
9.25.4	Trouble Isolation Charge		See MSC Charges	
9.25.5	Additional Testing		Under Development	
9.25.6	POTS Splitter Collocation			
	Reclassification Charge		ICB	3
	Splitter Shelf Charge	\$5.92	\$584.11	10
	Engineering		\$1,328.07	10
9.25.7	Splitter Options			
	Splitter in the Common Area - Data to 410 block	\$6.45	\$3,894.22	10
	Splitter in the Common Area - Data direct to CLEC	\$6.69	\$4,036.28	10
	Splitter on the IDF - Data to 410 block	\$2.14	\$1,292.66	10
	Splitter on the IDF - Data direct to CLEC	\$3.83	\$2,309.64	10
	Splitter on the MDF - Data to 410 block	\$2.19	\$1,322.85	10
	Splitter on the MDF - Data direct to CLEC	\$4.49	\$2,711.59	10

NOTES:

Exhibit A
Oregon

* Unless otherwise indicated, all rates are pursuant to rates approved by the Oregon PUC. The rates are contained in Oregon Tariff #26 (Interconnection and Unbundled Elements), Section 10 and Oregon Tariff #24 (Access Service),

- [1] TELRIC-based rates not contained in current or pending Oregon Tariffs.
- [2] Market-based rates not contained in current or pending Oregon Tariffs.
- [3] ICB, Individual Case Basis pricing.
- [10] Regional TELRIC
- [12] A special request is a request by the customer to perform something that is technically feasible but the process and pricing are not yet in pl

**EXHIBIT B
SERVICE INTERVAL TABLES***

1.0 Unbundled Loops, Line Sharing and Line Splitting Service Interval Table:

- (a) Established Service Intervals 2/4 Wire Analog (Voice Grade), 2-Wire Analog Distribution Loop:

a)	1-8 lines	5 Business days
b)	9-16 lines	6 Business days
c)	17-24 lines	7 Business days
d)	25 or more	ICB

- (b) Established Service Intervals for 2/4 Wire Non-Loaded Loops, Basic Rate ISDN Capable Loops, and ADSL Compatible Loops that do not require conditioning:

a)	1-8 lines	5 Business days
b)	9-16 lines	6 Business days
c)	17-24 lines	7 Business days
d)	25 or more	ICB

- (c) Established Service Intervals for xDSL-I/ BRI ISDN Capable Loops that do not require conditioning:

a)	1-8 lines	5 Business days
b)	9-16 lines	6 Business days
c)	17-24 lines	7 Business days

- (d) Established Service Intervals for existing DS-1 Capable Loops, DS1 Capable Feeder Loop:

a)	1 – 24 lines	9 Business days
b)	25 or More	ICB

- (e) Established Service Intervals for existing DS3 Capable Loops:

a)	1-3 lines	7 Business days
b)	4 or more	ICB

- (f) Established Service Intervals for Line Sharing and Line Splitting that do not require conditioning:

a)	1-24 lines	3 Business days
d)	25 or More	ICB

- (g) Conditioned Loops for 2/4 Wire Non-Loaded Loops, ADSL Compatible, Basic Rate ISDN Capable, xDSL-I Capable Loops, Line Sharing and Line Splitting:

a)	1-8 lines	15 Business days
b)	9 or more	ICB

**EXHIBIT B
SERVICE INTERVAL TABLES***

- (h) Established Repair Intervals for Basic 2-wire Analog Loops, Line Sharing, Line Splitting, and Shared Distribution Loop:

24 Hours OSS
48 Hours AS

- (i) Established Repair Intervals for 4-wire Analog Loops, 2/4 Wire Non-Loaded Loops, Basic Rate ISDN Capable Loops, and ADSL Compatible Loops, xDSL-I Capable Loops, DS1 Capable Loops, DS3 Capable Loops, and Ocn Capable Loops:

4 Hours

- (j) Quick Loop

a)	1 to 8 Lines	Three (3) Business Days
b)	9 to 16 Lines	Three (3) Business Days
c)	17 to 24 Lines	Three (3) Business Days
d)	25 or more Lines	ICB

Quick Loop with Number Portability

a)	1 to 8 Lines	Three (3) Business Days
b)	9 to 24 Lines	Four (4) Business Days
c)	25 or more Lines	ICB

- (k) OCn Loop

1 or more Lines	ICB
-----------------	-----

- (l) Shared Distribution Loop

1 or more Lines	Five (5) Business Days
-----------------	------------------------

**EXHIBIT B
SERVICE INTERVAL TABLES***

2.0 Unbundled Dedicated Interoffice Transport (UDIT) Service Interval Table:

Product	Services Ordered	Installation Commitments	Repair Commitments
UDIT, EUDIT, UCCRE			
DS0	1 to 8	High Density: Five (5) Business Days	4 hrs. High Density
		Low Density: Six (6) Business Days	4 hrs. Low Density
	9 to 16	High Density: Six (6) Business Days	4 hrs. High Density
		Low Density: Seven (7) Business Days	4 hrs. Low Density
	17 to 24	High Density: Seven (7) Business Days	4 hrs. High Density
Low Density: Eight (8) Business Days		4 hrs. Low Density	
25 or more	ICB	ICB	
DS1	1 to 8	High Density: Five (5) Business Days	4 hrs High Density
		Low Density: Eight (8) Business Days	4 hrs Low Density
	9 to 16	High Density: Six (6) Business Days	4 hrs High Density
		Low Density: Nine (9) Business Days	4 hrs Low Density
	17 to 24	High Density: Seven (7) Business Days	4 hrs High Density
Low Density: Ten (10) Business Days		4 hrs Low Density	
25 or more	ICB	4 hrs	
DS3	1 to 3 Circuits	High Density: Seven (7) Business Days	4 hrs High Density
		Low Density: Nine (9) Business Days	4 hrs Low Density
	4 or more Circuits	ICB	4 hrs
OC3 and Higher	1 or more Circuits	ICB	4 hrs
UDIT AND EUDIT Facility	Single Band Width	UDIT Interval + 3 days	

**EXHIBIT B
SERVICE INTERVAL TABLES***

3.0 Unbundled Local Switching Service Interval Table:

Product	Services Ordered	Installation Commitments	Repair Commitments
Unbundled Switching			
Unbundled Switching – Line Side Analog With Line Class Code (LCC) already supported in requested switch.	1 to 8	High Density: Five (5) Business Days Low Density: Six (6) Business Days	24 hrs. High Density 24 hrs. Low Density
	9 to 16	High Density: Six (6) Business Days	24 hrs. High Density
		Low Density: Seven (7) Business Days	24 hrs. Low Density
	17 to 24	High Density: Seven (7) Business Days	24 hrs. High Density
		Low Density: Eight (8) Business Days	24 hrs. Low Density
25 or more	ICB	24 hrs.	
Unbundled Switching – Line Side Analog – Existing – Vertical Feature(s) (Features change without inward line activity and not impacting the design of the circuit.)	1 to 19	Two (2) Business Days	24 hrs. OOS 48 hrs. AS
	20 to 39	Four (4) Business Days	24 hrs. OOS 48 hrs. AS
	40 or more	ICB	24 hrs. OOS 48 hrs. AS
Unbundled Switching – Line Side Analog New Line Class Code (LCC) ordered through customized routing		ICB	24 hrs.
Unbundled Switching – BRI-ISDN Line-side Port. With a U S WEST standard configuration and Line Class Code (LCC) already supported in the requested switch	1 to 3 Lines	High Density: Seven (7) Business Days	24 hrs. High Density
		Low Density: ICB	24 hrs. Low Density
4 or more	ICB	24 hrs.	
Unbundled Switching – BRI-ISDN Line-side Port. With non-standard configuration and Line Class Code (LCC) already supported in the requested switch	1 to 3 Lines	High Density: Seventeen (17) Business Days (includes 10 days for complex translations.)	24 hrs. High Density
		Low Density: ICB	24 hrs. Low Density
	4 or more	ICB	24 hrs.
Unbundled Switching – BRI-ISDN Line-side Port. Non supported Line Class Code (LCC) ordered through Customized Routing		ICB	24 hrs.

**EXHIBIT B
SERVICE INTERVAL TABLES***

Unbundled Switching – DS1 Trunk Port	1 to 8 Ports	High Density: Five (5) Business Days	24 hrs. High Density
		Low Density: Six (6) Business Days	24 hrs. Low Density
	9 to 16 Ports	High Density: Six (6) Business Days	24 hrs. High Density
		Low Density: Seven (7) Business Days	24 hrs. Low Density
	17 to 24 Ports	High Density: Seven (7) Business Days	24 hrs. High Density
	Low Density: Eight (8) Business Days	24 hrs. Low Density	
	25 or more Ports	ICB	24 hrs.
Unbundled Switching – Message Trunk Groups <ul style="list-style-type: none"> • Translation questionnaire required • Routing to trunks is ordered separately as Customized Routing • DS1 trunk port & UDIT in place. 	High Density	Seven (7) Business Days	24 hrs.
	1 to 24		
	25 to 48	Eight (8) Business Days	24 hrs.
	49 to 72	Ten (10) Business Days	24 hrs.
	73 to 96	Twelve (12) Business Days	24 hrs.
	97 to 120	Fourteen (14) Business Days	24 hrs.
	121 to 144	Fifteen (15) Business Days	24 hrs.
	145 to 168	Sixteen (16) Business Days	24 hrs.
	169 to 240	Eighteen (18) Business Days	24 hrs.
	241 or more	ICB	24 hrs.
	Low Density	Eighteen (18) Business Days	24 hrs.
	1 to 24		
	25 to 72	Nineteen (19) Business Days	24 hrs.
	73 to 120	Twenty (20) Business Days	24 hrs.
121 or more	ICB	24 hrs.	
Unbundled Switching – Two Way and DID Equivalent Group (add/change/increase) DS1 trunk port in place	1 to 8 Trunks	High Density: Five (5) Business Days	24 hrs. High Density
		Low Density: Six (6) Business Days	24 hrs. Low Density
	9 to 16 Trunks	High Density: Six (6) Business Days	24 hrs. High Density
	Low Density: Seven (7) Business Days	24 hrs. Low Density	

**EXHIBIT B
SERVICE INTERVAL TABLES***

	17 to 24 Trunks	High Density: Seven (7) Business Days Low Density: Eight (8) Business Days	24 hrs. High Density 24 hrs. Low Density
	25 or more Trunks	ICB	24 hrs.
Unbundled Switching – PRI-ISDN Capable Trunk-Side DS1 Trunk port in place	1 to 8	High Density: Five (5) Business Days Low Density: Six (6) Business Days	4 hrs. High Density 4 hrs. Low Density
	9 to 16	High Density: Six (6) Business Days Low Density: Seven (7) Business Days	4 hrs. High Density 4 hrs. Low Density
	17 to 24	High Density: Seven (7) Business Days Low Density: Eight (8) Business Days	4 hrs. High Density 4 hrs. Low Density
	25 or more	ICB	4 hrs.
		<ul style="list-style-type: none"> • Design changes – 8 Business days • Non-design changes – 5 Business days • Service changes – 5 Business days 	New service request – 10 Business days
Unbundled Packet Switching			

**EXHIBIT B
SERVICE INTERVAL TABLES***

4.0 Unbundled Dark Fiber Interval Table:

Product	Activity/ Features	Services Ordered	FOC Guidelines	Installation Guidelines	Repair Guidelines
Initial Records Inquiry (IRI) (simple & complex)			N/A	Ten (10) Business Days	N/A
Field Verification And Quote Preparation (FVOP)			N/A	Twenty (20) Business Days	N/A
Provisioning (non- FVOP requests)			N/A	Twenty (20) Business Days	
OC3 and Higher			N/A	ICB	

**EXHIBIT B
SERVICE INTERVAL TABLES***

5.0 Unbundled Network Elements Platform (UNE-P) Service Interval Table:

Product	Services Ordered	Installation Commitments	Repair Commitments
UNE-P POTS 'New'- Soft Dial Tone (SDT) [Where available] Facility Check indicates "AVAILABLE (SDT)" and DISPATCH "NO"		Two (2) Business Days (regardless of the time of day the request is received)	24 hrs OOS 48 hrs AS
UNE-P POTS 'New'-Residence Flow Through, Fully Electronic (N, T Orders) Facility Check indicates "AVAILABLE" and DISPATCH "NO"	1 to 39 Lines	Three (3) Business Days	24 hrs OOS 48 hrs AS
	40 or more Lines	ICB	24 hrs OOS 48 hrs AS
UNE-P POTS 'New'-Business Flow Through, Fully Electronic (N, T Orders) Facility Check indicates "AVAILABLE" and DISPATCH "NO"	1 to 19 Lines	Three (3) Business Days	24 hrs OOS 48 hrs AS
	20-39 Lines	Four (4) Business Days or next available due date thereafter as indicated by Appointment Scheduler.	24 hrs OOS 48 hrs AS
	40 or more Lines	ICB	24 hrs OOS 48 hrs AS
UNE-P POTS 'New'-Residence Simple CO Features, or Number Changes without inward line activity, or Hunting changes without inward line activity	1 to 39 Lines	Three (3) Business Days	24 hrs OOS 48 hrs AS
	40 or more Lines	ICB	24 hrs OOS 48 hrs AS
UNE-P POTS 'New'-Business Simple CO Features, or Number Changes without inward line activity, or Hunting changes without inward line activity	1 to 19 Lines	Three (3) Business Days	24 hrs OOS 48 hrs AS
	20-39 Lines	Four (4) Business Days	24 hrs OOS 48 hrs AS
	40 or more Lines	ICB	24 hrs OOS 48 hrs AS
UNE-P POTS 'New'- Suspend/Restore	Customers with service placed on "vacation"	Next Business Day	24 hrs OOS 48 hrs AS
	Treatment for Non- payment issues	Same Business Day as payment receipt validated	24 hrs OOS 48 hrs AS
UNE-P POTS 'New'-Residence New Installs, Address Changes, Changes with inward line activity Facility Check indicates "AVAILABLE DISP. REQ" and DISPATCH "YES"	1 to 39 Lines	Next available due date as indicated by Appointment Scheduler Note: Appointment Scheduler minimum default interval is 3 (Three) Business Days.	24 hrs OOS 48 hrs AS
	40 or more Lines	ICB	24 hrs OOS 48 hrs AS

**EXHIBIT B
SERVICE INTERVAL TABLES***

UNE-P POTS 'New'-Business New Installs, Address Changes, Changes with inward line activity Facility Check indicates "AVAILABLE DISP. REQ" and DISPATCH "YES"	1 to 19 Lines	Next available due date as indicated by Appointment Scheduler Note: Appointment Scheduler minimum default interval is 3 (Three) Business Days.	24 hrs OOS 48 hrs AS
	20-39 Lines	Four (4) Business Days or next available due date thereafter as indicated by Appointment Scheduler.	24 hrs OOS 48 hrs AS
	40 or more Lines	ICB	24 hrs OOS 48 hrs AS
UNE-P POTS 'New'- ▪ Directory Listings Changes (R Orders) ▪ Voice Mail	1-10 Listings	Two (2) Business Days	
	11 to 20 Listings	Five (5) Business Days	
	21-50 Listings	Ten (10) Business Days	
	51-100 Listings	Thirty (30) Business Days	
	Over 100 Listings	Sixty (60) Business Days	
	Add Voice Mail to POTS line	Three (3) Business Days	
Conversions to UNE-P POTS- POTS Residence to UNE-P - Conversion as Specified - Simple CO Features	1 to 39 Lines	Three (3) Business days	24 hrs OOS 48 hrs AS
	40 or more lines	ICB	24 hrs OOS 48 hrs AS
Conversions to UNE-P POTS- UNE-P to UNE-P POTS Residence - Conversion as Is	1 to 39 Lines	Same Business Day if received before 12:00 p.m., or, Next Business Day if received later than 12:00 p.m.	24 hrs OOS 48 hrs AS
	40 or more Lines	ICB	24 hrs OOS 48 hrs AS
Conversions to UNE-P POTS- POTS Business to UNE-P - Conversion As Specified - Simple CO Features	1 to 19 Lines	Three (3) Business days	24 hrs OOS 48 hrs AS
	20 to 39 Lines	Four (4) Business Days	24 hrs OOS 48 hrs AS
	40 or more Line	ICB	24 hrs OOS 48 hrs AS
Conversions to UNE-P POTS- UNE-P to UNE-P POTS Business - Conversion As Is	1 to 39 Lines	Same Business Day if received before 12:00 p.m., or, Next Business Day if received later than 12:00 p.m.	24 hrs OOS 48 hrs AS
	40 or more Lines	ICB	24 hrs OOS 48 hrs AS
UNE-P Line Splitting – UNE-P POTS to UNE-P POTS with Line Splitting - Conversion As Specified	1 to 8 Lines	High Density: Five (5) Business Days Low Density: Six (6) Business Days	24 hrs OOS 48 hrs AS

**EXHIBIT B
SERVICE INTERVAL TABLES***

	9 to 16 Lines	High Density: Six (6) Business days Low Density: (9) Business Days	24 hrs OOS 48 hrs AS
	17 to 24 Lines	High Density: (7) Business Days	24 hrs OOS 48 hrs AS
	25-39 Lines	ICB	24 hrs OOS 48 hrs AS
	40 or more Lines or if Conditioning is required	ICB High Density: Five (5) Business Days	24 hrs OOS 48 hrs AS
UNE-P Line Splitting – POTS Residence or POTS Business with Line Sharing to UNE-P POTS with Line Splitting - Conversion as Specified	1 to 8 Lines	High Density: Six (5) Business days Low Density: Six (6) Business Days	24 hrs OOS 48 hrs AS
	9 to 16 Lines	High Density: Six (6) Business days Low Density: Nine (9) Business Days	24 hrs OOS 48 hrs AS
	17 to 24 Lines	High Density: Seven (7) Business Days Low Density: Ten (10) Business Days	24 hrs OOS 48 hrs AS
	25-39 Lines	ICB	24 hrs OOS 48 hrs AS
	40 or more Lines	ICB	24 hrs OOS 48 hrs AS
	UNE-P PBX 'New'-	1 to 8 Trunks	Five (5) Business Days
9 to 16 Trunks		Six (6) Business Days	4 hrs
17 to 24 Trunks		Seven (7) Business Days	4 hrs
25 or more Trunks		ICB	4 hrs
Conversions to UNE-P PBX – Conversion As Specified or Conversion As Is	1 to 8 Trunks	Five (5) Business Days	4 hrs
	9 to 16 Trunks	Six (6) Business Days	4 hrs
	17 to 24 Trunks	Seven (7) Business Days	4 hrs
	25 or more Trunks	ICB	4 hrs
UNE-P DSS 'New'- T1 Facility	1 to 3	Nine (9) Business Days	4 hrs
	4 or more	ICB	4 hrs
UNE-P DSS 'New'- Trunks	1 to 3 Lines	Twelve (12) Business Days	4 hrs
	4 to 6 Lines	Sixteen (16) Business Days	4 hrs
	7 to 9 Lines	Twenty (20) Business Days	4 hrs

**EXHIBIT B
SERVICE INTERVAL TABLES***

	10 to 12 Lines	Twenty four (24) Business Days	4 hrs
	13 or more Lines	ICB	4 hrs
Conversions to UNE-P DSS-T1 Facility	1 to 3	Nine (9) Business Days	4 hrs
	4 or more	ICB	4 hrs
Conversions to UNE-P DSS-Trunks	4 to 6 Lines	Sixteen (16) Business Days	4 hrs
	7 to 9 Lines	Twenty (20) Business Days	4 hrs
	10 to 12 Lines	Twenty four (24) Business Days	4 hrs
	13 or more Lines	ICB	4 hrs
UNE-P ISDN BRI 'New'- New Installs, Address Changes, Change to add Loop (N2Q)	1 to 10 Lines	Thirteen (13) Business Days	24 hrs
	11 or more Lines	ICB	24 hrs
UNE-P ISDN BRI 'New'- Add or Change Feature(s), Add Primary Directory Number (PDN) to established Loop (N2Q), Add Call Appearance	1 to 10 Lines	Three (3) Business Days	24 hrs
	11 or more Lines	ICB	24 hrs
Conversion to UNE-P ISDN BRI- Conversion As Is	1 to 10 Lines	Three (3) Business Days	24 hrs
	11 or more Lines	ICB	24 hrs
Conversion to UNE-P ISDN BRI- Conversion As Specified	1 to 10 Lines	Three (3) Business Days if a Loop is not involved (or) Thirteen (13) Business Days if a Loop is added or changed	24 hrs
	11 or more Lines	ICB	24 hrs
UNE-P ISDN PRI 'New'- T1 Facility	1 to 3	Nine (9) Business Days	4 hrs
	4 or more	ICB	4 hrs
UNE-P ISDN PRI 'New'- Trunks	1 to 3 Lines	Twelve (12) Business Days	4 hrs
	4 to 6 Lines	Sixteen (16) Business Days	4 hrs
	7 to 9 Lines	Twenty (20) Business Days	4 hrs
	10 to 12 Lines	Twenty four (24) Business Days	4 hrs
	13 or more Lines	ICB	4 hrs
Conversion to UNE-P ISDN PRI- T1 Facility	1 to 3	Nine (9) Business Days	4 hrs
	4 or more	ICB	4 hrs
Conversion to UNE-P ISDN PRI- Trunks	1 to 3 Lines	Twelve (12) Business Days	4 hrs
	4 to 6 Lines	Sixteen (16) Business Days	4 hrs
	7 to 9 Lines	Twenty (20) Business Days	4 hrs

**EXHIBIT B
SERVICE INTERVAL TABLES***

	10 to 12 Lines	Twenty four (24) Business Days	4 hrs
	13 or more Lines	ICB	4 hrs
UNE-P Centrex 21 - Non Designed- Conversions as Specified	1 to 10 Lines	Five (5) Business Days	24 hrs OOS 48 hrs AS
	11 or more Lines	ICB	24 hrs OOS 48 hrs AS
UNE-P Centrex 21 - Non Designed- New Installations	1 to 10 Lines [Facility check indicates "Available Dispatch Required" and Dispatch "Yes".]	Five (5) Business Days or Next available due date thereafter as indicated by Appointment Scheduler.	24 hrs OOS 48 hrs AS
	11 or more Lines	ICB	24 hrs OOS 48 hrs AS
UNE-P Centrex Plus / UNE-P Centron [Centron is MN only] Common Block Configuration Required - Establish Common Block	1 to 10 Lines - No Optional Features	Twenty (20) Business Days	24 hrs OOS 48 hrs AS
	1 to 10 Lines - w/ Optional Features (i.e., ARS, DFIs, SMDR, UCD, etc.)	ICB	24 hrs OOS 48 hrs AS
	11-21 Lines – No Optional Features	Twenty (20) Business Days	24 hrs OOS 48 hrs AS
	11 to 21 Lines – w/Optional Features (i.e., ARS, DFIs, SMDR, UCD, etc.)	ICB	24 hrs OOS 48 hrs AS
	22 or more Lines with or without Optional Features	ICB	24 hrs OOS 48 hrs AS
UNE-P Centrex Plus / UNE-P Centron [Centron is MN only] Common Block Configuration Required - Feature Additions requiring Common Block activity per Common Block	1 to 10 Lines	Twenty (20) Business Days	24 hrs OOS 48 hrs AS
	11 or more Lines	ICB	24 hrs OOS 48 hrs AS
UNE-P Centrex Plus / UNE-P Centron [Centron is MN only] Common Block Configuration Required - Line Class Codes (LCCs)/ CAT/NCOS/DPAT additions/changes requiring Common Block work.	Per Common Block (must be existing Line Class Codes(LCCs)/ CAT/NCOS/DPAT)	Five (5) Business Days	24 hrs OOS 48 hrs AS
	If new LCC/CAT/NCOS or DPAT	Twenty (20) Business Days	24 hrs OOS 48 hrs AS

**EXHIBIT B
SERVICE INTERVAL TABLES***

<p>UNE-P Centrex Plus / UNE-P Centron [Centron is MN only] Common Block Configuration Required - Centrex Management System (CMS)</p>	<p>New Common Blocks & Cust ID's (lines installed at the same time the Common Block is installed)</p>	<p>Twenty (20) Business Days (after the initial Common Block & associated lines are installed)</p>	<p>N/A</p>
<p>UNE-P Centrex Plus / UNE-P Centron [Centron is MN only] Common Block Configuration Required - Designed Services subsequent to initial Common Block installation</p>	<p>Tie Lines/DFI/FX</p>	<p>Thirteen (13) Business Days (may be longer due to facility due date requirements)</p>	<p>24 hrs OOS 48 hrs AS</p>
<p>UNE-P Centrex Plus / UNE-P Centron [Centron is MN only] No Common Block Configuration Required - Centrex Management System (CMS) Network Access Registers (NARs)</p>	<p>Additional/New Station Lines to be added to CMS</p>	<p>Five (5) Business Days after line is installed</p>	<p>N/A</p>
	<p>Additions</p>	<p>Five (5) Business Days</p>	<p>N/A</p>
	<p>Change from Non Blocked to Blocked Service</p>	<p>ICB</p>	<p>N/A</p>
<p>UNE-P Centrex Plus / UNE-P Centron [Centron is MN only] No Common Block Configuration Required - Station Lines (subsequent to the establishment of the Common Block) Includes: Conversions New Lines Moves NOTE: On conversions, numbers are "chipped" into the Common Block at the time of installation.</p>	<p>1 to 10 Lines per location</p>	<p>Five (5) Business Days or Next available due date thereafter as indicated by Appointment Scheduler.</p>	<p>24 hrs OOS 48 hrs AS</p>
	<p>11 to 20 Lines per location</p>	<p>Ten (10) Business Days or Next available due date thereafter as indicated by Appointment Scheduler.</p>	<p>24 hrs OOS 48 hrs AS</p>
	<p>21 or more Lines per location</p>	<p>ICB</p>	<p>24 hrs OOS 48 hrs AS</p>
<p>UNE-P Centrex Plus / UNE-P Centron [Centron is MN only] No Common Block Configuration Required Line Feature changes/additions/Removals</p>	<p>1 to 19 Lines</p>	<p>Three (3) Business Days</p>	<p>24 hrs OOS 48 hrs AS</p>
	<p>20 or more Lines</p>	<p>ICB</p>	<p>24 hrs OOS 48 hrs AS</p>

**EXHIBIT B
SERVICE INTERVAL TABLES***

UNE-P Centrex Plus / UNE-P Centron [Centron is MN only] No Common Block Configuration Required Designed Services subsequent to initial Common Block installation	Tie Lines/DFI/FX	Thirteen (13) Business Days (may be longer due to facility due date requirements)	24 hrs OOS 48 hrs AS
UNE-P Centrex Plus / UNE-P Centron [Centron is MN only] No Common Block Configuration Required Automatic Route Selection (ARS)	Subsequent to Common Block Installation	Twenty (20) Business Days (may be longer if the activation of ARS is tied to a Private Line facility installation)	24 hrs OOS 48 hrs AS
	Changes to Patterns: 1 to 25 changes 26 to 50 changes 51 or more changes	Business Days: Five (5) days Ten (10) days Twenty (20) days	24 hrs OOS 48 hrs AS
	Adding new Patterns	Twenty (20) Business Days	24 hrs OOS 48 hrs AS
UNE-P Centrex Plus / UNE-P Centron [Centron is MN only] No Common Block Configuration Required Uniform Call Distribution (UCD)	Per Request	Thirteen (13) Business Days	24 hrs OOS 48 hrs AS
UNE-P Centrex Plus / UNE-P Centron [Centron is MN only] No Common Block Configuration Required Additional Numbers subsequent to initial Common Block installation NOTE: Additional numbers are "chipped" into the Common Block at the time of request.	Blocks (No limit on amount of numbers.)	Five (5) Business Days	N/A

**EXHIBIT B
SERVICE INTERVAL TABLES***

6.0 Enhanced Extended Loop Service Interval Table (EEL):

Product	Services Ordered	Installation Commitments	Repair Commitments
Enhanced Extended Loop (EEL)- DS0 or Voice Grade Equivalent	1 to 8	High Density: Five (5) Business Days Low Density: Six (6) Business Days	4 hrs High Density 4 hrs Low Density
	9 to 16	High Density: Six (6) Business Days Low Density: Seven (7) Business Days	4 hrs High Density 4 hrs Low Density
	17 to 24	High Density: Seven (7) Business Days Low Density: Eight (8) Business Days	4 hrs High Density 4 hrs Low Density
	25 or more	ICB	4 hrs
Enhanced Extended Loop (EEL) – DS1	1 to 8	High Density: Five (5) Business Days Low Density: Eight (8) Business Days	4 hrs High Density 4 hrs Low Density
	9 to 16	High Density: Six (6) Business Days Low Density: Nine (9) Business Days	4 hrs High Density 4 hrs Low Density
	17 to 24	High Density: Seven (7) Business Days Low Density: Ten (10) Business Days	4 hrs High Density 4 hrs Low Density
	25 or more	ICB	4 hrs
Enhanced Extended Loop (EEL) – DS3	1 to 3 Circuits	High Density: Seven (7) Business Days Low Density: Nine (9) Business Days	4 hrs High Density 4 hrs Low Density
	4 or more Circuits	ICB	4 hrs

**EXHIBIT B
SERVICE INTERVAL TABLES***

Enhanced Extended Loop Conversions (EEL-C) – Private Line (PLTS) - Conversion as is		ICB	24 hrs OOS 48 hrs AS
--	--	-----	-------------------------

* Installation Guidelines apply where facilities/network capacity is in place. Where facilities/network capacity are not in place, intervals are handled on an Individual Case Basis (ICB).