Zak, Alexandra

From:

Zak, Alexandra

Sent:

Thursday, August 11, 2022 10:47 AM

To:

'jim.ajello@pgn.com'; 'chris.bozzini@pgn.com'; 'cheryl.walker@puc.oregon.gov'

Cc:

'patrick.morand@standardsolar.com'; Robichaud, Josh

Subject:

Document Service: FERC Form 556 filings

Attachments:

Bellevue Solar, LLC FERC Form 556.pdf; Yamhill Solar, LLC FERC Form 556.pdf

Portland General Electric Company & Oregon Public Utility Commission officials:

Pursuant to 18 C.F.R. § 292.207(e) notice requirements, copies of two self-certification forms filed at the Federal Energy Regulatory Commission (FERC) are being provided:

- Form 556 of Bellevue Solar, LLC under Docket No. QF22-843-000
- Form 556 of Yamhill Solar, LLC under Docket No. QF22-842-000

FEDERAL ENERGY REGULATORY COMMISSION WASHINGTON, DC

OMB Control # 1902-0075 Expiration 11/30/2022

Form 556 Certification of Qualifying Facility (QF) Status for a Small Power Production or Cogeneration Facility

General

Questions about completing this form should be sent to Form556@ferc.gov. Information about the Commission's QF program, answers to frequently asked questions about QF requirements or completing this form, and contact information for QF program staff are available at the Commission's QF website, <u>www.ferc.gov/QF</u>. The Commission's QF website also provides links to the Commission's QF regulations (18 C.F.R. § 131.80 and Part 292), as well as other statutes and orders pertaining to the Commission's QF program.

Title 18, U.S.C. 1001 makes it a crime for any person knowingly and willingly to make to any Agency or Department of the United States any false, fictitious or fraudulent statements as to any matter within its jurisdiction.

Who Must File

Certification:

Any applicant seeking QF status for a generating facility that has a net power production capacity (as determined in lines 7a through 7g below) greater than 1 MW must file a self-certification or an application for Commission certification of QF status, which includes a properly completed Form 556. Any applicant seeking QF status for a generating facility with a net power production capacity 1 MW or less is exempt from the certification requirement and is therefore not required to complete or file a Form 556. See 18 C.F.R. § 292.203. This includes any applicant seeking small power production QF status for a generating facility that, together with any affiliated small power production QFs that use the same energy resource and are within one mile of the filing facility, has a net power production capacity 1 MW or less.

Recertification:

A QF must file a recertification whenever the qualifying facility "fails to conform with any material facts or representations presented ... in its submittals to the Commission." 18 C.F.R. § 292.207(f).

Among other possible changes in material facts that would necessitate recertification, a small power production QF is required to recertify to update item 8a due to a change at an affiliated facility(ies) one mile or less from its electrical generating equipment. A small power production QF is not required to recertify due to a change at an affiliated facility(ies) listed in item 8a that is more than one mile but less than 10 miles away from its electrical generating equipment, unless that change also impacts any other entries on the Form 556.

How to Complete the Form 556

This form is intended to be completed by responding to the items in the order they are presented, according to the instructions given. If you need to back-track, you may need to clear certain responses before you will be allowed to change other responses made previously in the form. If you experience problems, click on the nearest help button (🎬) for assistance, or contact Commission staff at Form556@ferc.gov.

Certain lines in this form will be automatically calculated based on responses to previous lines, with the relevant formulas shown. You must respond to all of the previous lines within a section before the results of an automatically calculated field will be displayed. If you disagree with the results of any automatic calculation on this form, contact Commission staff at Form556@ferc.gov to discuss the discrepancy before filing.

You must complete all lines in this form unless instructed otherwise. Do not alter this form or save this form in a different format. Incomplete or altered forms, or forms saved in formats other than PDF, will be rejected.

FERC Form 556 Page 2 - Instructions

How to File a Completed Form 556

Applicants are required to file their Form 556 electronically through the Commission's eFiling website (see instructions on page 3). By filing electronically, you will reduce your filing burden, save paper resources, save postage or courier charges, help keep Commission expenses to a minimum, and receive a much faster confirmation (via an email containing the docket number assigned to your facility) that the Commission has received your filing.

If you are simultaneously filing both a waiver request and a Form 556 as part of an application for Commission certification, see the "Waiver Requests" section on page 4 for more information on how to file.

Paperwork Reduction Act Notice

This form is approved by the Office of Management and Budget. Compliance with the information requirements established by the FERC Form 556 is required to obtain or maintain status as a QF. See 18 C.F.R. § 131.80 and Part 292. An agency may not penalize a person for not complying with a collection of information unless it displays a currently valid OMB control number.

The estimated total burden for completing the FERC Form 556, including gathering and reporting information, is as follows: 1.5 hours for self-certifications of facilities of 1 MW or less; 1.5 hours for self-certifications of a cogeneration facility over 1 MW; 50 hours for applications for Commission certification of a cogeneration facility; 3.5 hours for self-certifications of small power producers over 1 MW and less than a mile or more than 10 miles from affiliated small power production QFs that use the same energy resource; 56 hours for an application for Commission certification of a small power production facility over 1 MW and less than a mile or more than 10 miles from affiliated small power production QFs that use the same energy resource; 9.5 hours for self-certifications of small power producers over 1 MW with affiliated small power production QFs more than one but less than 10 miles that use the same energy resource; 62 hours for an application for Commission certification of a small power production facility over 1 MW with affiliated small power production QFs more than one but less than 10 miles that use the same energy resource.

Send comments regarding this burden estimate or any aspect of this collection of information, including suggestions for reducing this burden, to the following: Information Clearance Officer, Office of the Executive Director (ED-32), Federal Energy Regulatory Commission, 888 First Street N.E., Washington, DC 20426 (<u>DataClearance@ferc.gov</u>); and Desk Officer for FERC, Office of Information and Regulatory Affairs, Office of Management and Budget, Washington, DC 20503 through www.reginfo.gov/public/do/PRAMain. Include FERC-556 and the Control No. 1902-0075 in any correspondence.

Filing Fee

No filing fee is required if you are submitting a self-certification or self-recertification of your facility as a QF pursuant to 18 C.F.R. § 292.207(a).

A filing fee is required if you are filing either of the following:

(1) an application for Commission certification or recertification of your facility as a QF pursuant to 18 C.F.R. § 292.207(b), or (2) a petition for declaratory order granting waiver pursuant to 18 C.F.R. §§ 292.204(a)(3) and/or 292.205(c).

The current fees for applications for Commission certifications and petitions for declaratory order can be found by visiting the Commission's QF website at www.ferc.gov/QF and clicking the Filing Fees link.

You will be prompted to submit your filing fee, if applicable, during the electronic filing process described on page 3.

Electronic Filing (eFiling)

To electronically file your Form 556, visit the Commission's QF website at www.ferc.gov/QF and click the eFiling link.

If you are eFiling your first document, you will need to register with your name, email address, mailing address, and phone number. If you are registering on behalf of an employer, then you will also need to provide the employer name, alternate contact name, alternate contact phone number and and alternate contact email.

Once you are registered, log in to eFiling with your registered email address and the password that you created at registration. Follow the instructions. When prompted, select one of the following QF-related filing types, as appropriate, from the Electric or General filing category.

Filing category	Filing Type as listed in eFiling	Description
	(Fee) Application for Commission Cert. as Cogeneration QF	Use to submit an application for Commission certification or Commission recertification of a cogeneration facility as a QF.
	(Fee) Application for Commission Cert. as Small Power QF	Use to submit an application for Commission certification or Commission recertification of a small power production facility as a QF.
-	Self-Certification Notice (QF, EG, FC)	Use to submit a notice of self- certification of your facility (cogeneration or small power production) as a QF.
Electric	Self-Recertification of Qualifying Facility (QF)	Use to submit a notice of self- recertification of your facility (cogeneration or small power production) as a QF.
	Self-Recertification of Qualifying Facility (QF) (Supplement or Correction)	Use to correct or supplement a Form 556 that was submitted with errors or omissions, or for which Commission staff has requested additional information. Do not use this filing type to report new changes to a facility or its ownership; rather, use a self-recertification or Commission recertification to report such changes.
General	(Fee) Petition for Declaratory Order (not under FPA Part 1)	Use to submit a petition for declaratory order granting a waiver of Commission QF regulations pursuant to 18 C.F.R. §§ 292.204(a) (3) and/or 292.205(c). A Form 556 is not required for a petition for declaratory order unless Commission recertification is being requested as part of the petition.

You will be prompted to submit your filing fee, if applicable, during the electronic submission process. Filing fees can be paid by check or money order via ACH Credit transfer, wire payment, courier, or mail.

During the eFiling process, you will be prompted to select your file(s) for upload from your computer.

FERC Form 556 Page 4 - Instructions

Required Notice to Utilities and State Regulatory Authorities

Pursuant to 18 C.F.R. § 292.207(a)(ii), you must provide a copy of your self-certification or request for Commission certification to the utilities with which the facility will interconnect and/or transact, as well as to the State regulatory authorities of the states in which your facility and those utilities reside. Links to information about the regulatory authorities in various states can be found by visiting the Commission's QF website at www.ferc.gov/QF and clicking the Notice Requirements link.

What to Expect From the Commission After You File

An applicant filing a Form 556 electronically will receive an email message acknowledging receipt of the filing and showing the docket number assigned to the filing. Such email is typically sent within one business day, but may be delayed pending confirmation by the Secretary of the Commission of the contents of the filing.

An applicant submitting a self-certification of QF status should expect to receive no documents from the Commission, other than the electronic acknowledgement of receipt described above. Consistent with its name, a self-certification is a certification by the applicant itself that the facility meets the relevant requirements for QF status, and does not involve a determination by the Commission as to the status of the facility. An acknowledgement of receipt of a self-certification, in particular, does not represent a determination by the Commission with regard to the QF status of the facility. An applicant self-certifying may, however, receive a rejection, revocation or deficiency letter if its application is found, during periodic compliance reviews, not to comply with the relevant requirements.

An applicant submitting a request for Commission certification will receive an order either granting or denying certification of QF status, or a letter requesting additional information or rejecting the application. Pursuant to 18 C.F.R. § 292.207(b)(3), the Commission must act on an application for Commission certification within 90 days of the later of the filing date of the application or the filing date of a supplement, amendment or other change to the application.

Protests to the Filing

Pursuant to 18 C.F.R. § 292.207, an interested party has 30 days from the date of the filing of a self-certification or self-recertification to intervene or file a protest. Protests may be made to an initial certification (both self-certification and application for Commission certification) filed on or after December 31, 2020, but only to a recertification (both self-recertification and application for Commission recertification) that makes substantive changes to the existing certification and that is filed on or after December 31, 2020, as described in Order No. 872 (accessible from the Commission's QF website at www.ferc.gov/QF). Substantive changes that may be subject to a protest may include, for example, a change in electrical generating equipment that increases power production capacity by the greater of 1 MW or 5% of the previously certified capacity of the QF, or a change in ownership in which an owner increases its equity interest by at least 10% from the equity interest previously reported. The protestor must concurrently serve a copy of such filing pursuant to 18 C.F.R. § 385.2011. Any response to a protest must be filed on or before 30 days from the date of filing of that protest.

Waiver Requests

18 C.F.R. § 292.204(a)(3) allows an applicant to request a waiver to modify the method of calculation pursuant to 18 C.F.R. § 292.204(a)(2) to determine if two facilities are considered to be located at the same site, for good cause. 18 C.F.R. § 292.205(c) allows an applicant to request waiver of the requirements of 18 C.F.R. §§ 292.205(a) and (b) for operating and efficiency upon a showing that the facility will produce significant energy savings. A request for waiver of these requirements must be submitted as a petition for declaratory order, with the appropriate filing fee for a petition for declaratory order. Applicants requesting Commission recertification as part of a request for waiver of one of these requirements should electronically submit their completed Form 556 along with their petition for declaratory order, rather than filing their Form 556 as a separate request for Commission recertification. Only the filing fee for the petition for declaratory order must be paid to cover both the waiver request and the request for recertification if such requests are made simultaneously.

18 C.F.R. § 292.203(d)(2) allows an applicant to request a waiver of the Form 556 filing requirements, for good cause. Applicants filing a petition for declaratory order requesting a waiver under 18 C.F.R. § 292.203(d)(2) do not need to complete or submit a Form 556 with their petition.

FERC Form 556 Page 5 - Instructions

Geographic Coordinates

Items 3c and 8a of the Form 556 require you to report your facility's (and certain neighboring facilities') geographic coordinates (latitude and longitude). Geographic coordinates may be obtained from several different sources. You can find links to online services that show latitude and longitude coordinates on online maps by visiting the Commission's QF webpage at www.ferc.gov/QF. You may also be able to obtain your geographic coordinates from a GPS device, Google Earth (available free at http://earth.google.com), a property survey, various engineering or construction drawings, a property deed, or a municipal or county map showing property lines.

Filing Privileged Data or Critical Energy Infrastructure Information in a Form 556

The Commission's regulations provide procedures for applicants to either (1) request that any information submitted with a Form 556 be given privileged treatment because the information is exempt from the mandatory public disclosure requirements of the Freedom of Information Act, 5 U.S.C. § 552, and should be withheld from public disclosure; or (2) identify any documents containing critical energy infrastructure information (CEII) as defined in 18 C.F.R. § 388.113 that should not be made public.

If you are seeking privileged treatment or CEII status for any data in your Form 556, then you must follow the procedures in 18 C.F.R. § 388.112. See www.ferc.gov/help/filing-guide/file-ceii.asp for more information.

Among other things (see 18 C.F.R. § 388.112 for other requirements), applicants seeking privileged treatment or CEII status for data submitted in a Form 556 must prepare and file both (1) a complete version of the Form 556 (containing the privileged and/or CEII data), and (2) a public version of the Form 556 (with the privileged and/or CEII data redacted). Applicants preparing and filling these different versions of their Form 556 must indicate below the security designation of this version of their document. If you are *not* seeking privileged treatment or CEII status for any of your Form 556 data, then you should not respond to any of the items on this page.

Non-Public: Applicant is seeking privileged treatment and/or CEII status for data contained in the Form 556 lines indicated below. This non-public version of the applicant's Form 556 contains all data, including the data that is redacted in the (separate) public version of the applicant's Form 556. Public (redacted): Applicant is seeking privileged treatment and/or CEII status for data contained in the Form 556 lines indicated below. This public version of the applicants's Form 556 contains all data except for data from the lines indicated below, which has been redacted.
Privileged: Indicate below which lines of your form contain data for which you are seeking privileged treatment
Critical Energy Infrastructure Information (CEII): Indicate below which lines of your form contain data for which you are seeking CEII status

The eFiling process described on page 3 will allow you to identify which versions of the electronic documents you submit are public, privileged and/or CEII. The filenames for such documents should begin with "Public", "Priv", or "CEII", as applicable, to clearly indicate the security designation of the file. Both versions of the Form 556 should be unaltered PDF copies of the Form 556, as available for download from www.ferc.gov/QF. To redact data from the public copy of the submittal, simply omit the relevant data from the Form. For numerical fields, leave the redacted fields blank. For text fields, complete as much of the field as possible, and replace the redacted portions of the field with the word "REDACTED" in brackets. Be sure to identify above all fields which contain data for which you are seeking non-public status.

The Commission is not responsible for detecting or correcting filer errors, including those errors related to security designation. If your documents contain sensitive information, make sure they are filed using the proper security designation.

FEDERAL ENERGY REGULATORY COMMISSION WASHINGTON, DC

OMB Control # 1902-0075 Expiration 11/30/2022

Form 556 Certification of Qualifying Facility (QF) Status for a Small Power Production or Cogeneration Facility

	1b Applicant street address c/o Standard Sol 530 Gaither Road	ar, Inc.					
	1c City		1d State/province				
	Rockville		Maryland				
	1e Postal code 20850	1f Country (if not United States)		1g Telephone number 301-944-1200			
-	1h Has the instant facility	vever previously been certified as a Q	F? Yes 🗌 N	No 🖂			
	1i If yes, provide the doc	ket number of the last known QF filing	pertaining to th	nis facility: QF			
	1j Under which certificat	ion process is the applicant making th	is filing?				
-	Notice of self-certifice (see note below)	cation A fe	pplication for Co e; see "Filing Fee	ommission certification (requires filing e" section on page 2)			
Application Information	Note: a notice of self-certification is a notice by the applicant itself that its facility complies with the requirements for QF status. A notice of self-certification does not establish a proceeding, and the Commission does not review a notice of self-certification to verify compliance. See the "What to Expect From the Commission After You File" section on page 4 for more information.						
=	1k What type(s) of QF status is the applicant seeking for its facility? (check all that apply)						
-	Qualifying small po	wer production facility status 🔲 Q	ualifying cogene	eration facility status	U		
) ;	11 What is the purpose ar	nd expected effective date(s) of this fil	ing?				
; :	⊠ Original certificatio	n; facility expected to be installed by	8/8/11 ar	nd to begin operation on11/8/11	U		
<u>)</u> <u>}</u>	Earth and Company of the Company of	iously certified facility to be effective	WIFTON TO THE REAL PROPERTY OF THE PERTY OF		45.4		
•		change(s) below, and describe change	(s) in the Miscell	laneous section starting on page 24)	U		
		nd/or other administrative change(s)					
	☐ Change in owne	•					
	☐ Change(s) affect	ing plant equipment, fuel use, power	production capa	city and/or cogeneration thermal output			
	Supplement or correction to a previous filing submitted on						
	(describe the supple	ement or correction in the Miscellaneo	ous section starti	ng on page 24)	Ü		
	1m If any of the following three statements is true, check the box(es) that describe your situation and complete the form to the extent possible, explaining any special circumstances in the Miscellaneous section starting on page 24.						
	☐ previously granted	complies with the Commission's QF r d by the Commission in an order date ellaneous section starting on page 24)	d	virtue of a waiver of certain regulations (specify any other relevant waiver	U		
		would comply with the Commission' this application is granted	s QF requiremen	ts if a petition for waiver submitted			
	employment of ur	complies with the Commission's regulation or innovative technologies not compliance via this form difficult of	ontemplated by				

	2a Name of contact person			2b Telephone number 301–944–1200			
	Patrick L. Morand						
]	2c Which of the following describes	-					
<u>_</u>		·		zed to represent the applicant			
tic	Employee of a company affiliat		•				
ma	Lawyer, consultant, or other re				-		
Contact Information	2d Company or organization name (if applicant is an individual, check here and skip to line 2e) Standard Solar, Inc.						
= 	2e Street address (if same as Applicant, check here and skip to line 3a) ⊠						
ıta					(4)		
Ö	,			•			
	2f City		2g State/provi	nce			
	2h Postal code	2i Country (if not United	States)				
	3a Facility name						
į	Bellevue Solar						
cat	3b Street address (if a street address	s does not exist for the faci	lity, check here ar	nd skip to line 3c)⊠	(<i>ii</i>)		
으							
on and	places). Use the following formula to	3c Geographic coordinates: Specify the latitude and longitude coordinates of the facility in degrees (to three decimal places). Use the following formula to convert to decimal degrees from degrees, minutes and seconds: decimal degrees = degrees + (minutes/60) + (seconds/3600). See the "Geographic Coordinates" section on page 5 for help.					
Identification and Location	Latitude <u>45.112</u> degr	rees North (+)	Longitude $\frac{1}{2}$	23.235 degrees West (-)			
	3d City (if unincorporated, check he	re and enter nearest city) [3e State/pr	ovince			
<u> </u>	Amity		Oregon				
Facility	3f County (or check here for indeper	ndent city) 🗌 3g	Country (if not	United States)	(v)		
	Yamhill						
	Identify the electric utilities that are contemplated to transact with the facility.						
lities	4a Identify utility interconnecting with the facility Portland General Electric						
Transacting Utilities	4b Identify utilities providing wheeli	ing service or check here if	none 🔀		W)		
Œ	4c Identify utilities purchasing the u	seful electric power outpu	t or check here if	none 🗌	W)		
ısa	Portland General Electri	c					
Trar	4d Identify utilities providing supplementary power, backup power, maintenance power, and/or interruptible power service or check here if none						

	percent equity interest. For each identified owner, also (1) indicate whether that own defined in section 3(22) of the Federal Power Act (16 U.S.C. 796(22)), or a holding com 1262(8) of the Public Utility Holding Company Act of 2005 (42 U.S.C. 16451(8)), and (2) utilities or holding companies, provide the percentage of equity interest in the facility direct owners hold at least 10 percent equity interest in the facility, then provide the r two direct owners with the largest equity interest in the facility.	pany, as de) for owner held by th	efined in s s which a at owner	section re electric . If no
		Electric u hold	ing	If Yes, % equity
	Full legal names of direct owners	comp		interest
	Bellevue Solar, LLC	Yes 🗌	No 🖂	100
2)		Yes 🗌	No 🗌	
3)		Yes	No 📋	
4)		Yes 🗌	No 📗	
5)		Yes	No	
6)		Yes	No	
7)		Yes	No 📗	
8)		Yes	No 🗌	-
9)		Yes 🗌	No 🗌	
10	0)	Yes 🗌	No 🗌	
5b	Upstream (i.e., indirect) ownership as of effective date or operation date: Identify all u of the facility that both (1) hold at least 10 percent equity interest in the facility, and (2 defined in section 3(22) of the Federal Power Act (16 U.S.C. 796(22)), or holding compared to the Public Utility Holding Company Act of 2005 (42 U.S.C. 16451(8)). Also peruity interest in the facility held by such owners. (Note that, because upstream owners)	 are electranies, as de rovide the 	ic utilitie: fined in s percenta	s, as ection ge of
5b	of the facility that both (1) hold at least 10 percent equity interest in the facility, and (2 defined in section 3(22) of the Federal Power Act (16 U.S.C. 796(22)), or holding compared 1262(8) of the Public Utility Holding Company Act of 2005 (42 U.S.C. 16451(8)). Also pequity interest in the facility held by such owners. (Note that, because upstream owners another, total percent equity interest reported may exceed 100 percent.) Check here if no such upstream owners exist.	e) are electr anles, as de rovide the ers may be	ic utilitie: fined in s percenta	s, as ection ge of ies of on % equity
	of the facility that both (1) hold at least 10 percent equity interest in the facility, and (2 defined in section 3(22) of the Federal Power Act (16 U.S.C. 796(22)), or holding compared 1262(8) of the Public Utility Holding Company Act of 2005 (42 U.S.C. 16451(8)). Also pequity interest in the facility held by such owners. (Note that, because upstream owners another, total percent equity interest reported may exceed 100 percent.) Check here if no such upstream owners exist. Full legal names of electric utility or holding company upstream owners.	e) are electr anles, as de rovide the ers may be	ic utilitie: fined in s percenta	s, as lection ge of lies of on % equity interest
1)	of the facility that both (1) hold at least 10 percent equity interest in the facility, and (2 defined in section 3(22) of the Federal Power Act (16 U.S.C. 796(22)), or holding compared 1262(8) of the Public Utility Holding Company Act of 2005 (42 U.S.C. 16451(8)). Also pequity interest in the facility held by such owners. (Note that, because upstream owners another, total percent equity interest reported may exceed 100 percent.) Check here if no such upstream owners exist. Full legal names of electric utility or holding company upstream owners of the company upstream owners of th	e) are electr anles, as de rovide the ers may be	ic utilitie: fined in s percenta	s, as ection ge of ries of one % equity interest
1)	of the facility that both (1) hold at least 10 percent equity interest in the facility, and (2 defined in section 3(22) of the Federal Power Act (16 U.S.C. 796(22)), or holding compared 1262(8) of the Public Utility Holding Company Act of 2005 (42 U.S.C. 16451(8)). Also pequity interest in the facility held by such owners. (Note that, because upstream owners another, total percent equity interest reported may exceed 100 percent.) Check here if no such upstream owners exist. Full legal names of electric utility or holding company upstream owners and the second such as a second	e) are electr anles, as de rovide the ers may be	ic utilitie: fined in s percenta	% equity interest
1) 2) 3)	of the facility that both (1) hold at least 10 percent equity interest in the facility, and (2 defined in section 3(22) of the Federal Power Act (16 U.S.C. 796(22)), or holding compared 1262(8) of the Public Utility Holding Company Act of 2005 (42 U.S.C. 16451(8)). Also pequity interest in the facility held by such owners. (Note that, because upstream owners another, total percent equity interest reported may exceed 100 percent.) Check here if no such upstream owners exist. Full legal names of electric utility or holding company upstream owners SSI Opco, LLC Standard Solar, Inc. Energir Solutions (US) Inc.	e) are electr anles, as de rovide the ers may be	ic utilitie: fined in s percenta	% equity interest
1) 2) 3) 4)	of the facility that both (1) hold at least 10 percent equity interest in the facility, and (2 defined in section 3(22) of the Federal Power Act (16 U.S.C. 796(22)), or holding compared 1262(8) of the Public Utility Holding Company Act of 2005 (42 U.S.C. 16451(8)). Also pequity interest in the facility held by such owners. (Note that, because upstream owners another, total percent equity interest reported may exceed 100 percent.) Check here if no such upstream owners exist. Full legal names of electric utility or holding company upstream owners SSI Opco, LLC Standard Solar, Inc. Energir Solutions (US) Inc. Energir Development Inc.	e) are electr anles, as de rovide the ers may be	ic utilitie: fined in s percenta	% equity interest
1) 2) 3) 4) 5)	of the facility that both (1) hold at least 10 percent equity interest in the facility, and (2 defined in section 3(22) of the Federal Power Act (16 U.S.C. 796(22)), or holding compared 1262(8) of the Public Utility Holding Company Act of 2005 (42 U.S.C. 16451(8)). Also pequity interest in the facility held by such owners. (Note that, because upstream owners another, total percent equity interest reported may exceed 100 percent.) Check here if no such upstream owners exist. Full legal names of electric utility or holding company upstream owners SSI Opco, LLC Standard Solar, Inc. Energir Solutions (US) Inc.	e) are electr anles, as de rovide the ers may be	ic utilitie: fined in s percenta	% equity interest
1) 2) 3) 4) 5)	of the facility that both (1) hold at least 10 percent equity interest in the facility, and (2 defined in section 3(22) of the Federal Power Act (16 U.S.C. 796(22)), or holding compared 1262(8) of the Public Utility Holding Company Act of 2005 (42 U.S.C. 16451(8)). Also pequity interest in the facility held by such owners. (Note that, because upstream owners another, total percent equity interest reported may exceed 100 percent.) Check here if no such upstream owners exist. Full legal names of electric utility or holding company upstream owners and solve and	e) are electr anles, as de rovide the ers may be	ic utilitie: fined in s percenta	% equity interest 100 100
1) 2) 3) 4) 5) 6) 7)	of the facility that both (1) hold at least 10 percent equity interest in the facility, and (2 defined in section 3(22) of the Federal Power Act (16 U.S.C. 796(22)), or holding compared 1262(8) of the Public Utility Holding Company Act of 2005 (42 U.S.C. 16451(8)). Also pequity interest in the facility held by such owners. (Note that, because upstream owners another, total percent equity interest reported may exceed 100 percent.) Check here if no such upstream owners exist. Full legal names of electric utility or holding company upstream owners SSI Opco, LLC Standard Solar, Inc. Energir Solutions (US) Inc. Energir Development Inc. Noverco Inc.	e) are electr anles, as de rovide the ers may be	ic utilitie: fined in s percenta	s, as ection ge of ies of one % equity
1) 2) 3) 4) 5) 6) 7) 8)	of the facility that both (1) hold at least 10 percent equity interest in the facility, and (2 defined in section 3(22) of the Federal Power Act (16 U.S.C. 796(22)), or holding compared 1262(8) of the Public Utility Holding Company Act of 2005 (42 U.S.C. 16451(8)). Also pequity interest in the facility held by such owners. (Note that, because upstream owners another, total percent equity interest reported may exceed 100 percent.) Check here if no such upstream owners exist. Full legal names of electric utility or holding company upstream owners SSI Opco, LLC Standard Solar, Inc. Energir Solutions (US) Inc. Energir Development Inc. Noverco Inc.	e) are electr anles, as de rovide the ers may be	ic utilitie: fined in s percenta	% equity interest 100 100
1) 2) 3) 4) 5) 6) 7) 8) 9)	of the facility that both (1) hold at least 10 percent equity interest in the facility, and (2 defined in section 3(22) of the Federal Power Act (16 U.S.C. 796(22)), or holding compa 1262(8) of the Public Utility Holding Company Act of 2005 (42 U.S.C. 16451(8)). Also p equity interest in the facility held by such owners. (Note that, because upstream owners another, total percent equity interest reported may exceed 100 percent.) Check here if no such upstream owners exist. Full legal names of electric utility or holding company upstream owners. SSI Opco, LLC. Standard Solar, Inc. Energir Solutions (US) Inc. Energir Development Inc. Noverco Inc.	e) are electr anles, as de rovide the ers may be	ic utilitie: fined in s percenta	% equity interest
1) 2) 3) 4) 5) 6) 7) 8)	of the facility that both (1) hold at least 10 percent equity interest in the facility, and (2 defined in section 3(22) of the Federal Power Act (16 U.S.C. 796(22)), or holding compa 1262(8) of the Public Utility Holding Company Act of 2005 (42 U.S.C. 16451(8)). Also p equity interest in the facility held by such owners. (Note that, because upstream owners another, total percent equity interest reported may exceed 100 percent.) Check here if no such upstream owners exist. Full legal names of electric utility or holding company upstream owners. SSI Opco, LLC. Standard Solar, Inc. Energir Solutions (US) Inc. Energir Development Inc. Noverco Inc.	e) are electr anles, as de rovide the ers may be	ic utilitie: fined in s percenta	% equity interest

	ба	Describe t	the primary energy input: (c	heck one m	ain c	ategory and, if ap	plicable,	one subcate	gory)	
		Bioma	ss (specify)	⊠ R	ene	wable resources (s	pecify)	☐ Geotl	nermal	
			Landfill gas			Hydro power - riv	er er	Fossil	fuel (spec	ify)
			Manure digester gas			Hydro power - tic	lal		Coal (not	waste)
			Municipal solid waste			Hydro power - wa	ave		Fuel oil/d	liesel
			Sewage digester gas		\boxtimes	Solar - photovolta	aic		Natural g	as (not waste)
			Wood			Solar - thermal			Other fos	
			Other biomass (describe on	page 24)		Wind		<u> </u>	(describe	on page 24)
		☐ Waste	(specify type below in line	6b)		Other renewable (describe on page		Other	(describe	on page 24)
	6b	If you spe	cified "waste" as the primar	y energy inp	ut ir	line 6a, indicate t	he type o	of waste fuel	used: (ch	eck one)
		Wast	te fuel listed in 18 C.F.R. § 29	2,202(b) (sp	ecif	y one of the follow	/ing)			
			Anthracite culm produced	l prior to Jul	y 23,	, 1985				
			Anthracite refuse that has ash content of 45 percent	an average or more	heat	t content of 6,000	Btu or les	ss per pound	and has a	in average
	}		Bituminous coal refuse the average ash content of 25				9,500 Btu	per pound o	or less and	l has an
nput	Top or bottom subbituminous coal produced on Federal lands or on Indian land determined to be waste by the United States Department of the Interior's Burea (BLM) or that is located on non-Federal or non-Indian lands outside of BLM's juri the applicant shows that the latter coal is an extension of that determined by BL							rior's Bureau f BLM's jurisc	of Land M diction, pr	lanagement ovided that
Energy Input	Coal refuse produced on Federal lands or on Indian lands that has been determined to be waste BLM or that is located on non-Federal or non-Indian lands outside of BLM's jurisdiction, provided applicant shows that the latter is an extension of that determined by BLM to be waste									
Ш			Lignite produced in associas a result of such a mining		ne p	roduction of mon	tan wax a	and lignite th	at becom	es exposed
			Gaseous fuels (except nati	ural gas and	synt	hetic gas from co	al) (descri	ibe on page	24)	
			Waste natural gas from ga C.F.R. § 2.400 for waste na compliance with 18 C.F.R.	tural gas; inc						
			Materials that a governme	nt agency h	as ce	ertified for disposa	l by com	bustion (des	cribe on p	page 24)
			Heat from exothermic read	ctions (descr	ibe	on page 24)	☐ F	Residual heat	t (describe	e on page 24)
			Used rubber tires] Plastic ma	iteri	als 🗌 Re	finery of	f-gas	☐ Petro	oleum coke
	Other waste energy input that has little or no commercial value and exists in the absence of the qualifying facility industry (describe in the Miscellaneous section starting on page 24; include a discussion of the fuel lack of commercial value and existence in the absence of the qualifying facility industry)									
	6с	energy inp	e average energy input, calo outs, and provide the relate	d percentage	e of	the total average a	annual er	nergy input t		
		292.202(j))). For any oil or natural gas			_				
			Fuel			average energy or specified fuel		Percentage		
			Natural gas	<u> </u>	ut IC		Btu/h	annual energ		
			Oil-based fuels				Btu/h		0 %	
	•		Coal	<u> </u>			Btu/h		0 %	
							שנע/וו		U 7/0	

7g Maximum net power production capacity = 7a - 7f

delivery by completing the worksheet below. Respond to all items. If any of the parasitic loads and/or losses identified in lines 7b through 7e are negligible, enter zero for those lines. 7a The maximum gross power production capacity at the terminals of the individual generator(s) under the most favorable anticipated design conditions 1,663.2 kW 7b Parasitic station power used at the facility to run equipment which is necessary and integral to the power production process (boiler feed pumps, fans/blowers, office or maintenance buildings directly related to the operation of the power generating facility, etc.). If this facility includes nonpower production processes (for instance, power consumed by a cogeneration facility's thermal host), do not include any power consumed by the non-power production activities in your reported parasitic station power. o kW 7c Electrical losses in interconnection transformers 16.6 kW 7d Electrical losses in AC/DC conversion equipment, if any 33.2 kW 7e Other interconnection losses in power lines or facilities (other than transformers and AC/DC conversion equipment) between the terminals of the generator(s) and the point of interconnection with the utility 113.3 kW 7f Total deductions from gross power production capacity = 7b + 7c + 7d + 7e163.1 kW

Indicate the maximum gross and maximum net electric power production capacity of the facility at the point(s) of

7h Description of facility and primary components: Describe the facility and its operation. Identify all boilers, heat recovery steam generators, prime movers (any mechanical equipment driving an electric generator), electrical generators, photovoltaic solar equipment, fuel cell equipment and/or other primary power generation equipment used in the facility. Descriptions of components should include (as applicable) specifications of the nominal capacities for mechanical output, electrical output, or steam generation of the identified equipment. For each piece of equipment identified, clearly indicate how many pieces of that type of equipment are included in the plant, and which components are normally operating or normally in standby mode. Provide a description of how the components operate as a system. Applicants for cogeneration facilities do not need to describe operations of systems that are clearly depicted on and easily understandable from a cogeneration facility's attached mass and heat balance diagram; however, such applicants should provide any necessary description needed to understand the sequential operation of the facility depicted in their mass and heat balance diagram. If additional space is needed, continue in the Miscellaneous section starting on page 24.

The generator is comprised of 8,316 solar modules of NanoSolar 200Wp rating which feed into 6 solar inverters comprised of PV Powered 250kW rating. The energy is converted through a 1,500kVA medium voltage transformer to interconnection voltage levels and tied into the utility feeder circuit for interconnection.



1,500.1 kW

Information Required for Small Power Production Facility

If you indicated in line 1k that you are seeking qualifying small power production facility status for your facility, then you must respond to the items on this page. Otherwise, skip pages 11 through 15.

Pursuant to 18 C.F.R. § 292.204(a), the power production capacity of any small power production facility, together with the power production capacity of any other small power production facilities that use the same energy resource, are owned by the same person(s) or its affiliates, and are located at the same site, may not exceed 80 megawatts. To demonstrate compliance with this size limitation, or to demonstrate that your facility is exempt from this size limitation under the Solar, Wind, Waste, and Geothermal Power Production Incentives Act of 1990 (Pub. L. 101-575, 104 Stat. 2834 (1990) *as amended by* Pub. L. 102-46, 105 Stat. 249 (1991)), respond to lines 8a through 8f below (as applicable).

Electric Generating Equipment

Electrical generating equipment will refer to all boilers, heat recovery steam generators, prime movers (any mechanical equipment driving an electric generator), electrical generators, photovoltaic solar panels, inverters, fuel cell equipment and/or other primary power generation equipment used in the facility, excluding equipment for gathering energy to be used in the facility. Each wind turbine on a wind farm and each solar panel in a solar facility is considered electrical generating equipment because each wind turbine and each solar panel is independently capable of producing electric energy.

Distance

The distance between two facilities is to be measured from the edge of the closest electrical generating equipment for which qualification or recertification is sought to the edge of the nearest electrical generating equipment of the other affiliated small power production qualifying facility using the same energy resource. An affiliated small power production QF located one mile or less from the instant facility is irrebuttably presumed to be at the same site. An affiliated small power production QF located more than one mile and less than 10 miles from the instant facility is rebuttably presumed to be at a separate site. An affiliated small power production QF located 10 miles or more from the instant facility is irrebuttably presumed to be located at a separate site.

8a Identify affiliated small power production QFs located less than 10 miles from the electrical generating equipment of the instant facility that use the same energy resource and are held (with at least a 5 percent equity interest) by any of the entities identified in lines 5a or 5b or their affiliates. Specify the latitude and longitude coordinates for both the applicant and the affiliate small power production QF based on the nearest electrical generating equipment for each facility. Report coordinates in degrees (to three decimal places) as a positive number for east and north or a negative number for west and south. Use the following formula to convert to decimal degrees from degrees, minutes and seconds: decimal degrees = degrees + (minutes/60) + (seconds/3600). See the "Geographic Coordinates" section on page 5 for help obtaining coordinates. The distances for each facility listed below will be automatically calculated from the reported coordinates. See www.ferc.gov/QF for more information on how this form calculates distance.

Check here if no such facilities exist.

	Facility location (city or county, state)	Root docket # (if any)	Maximum net power production capacity	Common owner(s)	
	Yamhill, Oregon	QF	1,000.1 kW	Standard Solar	
1)	Coordinates (in degrees) and Closest electrical generating e Latitude 45.112 North Closest electrical generating e Latitude 45.109 North	quipment for applicant's (+) Longitude 12 quipment for affiliate's for	3.235 West (-) acility:	Distance 2.16 miles	





ļ						
	Facility location (city or county, state)	Root docket # (if any) QF -	Maximum net power production capacity kW	Common owner(s)		
	Coordinates (in degrees) and Dista	· · <u></u>				
2)	Closest electrical generating equip					
	Latitude Choose +/	- Longitude	Choose +/-			
	Closest electrical generating equip	oment for affiliate's fa	acility:	Distance		
	Latitude Choose +/		Choose +/-	0 miles		
	Facility location		Maximum net power			
	(city or county, state)	(if any)	production capacity	Common owner(s)		
		QF	kW			
3)	Coordinates (in degrees) and Distance (miles):					
	Closest electrical generating equip	ment for applicant's	facility:			
	Latitude Choose +/	- Longitude	Choose +/-			
	Closest electrical generating equip			Distance		
	Latitude Choose +/	- Longitude	Choose +/-	0 miles		
	Facility location (city or county, state)	(if any)	production capacity	Common owner(s)		
	Coordinates (in degrees) and Dista	QF	kW			
4)	i Coordinates (in degrees) and Dista					
	_					
'/	Closest electrical generating equip	ment for applicant's				
',	Closest electrical generating equip					
•,	Closest electrical generating equip Latitude Choose +/- Closest electrical generating equip	ment for applicant's Longitude	Choose +/-	Distance		
•"	Closest electrical generating equip Latitude Choose +/-	ment for applicant's Longitude ment for affiliate's fa	Choose +/-			
	Closest electrical generating equip Latitude Choose +/- Closest electrical generating equip Latitude Choose +/- Facility location	ment for applicant's Longitude ment for affiliate's fa Longitude Root docket #	Choose +/- Choose +/- Choose +/- Maximum net power	Distance 0 miles		
	Closest electrical generating equip Latitude Choose +/- Closest electrical generating equip Latitude Choose +/-	ment for applicant's Longitude ment for affiliate's fa Longitude Root docket # (if any)	Choose +/- Choose +/- Choose +/- Maximum net power production capacity	Distance O miles Common owner(s)		
	Closest electrical generating equip Latitude Choose +/- Closest electrical generating equip Latitude Choose +/- Facility location	ment for applicant's Longitude ment for affiliate's fa Longitude Root docket # (if any) QF	Choose +/- Choose +/- Choose +/- Maximum net power production capacity	Distance O miles		
5)	Closest electrical generating equip Latitude Choose +/- Closest electrical generating equip Latitude Choose +/- Facility location (city or county, state)	ment for applicant's Longitude ment for affiliate's fa Longitude Root docket # (if any) QF nce (miles):	Choose +/- Choose +/- Choose +/- Maximum net power production capacity kW	Distance O miles Common owner(s)		
	Closest electrical generating equip Latitude Choose +/- Closest electrical generating equip Latitude Choose +/- Facility location (city or county, state) Coordinates (in degrees) and Distant	ment for applicant's Longitude ment for affiliate's fa Longitude Root docket # (if any) QF nce (miles): ment for applicant's	Choose +/- Choose +/- Choose +/- Maximum net power production capacity kW facility:	Distance O miles Common owner(s)		
	Closest electrical generating equip Latitude Choose +/- Closest electrical generating equip Latitude Choose +/- Facility location (city or county, state) Coordinates (in degrees) and Distant Closest electrical generating equip	ment for applicant's Longitude ment for affiliate's fa Longitude Root docket # (if any) QF - nce (miles): ment for applicant's Longitude	Choose +/- Choose +/- Maximum net power production capacity kW facility: Choose +/-	Distance O miles Common owner(s)		

	Facility location		Maximum net power	
	(city or county, state)	(if any)	production capacity kW	Common owner(s)
	Coordinates (In degrees) and Di			
6)	Closest electrical generating eq		s facility:	
Ο,	Latitude Choose		·	
			•	A Constitution
	Closest electrical generating eq			Distance
	Latitude Choose	Longitude	Choose +/-	<u>0</u> mile
	Facility location			
	(city or county, state)		production capacity kW	Common owner(s)
7)	Coordinates (in degrees) and Di		5 Ur.	
/)	Closest electrical generating equi			
	Latitude Choose	+/- Longitude	Choose +/-	
	Closest electrical generating eq	•	·	Distance
	Latitude Choose	+/- Longitude	Choose +/-	0 mile
	Facility location	Root docket #	Maximum net power	
		(if any)	production capacity	Common owner(s)
		QF ~	kW	
	Coordinates (in degrees) and Di			
8)	Closest electrical generating equ		·	
	Latitude Choose	+/- Longitude	Choose +/-	
	Closest electrical generating equ	ulpment for affiliate's fa	acility:	Distance
	Latitude Choose	+/- Longitude	Choose +/-	0 mile
	1			
	Facility location	Root docket #	Maximum net nower	
	Facility location (city or county, state)	Root docket # (if any)	Maximum net power production capacity	Common owner(s)
		(if any)		Common owner(s)
		(if any) QF	production capacity	Common owner(s)
9)	(city or county, state)	(if any) QF stance (miles):	production capacity kW	
))	(city or county, state) Coordinates (in degrees) and Dis	(if any) QF stance (miles): Jipment for applicant's	production capacity kW	Common owner(s)
9)	(city or county, state) Coordinates (in degrees) and Dis	(if any) QF stance (miles): uipment for applicant's +/- Longitude	production capacity kW facility: Choose +/-	

		location unty, state)	Root docket # (if any)	Maximum net power production capacity	Commo	on owner(s
}			QF	kW		- C C. C C. C.
ļ	Coordinates (in c	legrees) and Dista	nce (miles):			
10)	Closest electrical	generating equip	ment for applicant's	facility:	***************************************	
	Latitude	Choose +/-	Longitude	Choose +/-	-	
	Closest electrical	generating equip	ment for affiliate's fa	acility:	Di	stance
	Latitude	Choose +/-	Longitude	Choose +/-	0	r
				be automatically calculate n how this form calculates		ported
C	losest electrical g	enerating equipm	ent for applicant's fa	acility (degrees):		
	Latitude	Choose +/-	Longitude	Choose +/-		
C	losest electrical g	enerating equipm	ent for affiliate's faci	ility (degrees):	Di:	stance
	Latitude	Choose +/-		Choose +/-	0	n

on of Compliance Certification	iance Certification of Compliance with Size Limitations (co
- V-C-C-C-C-C-C-C-C-C-C-C-C-C-C-C-C-C-C-	

	8b Continued	
(pa)	(continued from previous page) in the same location, placed into service within 12 months of an affiliated small power production QF project's commercial operation date as specified in the power sales agreement, or sharing engineering or procurement contracts.	- mask-
Certification of Compliance with Size Limitations (continued)		ag Pfi
on of Compl	8c The Solar, Wind, Waste, and Geothermal Power Production Incentives Act of 1990 (Incentives Act) provides exemption from the size limitations in 18 C.F.R. § 292.204(a) for certain facilities that were certified prior to 1995. Are you seeking exemption from the size limitations in 18 C.F.R. § 292.204(a) by virtue of the Incentives Act? Yes (continue at line 8d below) No (skip lines 8d through 8f) 8d Was the original notice of self-certification or application for Commission certification of the facility filed on or	
catic	before December 31, 1994? Yes No	
ertifi	8e Did construction of the facility commence on or before December 31, 1999? Yes No	
Ů	8f If you answered No in line 8e, indicate whether reasonable diligence was exercised toward the completion of the facility, taking into account all factors relevant to construction? Yes No	
	If you answered Yes, provide a brief narrative explanation in the Miscellaneous section starting on page 24 of the construction timeline (in particular, describe why construction started so long after the facility was certified) and the diligence exercised toward completion of the facility.	
Certification of Compliance vith Fuel Use Requirements	Pursuant to 18 C.F.R. § 292.204(b), qualifying small power production facilities may use fossil fuels, in minimal amounts, for only the following purposes: ignition; start-up; testing; flame stabilization; control use; alleviation or prevention of unanticipated equipment outages; and alleviation or prevention of emergencies, directly affecting the public health, safety, or welfare, which would result from electric power outages. The amount of fossil fuels used for these purposes may not exceed 25 percent of the total energy input of the facility during the 12-month period beginning with the date the facility first produces electric energy or any calendar year thereafter.	
of C Rec	9a Certification of compliance with 18 C.F.R. § 292.204(b) with respect to uses of fossil fuel:	
ion Use	Applicant certifies that the facility will use fossil fuels <i>exclusively</i> for the purposes listed above.	
ficat -uel	9b Certification of compliance with 18 C.F.R. § 292.204(b) with respect to amount of fossil fuel used annually:	
Certil vith F	Applicant certifies that the amount of fossil fuel used at the facility will not, in aggregate, exceed 25 percent of the total energy input of the facility during the 12-month period beginning with the date the facility first produces electric energy or any calendar year thereafter.	

Information Required for Cogeneration Facility

If you indicated in line 1k that you are seeking qualifying cogeneration facility status for your facility, then you must respond to the items on pages 16 through 18. Otherwise, skip pages 16 through 18.

	energy (such as heat or use of energy. Pursuan cycle cogeneration facil thermal application or p	292.202(c), a cogeneration facility produces electric energy and forms of useful thermal steam) used for industrial, commercial, heating, or cooling purposes, through the sequential to 18 C.F.R. § 292.202(s), "sequential use" of energy means the following: (1) for a toppingity, the use of reject heat from a power production process in sufficient amounts in a process to conform to the requirements of the operating standard contained in 18 C.F.R. § ottoming-cycle cogeneration facility, the use of at least some reject heat from a thermal or power production.
		generation technology does the facility represent? (check all that apply)
		e cogeneration Bottoming-cycle cogeneration
	other requirement balance diagram d meet certain requi	ate the sequential operation of the cogeneration process, and to support compliance with s such as the operating and efficiency standards, include with your filing a mass and heat epicting average annual operating conditions. This diagram must include certain items and rements, as described below. You must check next to the description of each requirement at you have complied with these requirements.
	Check to certify compliance with indicated requirement	Dogwiyayaya
	indicated requirement	Requirement
General Cogeneration Information		Diagram must show orientation within system piping and/or ducts of all prime movers, heat recovery steam generators, boilers, electric generators, and condensers (as applicable), as well as any other primary equipment relevant to the cogeneration process.
		Any average annual values required to be reported in lines 10b, 12a, 13a, 13b, 13d, 13f, 14a, 15b, 15d and/or 15f must be computed over the anticipated hours of operation.
		Diagram must specify all fuel inputs by fuel type and average annual rate in Btu/h. Fuel for supplementary firing should be specified separately and clearly labeled. All specifications of fuel inputs should use lower heating values.
		Diagram must specify average gross electric output in kW or MW for each generator.
		Diagram must specify average mechanical output (that is, any mechanical energy taken off of the shaft of the prime movers for purposes not directly related to electric power generation) in horsepower, if any. Typically, a cogeneration facility has no mechanical output.
		At each point for which working fluid flow conditions are required to be specified (see below), such flow condition data must include mass flow rate (in lb/h or kg/s), temperature (in °F, R, °C or K), absolute pressure (in psia or kPa) and enthalpy (in Btu/lb or kJ/kg). Exception: For systems where the working fluid is <i>liquid only</i> (no vapor at any point in the cycle) and where the type of liquid and specific heat of that liquid are clearly indicated on the diagram or in the Miscellaneous section starting on page 24, only mass flow rate and temperature (not pressure and enthalpy) need be specified. For reference, specific heat at standard conditions for pure liquid water is approximately 1.002 Btu/(lb*R) or 4.195 kJ/(kg*K).
		Diagram must specify working fluid flow conditions at input to and output from each steam turbine or other expansion turbine or back-pressure turbine.
		Diagram must specify working fluid flow conditions at delivery to and return from each thermal application.
		Diagram must specify working fluid flow conditions at make-up water inputs.





	the Public Utility Regulatory Policies Act of 1978 (PURPA), 16 USC 824a-3(n), with additional requirements for any qualifying cogeneration facility that (1) is seeking to sell electric energy pursuant to section 210 of PURPA and (2) was either not a cogeneration facility on August 8, 2005, or had not filed a self-certification or application for Commission certification of QF status on or before February 1, 2006. These requirements were implemented by the Commission in 18 C.F.R. § 292.205(d). Complete the lines below, carefully following the instructions, to demonstrate whether these additional requirements apply to your cogeneration facility and, if so, whether your facility complies with such requirements.	
	11a Was your facility operating as a qualifying cogeneration facility on or before August 8, 2005? Yes No	
	11b Was the initial filing seeking certification of your facility (whether a notice of self-certification or an application for Commission certification) filed on or before February 1, 2006? Yes No	
Act 2005 Requirements for Fundamental Use Energy Output from Cogeneration Facilities	If the answer to either line 11a or 11b is Yes, then continue at line 11c below. Otherwise, if the answers to both lines 11a and 11b are No, skip to line 11e below.	
	11c With respect to the design and operation of the facility, have any changes been implemented on or after February 2, 2006 that affect general plant operation, affect use of thermal output, and/or increase net power production capacity from the plant's capacity on February 1, 2006?	
	Yes (continue at line 11d below)	
Fundaı ıeratio	No. Your facility is not subject to the requirements of 18 C.F.R. § 292.205(d) at this time. However, it may be subject to to these requirements in the future if changes are made to the facility. At such time, the applicant would need to recertify the facility to determine eligibility. Skip lines 11d through 11j.	
s for oger	11d Does the applicant contend that the changes identified in line 11c are not so significant as to make the facility a "new" cogeneration facility that would be subject to the 18 C.F.R. § 292.205(d) cogeneration requirements?	(4)
ements from C	Yes. Provide in the Miscellaneous section starting on page 24 a description of any relevant changes made to the facility (including the purpose of the changes) and a discussion of why the facility should not be considered a "new" cogeneration facility in light of these changes. Skip lines 11e through 11j.	
Require	No. Applicant stipulates to the fact that it is a "new" cogeneration facility (for purposes of determining the applicability of the requirements of 18 C.F.R. § 292.205(d)) by virtue of modifications to the facility that were initiated on or after February 2, 2006. Continue below at line 11e.	
t 2005 nergy O	11e Will electric energy from the facility be sold pursuant to section 210 of PURPA?	(1)
	Yes. The facility is an EPAct 2005 cogeneration facility. You must demonstrate compliance with 18 C.F.R. § 292.205(d)(2) by continuing at line 11f below.	
EPAc of Ei	No. Applicant certifies that energy will <i>not</i> be sold pursuant to section 210 of PURPA. Applicant also certifies its understanding that it must recertify its facility in order to determine compliance with the requirements of 18 C.F.R. § 292.205(d) <i>before</i> selling energy pursuant to section 210 of PURPA in the future. Skip lines 11f through 11j.	
	11f Is the net power production capacity of your cogeneration facility, as indicated in line 7g above, less than or equal to 5,000 kW?	
	Yes, the net power production capacity is less than or equal to 5,000 kW. 18 C.F.R. § 292.205(d)(4) provides a rebuttable presumption that cogeneration facilities of 5,000 kW and smaller capacity comply with the requirements for fundamental use of the facility's energy output in 18 C.F.R. § 292.205(d)(2). Applicant certifies its understanding that, should the power production capacity of the facility increase above 5,000 kW, then the facility must be recertified to (among other things) demonstrate compliance with 18 C.F.R. § 292.205(d)(2). Skip lines 11g through 11j.	
	No, the net power production capacity is greater than 5,000 kW. Demonstrate compliance with the requirements for fundamental use of the facility's energy output in 18 C.F.R. § 292.205(d)(2) by continuing on the next page at line 11g.	

EPAct 2005 Requirements for Fundamental Use of Energy Output from Cogeneration Facilities (continued)

Lines 11g through 11k below guide the applicant through the process of demonstrating compliance with the requirements for "fundamental use" of the facility's energy output. 18 C.F.R. § 292.205(d)(2). Only respond to the lines on this page if the instructions on the previous page direct you to do so. Otherwise, skip this page.

18 C.F.R. § 292.205(d)(2) requires that the electrical, thermal, chemical and mechanical output of an EPAct 2005 cogeneration facility is used fundamentally for industrial, commercial, residential or institutional purposes and is not intended fundamentally for sale to an electric utility, taking into account technological, efficiency, economic, and variable thermal energy requirements, as well as state laws applicable to sales of electric energy from a qualifying facility to its host facility. If you were directed on the previous page to respond to the items on this page, then your facility is an EPAct 2005 cogeneration facility that is subject to this "fundamental use" requirement.

The Commission's regulations provide a two-pronged approach to demonstrating compliance with the requirements for fundamental use of the facility's energy output. First, the Commission has established in 18 C.F.R. § 292.205(d)(3) a "fundamental use test" that can be used to demonstrate compliance with 18 C.F.R. § 292.205(d)(2). Under the fundamental use test, a facility is considered to comply with 18 C.F.R. § 292.205(d)(2) if at least 50 percent of the facility's total annual energy output (including electrical, thermal, chemical and mechanical energy output) is used for industrial, commercial, residential or institutional purposes.

Second, an applicant for a facility that does not pass the fundamental use test may provide a narrative explanation of and support for its contention that the facility nonetheless meets the requirement that the electrical, thermal, chemical and mechanical output of an EPAct 2005 cogeneration facility is used fundamentally for industrial, commercial, residential or institutional purposes and is not intended fundamentally for sale to an electric utility, taking into account technological, efficiency, economic, and variable thermal energy requirements, as well as state laws applicable to sales of electric energy from a qualifying facility to its host facility.

Complete lines 11g through 11j below to determine compliance with the fundamental use test in 18 C.F.R. § 292.205(d)(3). Complete lines 11g through 11j even if you do not intend to rely upon the fundamental use test to demonstrate compliance with 18 C.F.R. § 292.205(d)(2).

11g Amount of electrical, thermal, chemical and mechanical energy output (net of internal	l
generation plant losses and parasitic loads) expected to be used annually for industrial,	•
commercial, residential or institutional purposes and not sold to an electric utility	MWh
11h Total amount of electrical, thermal, chemical and mechanical energy expected to be	
sold to an electric utility	MWh
11i Percentage of total annual energy output expected to be used for industrial,	
commercial, residential or institutional purposes and not sold to a utility	
= 100 * 11g /(11g + 11h)	0 %

11) Is the response in line 11i greater than or equal to 50 percent?

Yes. Your facility complies with 18 C.F.R. § 292.205(d)(2) by virtue of passing the fundamental use test provided in 18 C.F.R. § 292.205(d)(3). Applicant certifies its understanding that, if it is to rely upon passing the fundamental use test as a basis for complying with 18 C.F.R. § 292.205(d)(2), then the facility must comply with the fundamental use test both in the 12-month period beginning with the date the facility first produces electric energy, and in all subsequent calendar years.

No. Your facility does not pass the fundamental use test. Instead, you must provide in the Miscellaneous section starting on page 24 a narrative explanation of and support for why your facility meets the requirement that the electrical, thermal, chemical and mechanical output of an EPAct 2005 cogeneration facility is used fundamentally for industrial, commercial, residential or institutional purposes and is not intended fundamentally for sale to an electric utility, taking into account technological, efficiency, economic, and variable thermal energy requirements, as well as state laws applicable to sales of electric energy from a QF to its host facility. Applicants providing a narrative explanation of why their facility should be found to comply with 18 C.F.R. § 292.205(d)(2) in spite of non-compliance with the fundamental use test may want to review paragraphs 47 through 61 of Order No. 671 (accessible from the Commission's QF website at www.ferc.gov/QF), which provide discussion of the facts and circumstances that may support their explanation. Applicant should also note that the percentage reported above will establish the standard that that facility must comply with, both for the 12-month period beginning with the date the facility first produces electric energy, and in all subsequent calendar years. See Order No. 671 at paragraph 51. As such, the applicant should make sure that it reports appropriate values on lines 11g and 11h above to serve as the

relevant annual standard, taking into account expected variations in production conditions.



Btu/h

Btu/h

Btu/h

Btu/h

Usefulness of Topping-Cycle Thermal Output

3)

4)

5)

6)

Information Required for Topping-Cycle Cogeneration Facility

If you indicated in line 10a that your facility represents topping-cycle cogeneration technology, then you must respond to the items on pages 19 and 20. Otherwise, skip pages 19 and 20.

or commercial process or used in a heating or cooling application. Pursuant to sections 292.202(c), (d) and (h) of the Commission's regulations (18 C.F.R. §§ 292.202(c), (d) and (h)), the thermal energy output of a qualifying toppingcycle cogeneration facility must be useful. In connection with this requirement, describe the thermal output of the topping-cycle cogeneration facility by responding to lines 12a and 12b below. 12a Identify and describe each thermal host, and specify the annual average rate of thermal output made available to each host for each use. For hosts with multiple uses of thermal output, provide the data for each use in separate rows. Average annual rate of thermal output attributable to use (net of Name of entity (thermal host) Thermal host's relationship to facility; heat contained in process taking thermal output Thermal host's use of thermal output return or make-up water) Select thermal host's relationship to facility 1) Select thermal host's use of thermal output Btu/h Select thermal host's relationship to facility 2) Select thermal host's use of thermal output Btu/h

Select thermal host's relationship to facility

Select thermal host's use of thermal output

Select thermal host's relationship to facility

Select thermal host's use of thermal output

Select thermal host's relationship to facility

Select thermal host's use of thermal output

Select thermal host's relationship to facility

The thermal energy output of a topping-cycle cogeneration facility is the net energy made available to an industrial

Select thermal host's use of thermal output

Check here and continue in the Miscellaneous section starting on page 24 if additional space is needed

12b Demonstration of usefulness of thermal output: At a minimum, provide a brief description of each use of the thermal output identified above. In some cases, this brief description is sufficient to demonstrate usefulness. However, if your facility's use of thermal output is not common, and/or if the usefulness of such thermal output is not reasonably clear, then you must provide additional details as necessary to demonstrate usefulness. Your application may be rejected and/or additional information may be required if an insufficient showing of usefulness is made. (Exception: If you have previously received a Commission certification approving a specific use of thermal output related to the instant facility, then you need only provide a brief description of that use and a reference by date and docket number to the order certifying your facility with the indicated use. Such exemption may not be used if any change creates a material deviation from the previously authorized use.) If additional space is needed, continue in the Miscellaneous section starting on page 24.

W)

Applicants for facilities representing topping-cycle technology must demonstrate compliance with the topping-cycle operating standard and, if applicable, efficiency standard. Section 292.205(a)(1) of the Commission's regulations (18 C.F.R. § 292.205(a)(1)) establishes the operating standard for topping-cycle cogeneration facilities: the useful thermal energy output must be no less than 5 percent of the total energy output. Section 292.205(a)(2) 18 C.F.R. § 292.205(a)(2)) establishes the efficiency standard for topping-cycle cogeneration facilities for which installation commenced on or after March 13, 1980: the useful power output of the facility plus one-half the useful hermal energy output must (A) be no less than 42.5 percent of the total energy input of natural gas and oil to the facility; and (B) if the useful thermal energy output is less than 15 percent of the total energy output of the facility, be no less than 45 percent of the total energy input of natural gas and oil to the facility. To demonstrate compliance with the topping-cycle operating and/or efficiency standards, or to demonstrate that your facility is	
, , , , , , , , , , , , , , , , , , ,	

If you indicated in line 10a that your facility represents *both* topping-cycle and bottoming-cycle cogeneration technology, then respond to lines 13a through 13l below considering only the energy inputs and outputs attributable to the topping-cycle portion of your facility. Your mass and heat balance diagram must make clear which mass and energy flow values and system components are for which portion (topping or bottoming) of the cogeneration system.

13h Topping-cycle efficiency value = 100 * 13a / (13a + 13c + 13e) 13h Topping-cycle efficiency value = 100 * (0.5*13a + 13c + 13e) / 13f 13i Compliance with operating standard: Is the operating value shown in line 13g greater than or equal to 5%? Yes (complies with operating standard) No (does not comply with operating standard) 13j Did installation of the facility in its current form commence on or after March 13, 1980? Yes. Your facility is subject to the efficiency requirements of 18 C.F.R. § 292.205(a)(2). Demonstrate compliance with the efficiency requirement by responding to line 13k or 13l, as applicable, below. No. Your facility is exempt from the efficiency standard. Skip lines 13k and 13l. 13k Compliance with efficiency standard (for low operating value): If the operating value shown in line 13g is less than 15%, then indicate below whether the efficiency value shown in line 13h greater than or equal to 45%: Yes (complies with efficiency standard) No (does not comply with efficiency standard) 13l Compliance with efficiency standard (for high operating value): If the operating value shown in line 13g is greater than or equal to 15%, then indicate below whether the efficiency value shown in line 13h is greater than or equal to 42.5%:	cogeneration system.	
13b Indicate the annual average rate of net electrical energy output 13c Multiply line 13b by 3,412 to convert from kW to Btu/h 13d indicate the annual average rate of mechanical energy output taken directly off of the shaft of a prime mover for purposes not directly related to power production (this value is usually zero) 13e Multiply line 13d by 2,544 to convert from hp to Btu/h 13f Indicate the annual average rate of energy input from natural gas and oil 13g Topping-cycle operating value = 100 * 13a / (13a + 13c + 13e) 13h Topping-cycle efficiency value = 100 * (0.5*13a + 13c + 13e) / 13f 13l Compliance with operating standard: Is the operating value shown in line 13g greater than or equal to 5%? Yes (complies with operating standard) No (does not comply with operating standard) 13j Did installation of the facility in its current form commence on or after March 13, 1980? Yes. Your facility is subject to the efficiency requirements of 18 C.F.R. § 292.205(a)(2). Demonstrate compliance with the efficiency requirement by responding to line 13k or 13l, as applicable, below. No. Your facility is exempt from the efficiency standard. Skip lines 13k and 13l. 13k Compliance with efficiency standard (for low operating value): If the operating value shown in line 13g is less than 15%, then indicate below whether the efficiency value shown in line 13h greater than or equal to 45%: Yes (complies with efficiency standard) No (does not comply with efficiency standard) 13l Compliance with efficiency standard (for high operating value): If the operating value shown in line 13h is greater than or equal to 45%: Yes (complies with efficiency standard) No (does not comply with efficiency standard)	13a Indicate the annual average rate of useful thermal energy output made available	
13c Multiply line 13b by 3,412 to convert from kW to Btu/h 13d Indicate the annual average rate of mechanical energy output taken directly off of the shaft of a prime mover for purposes not directly related to power production (this value is usually zero) 13e Multiply line 13d by 2,544 to convert from hp to Btu/h 13f Indicate the annual average rate of energy input from natural gas and oil 13g Topping-cycle operating value = 100 * 13a / (13a + 13c + 13e) 13h Topping-cycle efficiency value = 100 * (0.5*13a + 13c + 13e) / 9 % 13i Compliance with operating standard: Is the operating value shown in line 13g greater than or equal to 5%? Yes (complies with operating standard) No (does not comply with operating standard) 13j Did installation of the facility in its current form commence on or after March 13, 1980? Yes. Your facility is subject to the efficiency requirements of 18 C.F.R. § 292.205(a)(2). Demonstrate compliance with the efficiency requirement by responding to line 13k or 13l, as applicable, below. No. Your facility is exempt from the efficiency standard. Skip lines 13k and 13l. 13k Compliance with efficiency standard (for low operating value): If the operating value shown in line 13g is less than 15%, then indicate below whether the efficiency value shown in line 13h greater than or equal to 45%: Yes (complies with efficiency standard) No (does not comply with efficiency standard) 13l Compliance with efficiency standard) No (does not comply with efficiency standard) 13l Compliance with efficiency standard (for high operating value): If the operating value shown in line 13g is greater than or equal to 15%, then indicate below whether the efficiency value shown in line 13h is greater than or equal to 42.5%:	to the host(s), net of any heat contained in condensate return or make-up water	Btu/h
13d indicate the annual average rate of mechanical energy output taken directly off of the shaft of a prime mover for purposes not directly related to power production (this value is usually zero) 13e Multiply line 13d by 2,544 to convert from hp to Btu/h 13f Indicate the annual average rate of energy input from natural gas and oil 13g Topping-cycle operating value = 100 * 13a / (13a + 13c + 13e) 13h Topping-cycle efficiency value = 100 * (0.5*13a + 13c + 13e) / 13f 13i Compliance with operating standard: Is the operating value shown in line 13g greater than or equal to 5%? Yes (complies with operating standard) No (does not comply with operating standard) 13j Did installation of the facility in its current form commence on or after March 13, 1980? Yes. Your facility is subject to the efficiency requirements of 18 C.F.R. § 292.205(a)(2). Demonstrate compliance with the efficiency requirement by responding to line 13k or 13l, as applicable, below. No. Your facility is exempt from the efficiency standard. Skip lines 13k and 13l. 13k Compliance with efficiency standard (for low operating value): If the operating value shown in line 13g is less than 15%, then indicate below whether the efficiency value shown in line 13h greater than or equal to 45%: Yes (complies with efficiency standard) No (does not comply with efficiency standard) No (does not comply with efficiency standard) 13l Compliance with efficiency standard) No (does not comply with efficiency standard) 13l Compliance with efficiency standard (for high operating value): If the operating value shown in line 13g is greater than or equal to 15%, then indicate below whether the efficiency value shown in line 13h is greater than or equal to 42.5%:	13b Indicate the annual average rate of net electrical energy output	
13d Indicate the annual average rate of mechanical energy output taken directly off of the shaft of a prime mover for purposes not directly related to power production (this value is usually zero) 13e Multiply line 13d by 2,544 to convert from hp to Btu/h 13f Indicate the annual average rate of energy input from natural gas and oil 13g Topping-cycle operating value = 100 * 13a / (13a + 13c + 13e) 13h Topping-cycle efficiency value = 100 * (0.5*13a + 13c + 13e) / 13f 13i Compliance with operating standard: Is the operating value shown in line 13g greater than or equal to 5%? 13g Yes (complies with operating standard) 13j Did installation of the facility in its current form commence on or after March 13, 1980? 13e Yes. Your facility is subject to the efficiency requirements of 18 C.F.R. § 292.205(a)(2). Demonstrate compliance with the efficiency requirement by responding to line 13k or 13l, as applicable, below. 13k Compliance with efficiency standard (for low operating value): If the operating value shown in line 13g is less than 15%, then indicate below whether the efficiency value shown in line 13h greater than or equal to 45%: 13l Compliance with efficiency standard (for high operating value): If the operating value shown in line 13g is greater than or equal to 15%, then indicate below whether the efficiency value shown in line 13h is greater than or equal to 42.5%:		kW
13d indicate the annual average rate of mechanical energy output taken directly off of the shaft of a prime mover for purposes not directly related to power production (this value is usually zero) 13e Multiply line 13d by 2,544 to convert from hp to Btu/h 13f Indicate the annual average rate of energy input from natural gas and oil 13g Topping-cycle operating value = 100 * 13a / (13a + 13c + 13e) 13h Topping-cycle efficiency value = 100 * (0.5*13a + 13c + 13e) / 13f 13i Compliance with operating standard: Is the operating value shown in line 13g greater than or equal to 5%? 13j Did installation of the facility in its current form commence on or after March 13, 1980? 13j Ves. Your facility is subject to the efficiency requirements of 18 C.F.R. § 292.205(a)(2). Demonstrate compliance with the efficiency requirement by responding to line 13k or 13l, as applicable, below. 13k Compliance with efficiency standard (for low operating value): If the operating value shown in line 13g is less than 15%, then indicate below whether the efficiency value shown in line 13h greater than or equal to 45%: 13l Compliance with efficiency standard (for high operating value): If the operating value shown in line 13g is greater than or equal to 15%, then indicate below whether the efficiency value shown in line 13h is greater than or equal to 42.5%:	13c Multiply line 13b by 3,412 to convert from kW to Btu/h	
of the shaft of a prime mover for purposes not directly related to power production (this value is usually zero) 13e Multiply line 13d by 2,544 to convert from hp to Btu/h 13f Indicate the annual average rate of energy input from natural gas and oil 13g Topping-cycle operating value = 100 * 13a / (13a + 13c + 13e) 13h Topping-cycle efficiency value = 100 * (0.5*13a + 13c + 13e) / 13f 13i Compliance with operating standard: Is the operating value shown in line 13g greater than or equal to 5%? Yes (complies with operating standard) No (does not comply with operating standard) 13j Did installation of the facility in its current form commence on or after March 13, 1980? Yes. Your facility is subject to the efficiency requirements of 18 C.F.R. § 292.205(a)(2). Demonstrate compliance with the efficiency requirement by responding to line 13k or 13l, as applicable, below. No. Your facility is exempt from the efficiency standard. Skip lines 13k and 13l. 13k Compliance with efficiency standard (for low operating value): If the operating value shown in line 13g is less than 15%, then indicate below whether the efficiency value shown in line 13h greater than or equal to 45%: Yes (complies with efficiency standard) No (does not comply with efficiency standard) 13l Compliance with efficiency standard (for high operating value): If the operating value shown in line 13g is greater than or equal to 15%, then indicate below whether the efficiency value shown in line 13h is greater than or equal to 42.5%:		o Btu/h
(this value is usually zero) 13e Multiply line 13d by 2,544 to convert from hp to Btu/h 13f Indicate the annual average rate of energy input from natural gas and oil 13g Topping-cycle operating value = 100 * 13a / (13a + 13c + 13e) 13h Topping-cycle efficiency value = 100 * (0.5*13a + 13c + 13e) / 13f 13i Compliance with operating standard: Is the operating value shown in line 13g greater than or equal to 5%? 13i Complies with operating standard: Is the operating value shown in line 13g greater than or equal to 5%? 13j Did installation of the facility in its current form commence on or after March 13, 1980? Yes. Your facility is subject to the efficiency requirements of 18 C.F.R. § 292.205(a)(2). Demonstrate compliance with the efficiency requirement by responding to line 13k or 13l, as applicable, below. No. Your facility is exempt from the efficiency standard. Skip lines 13k and 13l. 13k Compliance with efficiency standard (for low operating value): If the operating value shown in line 13g is less than 15%, then indicate below whether the efficiency value shown in line 13h greater than or equal to 45%: Yes (complies with efficiency standard) No (does not comply with efficiency standard) 13l Compliance with efficiency standard (for high operating value): If the operating value shown in line 13g is greater than or equal to 15%, then indicate below whether the efficiency value shown in line 13h is greater than or equal to 42.5%:	13d indicate the annual average rate of mechanical energy output taken directly off	
13e Multiply line 13d by 2,544 to convert from hp to Btu/h 13f Indicate the annual average rate of energy input from natural gas and oil 13g Topping-cycle operating value = 100 * 13a / (13a + 13c + 13e) 13h Topping-cycle efficiency value = 100 * (0.5*13a + 13c + 13e) / 13f 13i Compliance with operating standard: Is the operating value shown in line 13g greater than or equal to 5%? Yes (complies with operating standard) No (does not comply with operating standard) 13j Did installation of the facility in its current form commence on or after March 13, 1980? Yes. Your facility is subject to the efficiency requirements of 18 C.F.R. § 292.205(a)(2). Demonstrate compliance with the efficiency requirement by responding to line 13k or 13l, as applicable, below. No. Your facility is exempt from the efficiency standard. Skip lines 13k and 13l. 13k Compliance with efficiency standard (for low operating value): If the operating value shown in line 13g is less than 15%, then indicate below whether the efficiency value shown in line 13h greater than or equal to 45%: Yes (complies with efficiency standard) No (does not comply with efficiency standard) 13l Compliance with efficiency standard (for high operating value): If the operating value shown in line 13g is greater than or equal to 15%, then indicate below whether the efficiency value shown in line 13h is greater than or equal to 42.5%:	of the shaft of a prime mover for purposes not directly related to power production	
13f Indicate the annual average rate of energy input from natural gas and oil 13g Topping-cycle operating value = 100 * 13a / (13a + 13c + 13e) 13h Topping-cycle efficiency value = 100 * (0.5*13a + 13c + 13e) / 13f 13i Compliance with operating standard: Is the operating value shown in line 13g greater than or equal to 5%? Yes (complies with operating standard) No (does not comply with operating standard) 13j Did installation of the facility in its current form commence on or after March 13, 1980? Yes. Your facility is subject to the efficiency requirements of 18 C.F.R. § 292.205(a)(2). Demonstrate compliance with the efficiency requirement by responding to line 13k or 13l, as applicable, below. No. Your facility is exempt from the efficiency standard. Skip lines 13k and 13l. 13k Compliance with efficiency standard (for low operating value): If the operating value shown in line 13g is less than 15%, then indicate below whether the efficiency value shown in line 13h greater than or equal to 45%: Yes (complies with efficiency standard) No (does not comply with efficiency standard) 13l Compliance with efficiency standard) No (does not comply with efficiency standard) 13l Compliance with efficiency standard (for high operating value): If the operating value shown in line 13g is greater than or equal to 15%, then indicate below whether the efficiency value shown in line 13h is greater than or equal to 42.5%:	(this value is usually zero)	qd
13f Indicate the annual average rate of energy input from natural gas and oil 13g Topping-cycle operating value = 100 * 13a / (13a + 13c + 13e) 13h Topping-cycle efficiency value = 100 * (0.5*13a + 13c + 13e) / 13f 13i Compliance with operating standard: Is the operating value shown in line 13g greater than or equal to 5%? Yes (complies with operating standard) No (does not comply with operating standard) 13j Did installation of the facility in its current form commence on or after March 13, 1980? Yes. Your facility is subject to the efficiency requirements of 18 C.F.R. § 292.205(a)(2). Demonstrate compliance with the efficiency requirement by responding to line 13k or 13l, as applicable, below. No. Your facility is exempt from the efficiency standard. Skip lines 13k and 13l. 13k Compliance with efficiency standard (for low operating value): If the operating value shown in line 13g is less than 15%, then indicate below whether the efficiency value shown in line 13h greater than or equal to 45%: Yes (complies with efficiency standard) No (does not comply with efficiency standard) 13l Compliance with efficiency standard (for high operating value): If the operating value shown in line 13g is greater than or equal to 15%, then indicate below whether the efficiency value shown in line 13h is greater than or equal to 42.5%:	13e Multiply line 13d by 2,544 to convert from hp to Btu/h	
13h Topping-cycle efficiency value = 100 * 13a / (13a + 13c + 13e) 13h Topping-cycle efficiency value = 100 * (0.5*13a + 13c + 13e) / 13f 13i Compliance with operating standard: Is the operating value shown in line 13g greater than or equal to 5%? Yes (complies with operating standard) No (does not comply with operating standard) 13j Did installation of the facility in its current form commence on or after March 13, 1980? Yes. Your facility is subject to the efficiency requirements of 18 C.F.R. § 292.205(a)(2). Demonstrate compliance with the efficiency requirement by responding to line 13k or 13l, as applicable, below. No. Your facility is exempt from the efficiency standard. Skip lines 13k and 13l. 13k Compliance with efficiency standard (for low operating value): If the operating value shown in line 13g is less than 15%, then indicate below whether the efficiency value shown in line 13h greater than or equal to 45%: Yes (complies with efficiency standard) No (does not comply with efficiency standard) 13l Compliance with efficiency standard (for high operating value): If the operating value shown in line 13g is greater than or equal to 15%, then indicate below whether the efficiency value shown in line 13h is greater than or equal to 42.5%:		0 Btu/h
13g Topping-cycle operating value = 100 * 13a / (13a + 13c + 13e) 13h Topping-cycle efficiency value = 100 * (0.5*13a + 13c + 13e) / 13f 13i Compliance with operating standard: Is the operating value shown in line 13g greater than or equal to 5%? Yes (complies with operating standard) No (does not comply with operating standard) 13j Did installation of the facility in its current form commence on or after March 13, 1980? Yes. Your facility is subject to the efficiency requirements of 18 C.F.R. § 292.205(a)(2). Demonstrate compliance with the efficiency requirement by responding to line 13k or 13l, as applicable, below. No. Your facility is exempt from the efficiency standard. Skip lines 13k and 13l. 13k Compliance with efficiency standard (for low operating value): If the operating value shown in line 13g is less than 15%, then indicate below whether the efficiency value shown in line 13h greater than or equal to 45%: Yes (complies with efficiency standard) No (does not comply with efficiency standard) 13l Compliance with efficiency standard (for high operating value): If the operating value shown in line 13g is greater than or equal to 15%, then indicate below whether the efficiency value shown in line 13h is greater than or equal to 42.5%:	13f Indicate the annual average rate of energy input from natural gas and oil	
13h Topping-cycle efficiency value = 100 * (0.5*13a + 13c + 13e) / 13f 13i Compliance with operating standard: Is the operating value shown in line 13g greater than or equal to 5%? Yes (complies with operating standard) No (does not comply with operating standard) 13j Did installation of the facility in its current form commence on or after March 13, 1980? Yes. Your facility is subject to the efficiency requirements of 18 C.F.R. § 292.205(a)(2). Demonstrate compliance with the efficiency requirement by responding to line 13k or 13l, as applicable, below. No. Your facility is exempt from the efficiency standard. Skip lines 13k and 13l. 13k Compliance with efficiency standard (for low operating value): If the operating value shown in line 13g is less than 15%, then indicate below whether the efficiency value shown in line 13h greater than or equal to 45%: Yes (complies with efficiency standard) No (does not comply with efficiency standard) 13l Compliance with efficiency standard (for high operating value): If the operating value shown in line 13g is greater than or equal to 15%, then indicate below whether the efficiency value shown in line 13h is greater than or equal to 42.5%:		Btu/h
13h Topping-cycle efficiency value = 100 * (0.5*13a + 13c + 13e) / 13f 13i Compliance with operating standard: Is the operating value shown in line 13g greater than or equal to 5%? Yes (complies with operating standard) No (does not comply with operating standard) 13j Did installation of the facility in its current form commence on or after March 13, 1980? Yes. Your facility is subject to the efficiency requirements of 18 C.F.R. § 292.205(a)(2). Demonstrate compliance with the efficiency requirement by responding to line 13k or 13l, as applicable, below. No. Your facility is exempt from the efficiency standard. Skip lines 13k and 13l. 13k Compliance with efficiency standard (for low operating value): If the operating value shown in line 13g is less than 15%, then indicate below whether the efficiency value shown in line 13h greater than or equal to 45%: Yes (complies with efficiency standard) No (does not comply with efficiency standard) 13l Compliance with efficiency standard (for high operating value): If the operating value shown in line 13g is greater than or equal to 15%, then indicate below whether the efficiency value shown in line 13h is greater than or equal to 42.5%:	13g Topping-cycle operating value = 100 * 13a / (13a + 13c + 13e)	
13i Compliance with operating standard: Is the operating value shown in line 13g greater than or equal to 5%? Yes (complies with operating standard) No (does not comply with operating standard) 13j Did installation of the facility in its current form commence on or after March 13, 1980? Yes. Your facility is subject to the efficiency requirements of 18 C.F.R. § 292.205(a)(2). Demonstrate compliance with the efficiency requirement by responding to line 13k or 13l, as applicable, below. No. Your facility is exempt from the efficiency standard. Skip lines 13k and 13l. 13k Compliance with efficiency standard (for low operating value): If the operating value shown in line 13g is less than 15%, then indicate below whether the efficiency value shown in line 13h greater than or equal to 45%: Yes (complies with efficiency standard) No (does not comply with efficiency standard) 13l Compliance with efficiency standard (for high operating value): If the operating value shown in line 13g is greater than or equal to 15%, then indicate below whether the efficiency value shown in line 13h is greater than or equal to 42.5%:		0 %
13i Compliance with operating standard: Is the operating value shown in line 13g greater than or equal to 5%? Yes (complies with operating standard) No (does not comply with operating standard) 13j Did installation of the facility in its current form commence on or after March 13, 1980? Yes. Your facility is subject to the efficiency requirements of 18 C.F.R. § 292.205(a)(2). Demonstrate compliance with the efficiency requirement by responding to line 13k or 13l, as applicable, below. No. Your facility is exempt from the efficiency standard. Skip lines 13k and 13l. 13k Compliance with efficiency standard (for low operating value): If the operating value shown in line 13g is less than 15%, then indicate below whether the efficiency value shown in line 13h greater than or equal to 45%: Yes (complies with efficiency standard) No (does not comply with efficiency standard) 13l Compliance with efficiency standard (for high operating value): If the operating value shown in line 13g is greater than or equal to 15%, then indicate below whether the efficiency value shown in line 13h is greater than or equal to 42.5%:	13h Topping-cycle efficiency value = 100 * (0.5*13a + 13c + 13e) / 13f	
Yes (complies with operating standard) No (does not comply with operating standard) 13j Did installation of the facility in its current form commence on or after March 13, 1980? Yes. Your facility is subject to the efficiency requirements of 18 C.F.R. § 292.205(a)(2). Demonstrate compliance with the efficiency requirement by responding to line 13k or 13l, as applicable, below. No. Your facility is exempt from the efficiency standard. Skip lines 13k and 13l. 13k Compliance with efficiency standard (for low operating value): If the operating value shown in line 13g is less than 15%, then indicate below whether the efficiency value shown in line 13h greater than or equal to 45%: Yes (complies with efficiency standard) No (does not comply with efficiency standard) 13l Compliance with efficiency standard (for high operating value): If the operating value shown in line 13g is greater than or equal to 15%, then indicate below whether the efficiency value shown in line 13h is greater than or equal to 42.5%:	,	0 %
13j Did installation of the facility in its current form commence on or after March 13, 1980? Yes. Your facility is subject to the efficiency requirements of 18 C.F.R. § 292.205(a)(2). Demonstrate compliance with the efficiency requirement by responding to line 13k or 13l, as applicable, below. No. Your facility is exempt from the efficiency standard. Skip lines 13k and 13l. 13k Compliance with efficiency standard (for low operating value): If the operating value shown in line 13g is less than 15%, then indicate below whether the efficiency value shown in line 13h greater than or equal to 45%: Yes (complies with efficiency standard) No (does not comply with efficiency standard) 13l Compliance with efficiency standard (for high operating value): If the operating value shown in line 13g is greater than or equal to 15%, then indicate below whether the efficiency value shown in line 13h is greater than or equal to 42.5%:	13i Compliance with operating standard: Is the operating value shown in line 13g gre	ater than or equal to 5%?
13j Did installation of the facility in its current form commence on or after March 13, 1980? Yes. Your facility is subject to the efficiency requirements of 18 C.F.R. § 292.205(a)(2). Demonstrate compliance with the efficiency requirement by responding to line 13k or 13l, as applicable, below. No. Your facility is exempt from the efficiency standard. Skip lines 13k and 13l. 13k Compliance with efficiency standard (for low operating value): If the operating value shown in line 13g is less than 15%, then indicate below whether the efficiency value shown in line 13h greater than or equal to 45%: Yes (complies with efficiency standard) No (does not comply with efficiency standard) 13l Compliance with efficiency standard (for high operating value): If the operating value shown in line 13g is greater than or equal to 15%, then indicate below whether the efficiency value shown in line 13h is greater than or equal to 42.5%:	□ Voo (somewijo ovišti, ovo ovetine stanskovilo vol	the amount in a standard N
Yes. Your facility is subject to the efficiency requirements of 18 C.F.R. § 292.205(a)(2). Demonstrate compliance with the efficiency requirement by responding to line 13k or 13l, as applicable, below. No. Your facility is exempt from the efficiency standard. Skip lines 13k and 13l. 13k Compliance with efficiency standard (for low operating value): If the operating value shown in line 13g is less than 15%, then indicate below whether the efficiency value shown in line 13h greater than or equal to 45%: Yes (complies with efficiency standard) No (does not comply with efficiency standard) 13l Compliance with efficiency standard (for high operating value): If the operating value shown in line 13g is greater than or equal to 15%, then indicate below whether the efficiency value shown in line 13h is greater than or equal to 42.5%:	Tes (compiles with operating standard)	th operating standard)
compliance with the efficiency requirement by responding to line 13k or 13l, as applicable, below. No. Your facility is exempt from the efficiency standard. Skip lines 13k and 13l. 13k Compliance with efficiency standard (for low operating value): If the operating value shown in line 13g is less than 15%, then indicate below whether the efficiency value shown in line 13h greater than or equal to 45%: Yes (complies with efficiency standard) No (does not comply with efficiency standard) 13l Compliance with efficiency standard (for high operating value): If the operating value shown in line 13g is greater than or equal to 15%, then indicate below whether the efficiency value shown in line 13h is greater than or equal to 42.5%:	13j Did installation of the facility in its current form commence on or after March 13, 1	980?
compliance with the efficiency requirement by responding to line 13k or 13l, as applicable, below. No. Your facility is exempt from the efficiency standard. Skip lines 13k and 13l. 13k Compliance with efficiency standard (for low operating value): If the operating value shown in line 13g is less than 15%, then indicate below whether the efficiency value shown in line 13h greater than or equal to 45%: Yes (complies with efficiency standard) No (does not comply with efficiency standard) 13l Compliance with efficiency standard (for high operating value): If the operating value shown in line 13g is greater than or equal to 15%, then indicate below whether the efficiency value shown in line 13h is greater than or equal to 42.5%:	Yes. Your facility is subject to the efficiency requirements of 18 C.E.R. § 292.20	5(a)(2) Demonstrate
 No. Your facility is exempt from the efficiency standard. Skip lines 13k and 13l. 13k Compliance with efficiency standard (for low operating value): If the operating value shown in line 13g is less than 15%, then indicate below whether the efficiency value shown in line 13h greater than or equal to 45%:		
13k Compliance with efficiency standard (for low operating value): If the operating value shown in line 13g is less than 15%, then indicate below whether the efficiency value shown in line 13h greater than or equal to 45%: Yes (complies with efficiency standard) No (does not comply with efficiency standard) 13l Compliance with efficiency standard (for high operating value): If the operating value shown in line 13g is greater than or equal to 15%, then indicate below whether the efficiency value shown in line 13h is greater than or equal to 42.5%:	······································	
than 15%, then indicate below whether the efficiency value shown in line 13h greater than or equal to 45%: Yes (complies with efficiency standard) No (does not comply with efficiency standard) 13l Compliance with efficiency standard (for high operating value): If the operating value shown in line 13g is greater than or equal to 15%, then indicate below whether the efficiency value shown in line 13h is greater than or equal to 42.5%:	No. Your facility is exempt from the efficiency standard. Skip lines 13k and 13l.	
than 15%, then indicate below whether the efficiency value shown in line 13h greater than or equal to 45%: Yes (complies with efficiency standard) No (does not comply with efficiency standard) 13l Compliance with efficiency standard (for high operating value): If the operating value shown in line 13g is greater than or equal to 15%, then indicate below whether the efficiency value shown in line 13h is greater than or equal to 42.5%:	13k Compliance with efficiency standard (for low operating value): If the operating va	lue shown in line 13a is less
Yes (complies with efficiency standard) No (does not comply with efficiency standard) 13l Compliance with efficiency standard (for high operating value): If the operating value shown in line 13g is greater than or equal to 15%, then indicate below whether the efficiency value shown in line 13h is greater than or equal to 42.5%:		
13l Compliance with efficiency standard (for high operating value): If the operating value shown in line 13g is greater than or equal to 15%, then indicate below whether the efficiency value shown in line 13h is greater than or equal to 42.5%:	•	·
greater than or equal to 15%, then indicate below whether the efficiency value shown in line 13h is greater than or equal to 42.5%:	Yes (complies with efficiency standard) No (does not comply wi	th efficiency standard)
greater than or equal to 15%, then indicate below whether the efficiency value shown in line 13h is greater than or equal to 42.5%:	131 Compliance with efficiency standard (for high operating value): If the operating va	alue shown in line 13g is
equal to 42.5%:		
No (documents of the official and the standard)	equal to 42.5%:	-
Yes (compiles with efficiency standard) No tropes not comply with efficiency standard	Yes (complies with efficiency standard) No (does not comply with	th efficiency standard)

Usefulness of Bottoming-Cycle Thermal Output

Information Required for Bottoming-Cycle Cogeneration Facility

If you indicated in line 10a that your facility represents bottoming-cycle cogeneration technology, then you must respond to the items on pages 21 and 22. Otherwise, skip pages 21 and 22.

The thermal energy output of a bottoming-cycle cogeneration facility is the energy related to the process(es) from which at least some of the reject heat is then used for power production. Pursuant to sections 292.202(c) and (e) of the Commission's regulations (18 C.F.R. § 292.202(c) and (e)) , the thermal energy output of a qualifying bottomingcycle cogeneration facility must be useful. In connection with this requirement, describe the process(es) from which at least some of the reject heat is used for power production by responding to lines 14a and 14b below. 14a Identify and describe each thermal host and each bottoming-cycle cogeneration process engaged in by each host. For hosts with multiple bottoming-cycle cogeneration processes, provide the data for each process in separate rows. Has the energy input to Name of entity (thermal host) the thermal host been performing the process from augmented for purposes which at least some of the of increasing power reject heat is used for power production capacity? Thermal host's relationship to facility; production (if Yes, describe on p. 24) Thermal host's process type Select thermal host's relationship to facility Yes No 1) Select thermal host's process type Select thermal host's relationship to facility Yes No 2) Select thermal host's process type Select thermal host's relationship to facility Yes 🗍 No 🗀 3) Select thermal host's process type Check here and continue in the Miscellaneous section starting on page 24 if additional space is needed 14b Demonstration of usefulness of thermal output: At a minimum, provide a brief description of each process identified above. In some cases, this brief description is sufficient to demonstrate usefulness. However, if your facility's process is not common, and/or if the usefulness of such thermal output is not reasonably clear, then you must provide additional details as necessary to demonstrate usefulness. Your application may be rejected and/or additional information may be required if an insufficient showing of usefulness is made. (Exception: If you have previously received a Commission certification approving a specific bottoming-cycle process related to the instant facility, then you need only provide a brief description of that process and a reference by date and docket number to the order certifying your facility with the indicated process. Such exemption may not be used if any material changes to the process have been made.) If additional space is needed, continue in the Miscellaneous section starting on page 24.

Bottoming-Cycle Operating and Efficiency Value Calculation

than or equal to 45%:

Yes (complies with efficiency standard)

Page 22 - Bottomi	ng-Cycle Cogeneration Facilities
Applicants for facilities representing bottoming-cycle technology and for which instant March 13, 1990 must demonstrate compliance with the bottoming-cycle efficiency sith the Commission's regulations (18 C.F.R. § 292.205(b)) establishes the efficiency standard cogeneration facilities: the useful power output of the facility must be no less than 4 of natural gas and oil for supplementary firing. To demonstrate compliance with the standard (if applicable), or to demonstrate that your facility is exempt from this standard installation of the facility began, respond to lines 15a through 15h below.	tandards. Section 292.205(b) of ard for bottoming-cycle 5 percent of the energy input bottoming-cycle efficiency
If you indicated in line 10a that your facility represents both topping-cycle and botto technology, then respond to lines 15a through 15h below considering only the energattributable to the bottoming-cycle portion of your facility. Your mass and heat bala which mass and energy flow values and system components are for which portion of (topping or bottoming).	gy Inputs and outputs nce diagram must make clear
15a Did installation of the facility in its current form commence on or after March 13	, 1980?
Yes. Your facility is subject to the efficiency requirement of 18 C.F.R. § 292.20 with the efficiency requirement by responding to lines 15b through 15h belo	5(b). Demonstrate compliance
No. Your facility is exempt from the efficiency standard. Skip the rest of page	22.
15b Indicate the annual average rate of net electrical energy output	kW
15c Multiply line 15b by 3,412 to convert from kW to Btu/h	
15d Indicate the annual average rate of mechanical energy output taken directly off of the shaft of a prime mover for purposes not directly related to power production	0 Btu/h
(this value is usually zero)	hp
15e Multiply line 15d by 2,544 to convert from hp to Btu/h	0 Btu/h
15f Indicate the annual average rate of supplementary energy input from natural gas or oil	
15g Bottoming-cycle efficiency value = 100 * (15c + 15e) / 15f	Degri

15h Compliance with efficiency standard: Indicate below whether the efficiency value shown in line 15g is greater

No (does not comply with efficiency standard)

Commission Staff Use Only:

Certificate of Completeness, Accuracy and Authority

Applicant must certify compliance with and understanding of filing requirements by checking next to each item below and signing at the bottom of this section. Forms with incomplete Certificates of Completeness, Accuracy and Authority will be rejected by the Secretary of the Commission.

rejected by the Secretary of the Commissi	ion.					
Signer identified below certifies the follow	wing: (check all items and applicable subitems)					
	ng any information contained in any attached do d any information contained in the Miscellaneou					
He or she has provided all of the requ to the best of his or her knowledge a	uired information for certification, and the provi nd belief.	ded information is true as stated,				
He or she possess full power and auth Practice and Procedure (18 C.F.R. § 38	hority to sign the filing; as required by Rule 2005 85.2005(a)(3)), he or she is one of the following: ((a)(3) of the Commission's Rules of (check one)				
☐ The person on whose behalf	the filing is made					
\square An officer of the corporation,	☐ An officer of the corporation, trust, association, or other organized group on behalf of which the filing is made					
☐ An officer, agent, or employe filing is made	of the governmental authority, agency, or instru	umentality on behalf of which the				
A representative qualified to Practice and Procedure (18 C.	practice before the Commission under Rule 210 .F.R. § 385.2101) and who possesses authority to	1 of the Commission's Rules of sign				
He or she has reviewed all automatic Miscellaneous section starting on page	calculations and agrees with their results, unles ge 24.	s otherwise noted in the				
He or she has provided a copy of this interconnect and transact (see lines 4	Form 556 and all attachments to the utilities will through 4d), as well as to the regulatory author the Required Notice to Public Utilities and State	orities of the states in which the				
Procedure (18 C.F.R. § 385.2005(c)) provide	iture date below. Rule 2005(c) of the Commissio es that persons filing their documents electronic iled documents. A person filing this document c ded below.	cally may use typed characters				
Your Signature	Your address	Date				
Patrick L. Morand	530 Gaither Road, Suite 900 Rockville, MD 20850	8/9/2022				
Audit Notes						

FERC Form 556 Page 24 - All Facilities

Miscellaneous

Use this space to provide any information for which there was not sufficient space in the previous sections of the form to provide. For each such item of information *clearly identify the line number that the information belongs to*. You may also use this space to provide any additional information you believe is relevant to the certification of your facility.

Your response below is not limited to one page. Additional page(s) will automatically be inserted into this form if the length of your response exceeds the space on this page. Use as many pages as you require,

Question 5b:

Additionally, as stated in response to Question 5b, Noverco Inc. is wholly owned by Trencap L.P. Trencap L.P. is owned 80.90% by Caisse de depot et placement du Quebec and 19.10% by Fonds de solidarite des travailleurs du Quebec.