

November 20, 2020

Public Utility Commission of Oregon 201 High Street, SE, Suite 100 Salem, Oregon 97301-3398

RE: Advice No. 2020-003 PL for Qwest Corporation d/b/a CenturyLink QC Price List

Dear Commissioners:

Attached for electronic filing are the following revisions to the Qwest Corporation d/b/a CenturyLink QC Price List. The following revisions are being submitted with a proposed effective date of December 1, 2020.

Section	Page	Revision
9	1	2nd

This filing adds language pursuant to 47 CFR §9.16(b)(1) and (2), pertaining to Kari's Law. Specifically, these revisions add language related to requirements that equipment manufactured after that date be configured to allow callers to dial "911" directly without first dialing an access code. Where applicable, features or calling options that allow configurations that require an access code before reaching the telephone company's network must not be configured as such for 911 calls.

If you have any questions regarding this filing, please contact Ms. Samantha Ridderbusch at (503) 242-7989 or me at the contact information below.

Sincerely,

Robin Crichton

Robyn Crichton

ec: Ms. Samantha Ridderbusch, CenturyLink Mr. David Ziegler, CenturyLink

OR2020-13

ROBYN CRICHTON Government Operations Manager robyn.m.crichton@centurylink.com voice: (913) 884-1131

Qwest Corporation d/b/a CenturyLink QC PRICE LIST

OREGON

EXCHANGE AND NETWORK SERVICES FOURTH EDITION SECTION 9 2nd Revised Sheet 1 Cancels 1st Revised Sheet 1

9. CENTRAL OFFICE SERVICES

9.1 DIAL SWITCHING SYSTEMS

Equipment used in conjunction with Dial Switching Systems and connected to (N) the Company's network on or after February 16, 2020, must, upon connection to the Company's facilities, be configured by the Customer or equipment manufacturer to allow direct "911" dialing by any end user and must be configured to send MLTS notifications as described in Section 2.5.1 of the Qwest Corporation d/b/a CenturyLink QC Exchange and Network Services P.U.C. Oregon No. 33 Tariff. (N)