



In the Community to Serve®

8113 W. GRANDRIDGE BLVD., KENNEWICK, WASHINGTON 99336-7166
TELEPHONE 509-734-4500 FACSIMILE 509-737-7166
www.cngc.com

April 18, 2019

Oregon Public Utility Commission
P.O. Box 1088
Salem, OR 97308-1088

Re: ADV 950, Advice No. CNG/O19-04-01, Supplemental Filing
Revision to Rule 8 Meter Testing

On April 5, 2019, Cascade Natural Gas Corporation ("Cascade") filed Advice No. O19-04-01, Revision to Rule 8 Meter Testing, which was docketed as ADV 950. The Company herewith supplements ADV 950 with the following additional revisions to its Tariff P.U.C. OR. No. 10, stated to become effective with service on and after May 8, 2019:

First Revision of Sheet No. 8.1

First Revision of Sheet No. 8.2

The Company hereby submits this supplemental filing to Advice No. O19-04-01 to add back language that was inadvertently omitted from the original language in Sheet No. 8.2. Also, per Staff's request, the effective date will be with service on May 8, 2019 as opposed to May 6, 2019.

Attached is an application for waiver from the required thirty-day statutory notice. The application requests that the changes made be effective on May 8, 2019.

If you have any questions about these proposed changes, feel free to call Brett Hudson at 509-734-4573.

Sincerely,

Michael Parvinen
Director, Regulatory Affairs
Cascade Natural Gas Corporation
8113 W. Grandridge Blvd.
Kennewick, WA 99336-7166
michael.parvinen@cngc.com

Attachment

In the Community to Serve®

LESS THAN STATUTORY NOTICE APPLICATION

This document may be electronically filed by sending it as an attachment to an electronic mail message addressed to the Commission's Filing Center at puc.filingcenter@state.or.us.

BEFORE THE PUBLIC UTILITY COMMISSION OF OREGON

IN THE MATTER OF THE APPLICATION OF <u>Cascade Natural Gas Corporation</u> (UTILITY COMPANY) TO WAIVE STATUTORY NOTICE.)))))	UTILITY L.S.N. APPLICATION NO. _____ (LEAVE BLANK)
------------------------------------------------------------------------------------------------------------------------------------------	-----------------------	--------------------------------------------------------------

NOTE: ATTACH EXHIBIT IF SPACE IS INSUFFICIENT.

1. GENERAL DESCRIPTION OF THE PROPOSED SCHEDULE(S) ADDITION, DELETION, OR CHANGE. (SCHEDULE INCLUDES ALL RATES, TOLLS AND CHARGES FOR SERVICE AND ALL RULES AND REGULATIONS AFFECTING THE SAME)
 Cascade Natural Gas is revising Rule 8, Meter Testing, to add back language that was inadvertently omitted on Sheet No. 8.2 and to change the effective date.

2. APPLICANT DESIRES TO CHANGE THE SCHEDULE(S) NOW ON FILE KNOWN AND DESIGNATED AS: (INSERT SCHEDULE REFERENCE BY NUMBER, PAGE, AND ITEM)
 Original Sheet 8.1
 Original Sheet 8.2

3. THE PROPOSED SCHEDULE(S) SHALL BE AS FOLLOWS: (INSERT SCHEDULE REFERENCE BY NUMBER, PAGE AND ITEM)
 First Revision of Sheet No. 8.1
 First Revision of Sheet No. 8.2

4. REASONS FOR REQUESTING A WAIVER OF STATUTORY NOTICE:
 Cascade requests a waiver to allow the changes to become effective on May 8, 2019 as per Staff's request. Original requested effective date in the intial filing was May 6, 2019, that provided 30 days notice.

5. REQUESTED EFFECTIVE DATE OF THE NEW SCHEDULE(S) OR CHANGE(S): May 8, 2019

AUTHORIZED SIGNATURE 	TITLE Director, Regulatory Affairs	DATE 4/18/19
PUC USE ONLY		
<input type="checkbox"/> APPROVED <input type="checkbox"/> DENIED	EFFECTIVE DATE OF APPROVED SCHEDULE(S) OR CHANGE	
AUTHORIZED SIGNATURE	DATE	

**RULE 8
METER TESTING**

METER TEST PROCEDURES

The maximum permissible error in the registration of meters placed in service is 2.0%. Meters shall be adjusted to register as nearly correct as practicable within the 2.0% error allowance prior to being placed in service.

(N)
|
(N)

Except for meters which are in the Company's statistical sampling program, the test interval for meters with capacity 3000 cubic feet per hour (cfh) will be every ten years and meters with capacity 3000 cfh and over will be every five years. The Company may elect to keep diaphragm type meters with rated capacity of up to 3,000 cfh in service for intervals beyond ten years, provided the meter performance meets the criteria of the Company's statistical sample program as approved by the Commission.

(T)
|
(T)

All non-contaminated, testable meters will be tested in accordance with ANSI B109.1, and B109.2, using an average of the open and check in-test results to evaluate each meter's performance. Meter testing shall be performed using a company owned meter prover that is maintained in proper adjustment and so calibrated that the error of indication shall not exceed one-half (½) percent.

(N)
|
(N)

METER SAMPLE PROGRAM

(T)

Each meter in the Statistical Sample Program will be assigned to a meter group or "family" according to its manufacturer, meter class, and set year. At the option of the company, meters in any family may be further subdivided according to meter type, size, location, age, or other factors that may be disclosed by test data to influence the performance of the meters. Subsequently, meter families may be modified or combined as justified by the performance records.

(N)

The performance evaluation of each meter family will be based on an evaluation of test results from random sampling of the family. The random sample for each family will include meters which are removed from service on a routine basis, e.g. meters not in use, too large, too small, damaged index cover, service relocation or replacement, etc. If more meters are required for testing than have been removed from service for routine purposes, a random sample of meters within that family will be removed from service and included in the sample.

For purposes of evaluating the performance of each meter family, the analysis of the test results will exclude data on meters which are damaged, meters which do not register, meters which do not pass gas, and meters which measure either less than 90.0 percent accurate or more than 110.0 percent accurate.

(N)
(K)

(continued)

(K) Text formerly on Sheet No. 8.1 is found on Sheet No. 8.2.

(N)

RULE 8
METER TESTING

METER ACCURACY STANDARD TEST PROCEDURES

~~Before being installed for customer use, meters whether new or reconditioned, will be in good order and be adjusted to register correct consumption with an accuracy bandwidth of two percent (2%) fast or slow.~~

~~The maximum permissible error in the registration of meters placed in service is 2.0%. Meters shall be adjusted to register as nearly correct as practicable within the 2.0% error allowance prior to being placed in service.~~

(N)

(N)

~~Except for meters which are in the Company's statistical sampling program, the test interval for meters with capacity 3000 cubic feet per hour (cfh) will be every gas meter will be tested at least once in a ten years period and meters with capacity 3000 cfh and over will be every five years. The Company may elect to keep diaphragm type meters with rated capacity of up to 3,000 cfh in service for intervals beyond ten years, provided the meter performance meets the criteria of the Company's statistical sample program as approved by the Commission.~~

(T)

(T)

~~All non-contaminated, testable meters will be tested in accordance with ANSI B109.1, and B109.2, using an average of the open and check in-test results to evaluate each meter's performance. Meter testing shall be performed using a company owned meter prover that is maintained in proper adjustment and so calibrated that the error of indication shall not exceed one-half (½) percent.~~

(N)

(N)

STATISTICAL METER SAMPLING PROGRAM

~~Except for meters which are in the Company's statistical sampling program, every gas meter will be tested at least once in a ten year period.~~

(T)

~~The Company may elect to keep diaphragm type meters with rated capacity of up to 3,000 cfh in service for intervals beyond ten years, provided the meter performance meets the criteria of the Company's statistical sample program as approved by the Commission.~~

~~Each meter in the Statistical Sample Program will be assigned to a meter group or "family" according to its manufacturer, meter class, and set year. At the option of the company, meters in any family may be further subdivided according to meter type, size, location, age, or other factors that may be disclosed by test data to influence the performance of the meters. Subsequently, meter families may be modified or combined as justified by the performance records.~~

(N)

~~The performance evaluation of each meter family will be based on an evaluation of test results from random sampling of the family. The random sample for each family will include meters which are removed from service on a routine basis, e.g. meters not in use, too large, too small, damaged index cover, service relocation or replacement, etc. If more meters are required for testing than have been removed from service for routine purposes, a random sample of meters within that family will be removed from service and included in the sample.~~

~~For purposes of evaluating the performance of each meter family, the analysis of the test results will exclude data on meters which are damaged, meters which do not register, meters which do not pass gas, and meters which measure either less than 90.0 percent accurate or more than 110.0 percent accurate.~~

(N)

~~The Company's statistical sample program will meet the requirements set forth in Part IV ("In-Service Performance"), of the 1992 version of ANSI B109.1 and B109.2, and shall be based on generally accepted statistical methods within the industry for predicting the sampling distribution of the proportion of a population, with a 90% degree of confidence.~~

(K)

~~More specifically, the sampling program shall determine from a random sample of sufficient size that, nine times out of ten, as many as 80% of the meters in a meter group (population) are within the percent accuracy limits of 98.0% and 102.0% (i.e. accuracy requirement), and with no more than 10% of the meters in a group exceeding 102.0% accuracy (i.e., not fast requirement). If it is determined that fewer than 80% of the meters in a group meet the accuracy requirement or more than 10% of the meters in a meter group exceed the not fast requirement, corrective action will be taken.~~

~~Corrective action shall consist of either a selective removal program to raise the accuracy performance of the group to acceptable standards or the removal of the entire group from service. The rate of removal will be such that the required corrective action is completed as soon as practicable but not to exceed a period of two years after the year testing was performed. However, with Commission approval, the period for removal may be extended an additional two years in any year which the total number of meters required for removal exceeds four percent of the number of meters in the Statistical Sample Program.~~

~~For further details, a copy of the Statistical Sample Program can be obtained by writing to the Manager, Measurement, c/o Cascade Natural Gas Corporation, 8113 W. Grandridge Blvd, Kennewick, WA 99336.~~

~~**METER ACCURACY STANDARD**~~

~~Before being installed for customer use, meters whether new or reconditioned, will be in good order and be adjusted to register correct consumption with an accuracy bandwidth of two percent (2%) fast or slow.~~

(continued)

~~(K) Text formerly on Sheet No. 8.1 is found on Sheet No. 8.2.~~

(N)

**RULE 8
METER TESTING**

METER SAMPLE PROGRAM (continued)

(T)

Meters with capacities up to 3000 cfh that have been in service ten (10) or more years as established by last set date shall be tested within a prescribed sample size. Sample size and family disposition will be determined in accordance with ANSI/ASQ Z1.4, ANSI/ASQ Z1.9, or other generally accepted industry standard.

(N)

(N)

Corrective action shall consist of either a selective removal program to raise the accuracy performance of the group to acceptable standards or the removal of the entire group from service. The rate of removal will be such that the required corrective action is completed as soon as practicable but not to exceed a period of two years after the year testing was performed. However, with Commission approval, the period for removal may be extended an additional two years in any year which the total number of meters required for removal exceeds four percent of the number of meters in the Statistical Sample Program.

(M)

(M)

If meters tested in the fourth quarter of the plan year cause a family to require additional samples that leave insufficient time to obtain the additional number of meters required to complete the sample, the company may elect to aggressive sampling in the following plan year so that a follow up determination is made within the first six months of the new plan year.

(N)

The program year shall begin on January 1 and end on December 31 of the same year. Sample data collected during a given program year will be analyzed, and a decision regarding meter family disposition will be made in the first quarter of the following calendar year.

(N)

Any customer may request the Company to test his/her meter. Company shall make such test at its central meter shop within twenty (20) days of receipt of request and no payment or deposit will be required for such test.

Should customer request a meter test more often than once in every twelve (12) month period, a Deposit for Meter Test as established in Schedule 200 to cover the reasonable cost of the test may be required of the customer. The amount so deposited will be returned to the customer if the meter is found, upon test, to register more than two (2) percent fast.

All meters will be tested in Company's central meter shop located in Yakima, Washington. A customer shall have the right to require Company to conduct the test in his/her presence at Yakima, or if he/she so desires, in the presence of a representative appointed by him/her.

A report giving customer's name, date of request, address of service location, the type, make, size and meter number, the date tested, and result of test will be supplied to the customer within a reasonable time after completion of test.

(M) Refers to language on Sheet No. 8.2 that was previously on Sheet No. 8.1.

(N)

RULE 8
METER TESTING

~~CUSTOMER REQUESTED METER TESTING~~ METER SAMPLE PROGRAM (continued)

(T)

Meters with capacities up to 3000 cfh that have been in service ten (10) or more years as established by last set date shall be tested within a prescribed sample size. Sample size and family disposition will be determined in accordance with ANSI/ASQ Z1.4, ANSI/ASQ Z1.9, or other generally accepted industry standard.

(N)

(N)

Corrective action shall consist of either a selective removal program to raise the accuracy performance of the group to acceptable standards or the removal of the entire group from service. The rate of removal will be such that the required corrective action is completed as soon as practicable but not to exceed a period of two years after the year testing was performed. However, with Commission approval, the period for removal may be extended an additional two years in any year which the total number of meters required for removal exceeds four percent of the number of meters in the Statistical Sample Program.

(M)

(M)

If meters tested in the fourth quarter of the plan year cause a family to require additional samples that leave insufficient time to obtain the additional number of meters required to complete the sample, the company may elect to aggressive sampling in the following plan year so that a follow up determination is made within the first six months of the new plan year.

(N)

The program year shall begin on January 1 and end on December 31 of the same year. Sample data collected during a given program year will be analyzed, and a decision regarding meter family disposition will be made in the first quarter of the following calendar year.

(N)

Any customer may request the Company to test his/her meter. Company shall make such test at its central meter shop within twenty (20) days of receipt of request and no payment or deposit will be required for such test.

Should customer request a meter test more often than once in every twelve (12) month period, a Deposit for Meter Test as established in Schedule 200 to cover the reasonable cost of the test may be required of the customer. The amount so deposited will be returned to the customer if the meter is found, upon test, to register more than two (2) percent fast.

All meters will be tested in Company's central meter shop located in Yakima, Washington. A customer shall have the right to require Company to conduct the test in his/her presence at Yakima, or if he/she so desires, in the presence of a representative appointed by him/her.

A report giving customer's name, date of request, address of service location, the type, make, size and meter number, the date tested, and result of test will be supplied to the customer within a reasonable time after completion of test.

(M) Refers to language on Sheet No. 8.2 that was previously on Sheet No. 8.1.

(N)